



# Materials Catalog

***Washington Suburban Sanitary Commission***  
***MATERIALS CATALOG***

SP04-A005-C

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

**MATERIALS AND SERVICES GROUP**

**Table of Contents**

<b>MECHANICAL JOINT TO PRESTRESSED CYL. PIPE (CONCRETE) ADAPTOR .....</b>	<b>25</b>
<b>DIAPER, PCCP, LINED CONCRETE PIPE/EMBEDDED CONCRETE PIPE ADAPTER JOINT .....</b>	<b>29</b>
<b>PRECAST MANHOLE ADAPTOR.....</b>	<b>30</b>
<b>FLANGED FITTINGS .....</b>	<b>30</b>
<b>MALE, PVC, SCHEDULE 80 ADAPTOR .....</b>	<b>30</b>
<b>MECHANICAL JOINT BEND.....</b>	<b>30</b>
<b>DUCTILE IRON, M.J. AND PLAIN END BEND .....</b>	<b>31</b>
<b>CAST IRON SOIL BEND FOR SEWER USE.....</b>	<b>31</b>
<b>PVC SEWER PIPE BEND .....</b>	<b>32</b>
<b>BRASS BUSHING, MALE PIPE THREAD, MPT (LARGE SIDE) X FEMALE PIPE THREAD, FPT (SMALL SIDE), UNLESS NOTED OTHERWISE .....</b>	<b>32</b>
<b>GALVANIZED REDUCING BUSHING.....</b>	<b>32</b>
<b>BRASS CAP, FLARED COPPER TUBE NUT THREAD .....</b>	<b>32</b>
<b>BRASS CAP, IRON PIPE THREAD FOR USE WITH BRASS NIPPLE OR GALVANIZED .....</b>	<b>33</b>
<b>CORPORATION STOP AND CORPORATION STOP/INSULATOR ASSEMBLY .....</b>	<b>33</b>
<b>STOP, CORPORATION, FLARE, 2” DIA. ....</b>	<b>33</b>
<b>STOP, CORPORATION, COMPRESSION &amp; ELECTRICAL INSULATOR ASSEMBLY, 2” DIA. ....</b>	<b>33</b>
<b>LEAD FLANGE ADAPTOR.....</b>	<b>34</b>
<b>CURB STOP .....</b>	<b>34</b>
<b>FLEXIBLE COUPLING TO CONNECT SEWER SADDLE TO SEWER PIPE .....</b>	<b>34</b>
<b>FLEXIBLE COUPLING, TO CONNECT VARIOUS PIPE .....</b>	<b>34</b>
<b>INSULATOR, SERVICE, CORPORATION STOP .....</b>	<b>35</b>
<b>COMPRESSION COPPER TUBING X FEMALE IRON PIPE THREAD ADAPTER.....</b>	<b>35</b>
<b>FLARE COPPER TUBING X FEMALE IRON PIPE THREAD ADAPTER.....</b>	<b>35</b>
<b>FEMALE FLARE COPPER TUBE THREAD X FEMALE IRON PIPE THREAD ADAPTER.....</b>	<b>35</b>
<b>FLARE (OR COMPRESSION) COPPER TUBING X MALE IRON PIPE THREAD ADAPTER... </b>	<b>36</b>
<b>COUPLING, COMPRESSION, FOR JOINING COPPER TUBING-SIZE PIPES OR FOR JOINING COPPER TUBING SIZE PIPE TO GALVANIZED PIPE .....</b>	<b>36</b>
<b>COUPLING (HEAVY DUTY), FOR JOINING STEEL, GALVANIZED STEEL, OR BRASS PIPE .....</b>	<b>37</b>
<b>BRASS REDUCING COUPLING.....</b>	<b>37</b>

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

<b>DOUBLE BELL REPAIR COUPLING.....</b>	<b>37</b>
<b>MECHANICAL JOINT CROSS .....</b>	<b>38</b>
<b>BRASS 90 DEGREE ELL, .....</b>	<b>39</b>
<b>BRASS ELL, STREET (NIPPLE), 90 DEGREE .....</b>	<b>39</b>
<b>BRASS NIPPLE .....</b>	<b>39</b>
<b>MECHANICAL JOINT OFFSET, BELL AND BELL .....</b>	<b>41</b>
<b>MECHANICAL JOINT OFFSET, BELL &amp; SPIGOT .....</b>	<b>42</b>
<b>BRASS PLUG, MALE NATIONAL (IRON) PIPE THREAD, MPT.....</b>	<b>42</b>
<b>PLUG, BRASS, MPT, 1/4" DIA.....</b>	<b>42</b>
<b>PLUG, BRASS, MPT, 3/8" DIA.....</b>	<b>42</b>
<b>PLUG, BRASS, MPT, 1/2" DIA.....</b>	<b>42</b>
<b>PLUG, BRASS, MPT, 3/4" DIA.....</b>	<b>42</b>
<b>PLUG, BRASS, MPT, 1" DIA.....</b>	<b>42</b>
<b>PLUG, BRASS, MPT, 1 1/2" DIA.....</b>	<b>42</b>
<b>CONCRETE PLUG, RUBBER JOINT.....</b>	<b>42</b>
<b>MECHANICAL JOINT PLUG.....</b>	<b>43</b>
<b>REPLACEMENT THREADED BRASS PLUG INSERTS WITH COUNTERSUNK SQUARE SOUTHERN CODE SOCKETS FOR IRON CLEANOUT FERRULE FOR 4" PIPE, S/N 1230-0400- 4.....</b>	<b>43</b>
<b>EXPANSION PLUGS (EXPANDED BY TIGHTENING A HEX NUT WHICH COMPRESSES A RUBBER GASKET BETWEEN 2 DISCS) FOR USE WITH CLEANOUT FRAMES AND COVERS, FOR INSERTION INTO SPIGOT END OF SEWER CLEANOUT RISER .....</b>	<b>43</b>
<b>BRASS PLUG, AWWA THREAD WITH RAISED SQUARE HEAD .....</b>	<b>43</b>
<b>TEE PLUG.....</b>	<b>44</b>
<b>TEST PLUG.....</b>	<b>44</b>
<b>MECHANICAL JOINT REDUCER, BELL &amp; BELL .....</b>	<b>44</b>
<b>MECHANICAL JOINT REDUCER, LARGE-END-BELL TO SPIGOT END .....</b>	<b>45</b>
<b>MECHANICAL JOINT REDUCER, SMALL-END BELL TO SPIGOT END .....</b>	<b>45</b>
<b>PVC REDUCER, ECCENTRIC, SMALL END-BELL TO SPIGOT END.....</b>	<b>45</b>
<b>FERNCO REDUCER, (NOT ECCENTRIC) .....</b>	<b>45</b>
<b>STAINLESS STEEL REPAIR CLAMPS FOR ASBESTOS-CEMENT (A/C) WATER PIPE.....</b>	<b>45</b>
<b>STAINLESS STEEL REPAIR CLAMPS FOR CAST IRON AND DUCTILE IRON PIPE.....</b>	<b>46</b>
<b>STAINLESS STEEL REPAIR CLAMPS FOR ASTM C76 CLASS 2, WALL B CONCRETE GRAVITY SEWER PIPE.....</b>	<b>46</b>
<b>STAINLESS STEEL REPAIR CLAMPS FOR ASTM C700, EXTRA-STRENGTH CLAY GRAVITY SEWER PIPE.....</b>	<b>47</b>
<b>STAINLESS STEEL REPAIR CLAMPS FOR ASTM D3034, SDR-35 GRAVITY PVC SEWER PIPE.....</b>	<b>47</b>

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

STAINLESS STEEL REPAIR CLAMPS FOR ASTM A74 SERVICE CAST IRON SOIL SEWER PIPE.....	47
BELL JOINT CLAMP, (DRESSER TYPE 160).....	47
CLAMP, TO REPAIR BELL JOINT LEAKS.....	48
CLAMP, JOINT REPAIR, 42” DIA.....	48
CLAMP, JOINT REPAIR, 48” DIA.....	48
SKINNER EMERGENCY CLAMP.....	49
SERVICE SADDLE, FOR TAPPING IRON PIPE.....	49
WYE SADDLE, FOR TAPPING PVC SEWER PIPE.....	50
TEE SADDLE, FOR TAPPING SEWER PIPE.....	50
TEE SADDLE, FOR TAPPING PVC SEWER PIPE.....	50
TAPPING SLEEVE, FOR AB-CD CAST IRON PIPE.....	50
TAPPING SLEEVE AND VALVE SET FOR AB-CD CAST IRON PIPE (NOTE” THIS SERIES IS BEING DELETED, TAPPING SLEEVES, STOCK SERIES 1163, AND TAPPING VALVES, SERIES 4834, CAN BE REQUISITIONED SEPERARATELY AND USED TOGETHER).....	52
COUPLING, (REPAIR), FOR JOINING IPS SIZE PIPE.....	52
SOLID SLEEVE, MECHANICAL JOINT.....	52
MECHANICAL JOINT SLEEVE, DUAL PURPOSE.....	53
MECHANICAL JOINT SLEEVE (OVERSIZED) & COUPLING, TRANSITION AC/DIP (WILL FIT OVERSIZED CAST IRON PIPE AND (WHERE INDICATED) ASBESTOS-CEMENT PIPE.....	53
SPLIT REPAIR SLEEVE, M.J., FOR CLASS AB C.I. PIPE.....	54
SPLIT REPAIR SLEEVE, M.J., BELL PACK, FOR CAST OR DUCTILE IRON PIPE.....	54
SPLIT REPAIR SLEEVE, M.J., FOR CLASS CD C.I. PIPE.....	54
SPLIT REPAIR SLEEVE, M.J., FOR CAST IRON PIPE (CLOW TYPE).....	54
CLAMP, REPAIR, STAINLESS STEEL WITH 1” CC TAP, FOR CAST IRON PIPE.....	55
SADDLE, SERVICE FOR PRESTRESSED CONCRETE LINED CYLINDER PIPE.....	55
TAPPING ASSEMBLY FOR PRESTRESSED CONCRETE LINED CYLINDER PIPE.....	55
MECHANICAL JOINT TEE.....	56
BRASS TEE.....	58
COPPER TEE.....	58
REDUCING TEE, COPPER.....	58
3-BELL TEE, PVC, SEWER.....	58
HYDRANT TEE.....	59
FLANGE ADAPTER.....	59
BLIND FLANGE.....	59
THREADED FLANGE.....	60
SLIP FLANGE.....	60

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

<b>CLEANOUTS (IRON CLEANOUT FERRULE WITH THREADED BRASS INSERT WITH SQUARE COUNTERSUNK SOUTHERN CODE SOCKET) FOR CAPPING SEWER CLEANOUT PIPE RISERS AT GRADE ON EXISTING INSTALLATIONS (WILL FIT ASTM D3034 PVC PIPE AND SERVICE WEIGHT CAST IRON SOIL PIPE).....</b>	<b>60</b>
<b>BRASS UNION.....</b>	<b>60</b>
<b>PVC UNION .....</b>	<b>61</b>
<b>PVC WYE, SEWER, 3-BELL, 45 DEGREE .....</b>	<b>61</b>
<b>MECHANICAL JOINT WYE .....</b>	<b>61</b>
<i>PUSH-ON WYE.....</i>	<i>61</i>
<b>BRASS WYE FOR COPPER TUBE.....</b>	<b>61</b>
<b>ENGINE, ELECTRICAL SYSTEM COMPONENTS .....</b>	<b>61</b>
<b>MISC. WELDING, SOLDERING, BRAZING SUPPLIES &amp; ACCESSORIES .....</b>	<b>61</b>
<b>SPREADER .....</b>	<b>61</b>
<b>PAVING BREAKER AND ROCK DRILL ACCESSORIES .....</b>	<b>61</b>
<b>MATERIALS HANDLING EQUIPMENT-NON-SELF-PROPELLED .....</b>	<b>62</b>
<b>TIE-DOWN STRAP.....</b>	<b>62</b>
<b>WEB SLINGS FOR LIFTING MATERIALS.....</b>	<b>62</b>
<b>GALVANIZED AND SELF-COLORED CHAIN.....</b>	<b>62</b>
<b>SLING CHAINS, 2-LEG AND 4-LEG .....</b>	<b>62</b>
<b>CABLE, WIRE .....</b>	<b>62</b>
<b>SISAL ROPE .....</b>	<b>63</b>
<b>COTTON TWINE.....</b>	<b>63</b>
<b>NYLON ROPE .....</b>	<b>63</b>
<b>CABLE CLAMP .....</b>	<b>63</b>
<b>GRAB HOOK.....</b>	<b>63</b>
<b>POTABLE WATER DELIVERY HOSE.....</b>	<b>63</b>
<b>ADAPTOR TYPE (SCREW-IN) FIRE HYDRANT .....</b>	<b>ERROR! BOOKMARK NOT DEFINED.</b>
<b>FIRE HYDRANT PARTS &amp; ACCESSORIES.....</b>	<b>64</b>
<b>PARTS FOR U.S. PIPE (METROPOLITAN250) M94 MODEL AND OLDER “METOPOLITAN 250” MODEL FIRE HYDRANTS .....</b>	<b>64</b>
<b>CLOW MEDALLION FIRE HYDRANT PARTS.....</b>	<b>75</b>
<b>(APPROVED FOR USE IN THE WSSD IN 2010).....</b>	<b>75</b>
<b>MISCELLANEOUS FIRE RELATED FITTINGS .....</b>	<b>81</b>
<b>FROST CASE TOP (CAP) FOR ADAPTER TYPE (SCREW-IN) FIRE HYDRANTS .....</b>	<b>83</b>
<b>FIRE HYDRANT EXTENSIONS.....</b>	<b>83</b>
<b>YARD FIRE HYDRANT.....</b>	<b>84</b>
<b>COMPLETE FIRE HYDRANT .....</b>	<b>84</b>
<b>SAFETY EQUIPMENT.....</b>	<b>85</b>

**Washington Suburban Sanitary Commission  
MATERIALS CATALOG**

SAFETY STRING.....	85
SAFETY VEST.....	85
SAFETY FLAG.....	86
SAFETY FLARE.....	86
SAFETY CONE.....	86
PROTECTIVE EQUIPMENT.....	86
FIRE FIGHTING SUPPLIES.....	87
RESPIRATORS & FILTERS.....	87
EAR PROTECTION.....	89
EAR MUFFS (HEARING PROTECTION), MSA ITEM # 10061272, FITS MSA V-GARD PROTECTIVE HELMET (HARD HAT, CAP STYLE), S/N'S 4240-9052-0 AND 4240-9053-8 AND MSA (PLASTIC) FACESHIELD FRAME (S/N 4277-0016-6, MSA ITEM # 10115730) .....	89
EAR MUFFS (HEARING PROTECTION), MSA PART# 10026398, FITS MSA V-GARD PROTECTIVE HELMET (HARD HAT, CAP STYLE), S/N'S 4240-9052-0 AND 4240-9053-8, THESE MUFFS ARE BEING DISCONTINUED BUT A FACESHIELD FRAME (MSA ITEM # 10021614) INTO WHICH THEY ARE INSTALLED) WILL BE PROVIDED AT NO CHARGE UNTIL THE EXISTING STOCK IS DEPLETED (D).....	89
SUN PROTECTION APPAREL .....	90
EYE WEAR .....	90
FACE PROTECTION .....	90
FACE SHIELD, STAND ALONE (DOES NOT ATTACH TO HARD HAT) RESISTANT TO FLUID DROPLET SPLASH, MEETS ANSI Z87.1 REQUIREMENTS FOR IMPACT, CLARITY, HAZE, AND D3 REQUIREMENTS FOR FLUID DROPLET RESISTANCE, INCLUDES AN ADJUSTABLE ELASTIC STRAP, APPROXIMATELY 13.5" WIDE X 9.5" IN HEIGHT.....	90
FRAME, ADJUSTABLE, MSA ITEM # 10115730, FOR USE WITH THE FOLLOWING MSA V- GARD SLOTTED HARD HATS: .....	90
1) SN 4240-9052-0 (MSA ITEM # 488146).....	90
2) SN 4240-9053-8 (MSA ITEM # 475358).....	90
ALSO COMPATIBLE WITH THE FOLLOWING FACESHIELD (VISOR): .....	90
SN 4277-0025-7 (MSA ITEM # 10117783) .....	90
ALSO COMPATIBLE WITH THE FOLLOWING EAR MUFFS FOR HEARING PROTECTION: .....	90
SN 4275-0020-2 (MSA ITEM # 10061272) .....	90
ALSO COMPATIBLE WITH THE FOLLOWING CHIN PROTECTOR: .....	90
SN 4277-0050-5 (MSA ITEM # 10115828) .....	90
ALSO COMPATIBLE WITH THE FOLLOWING FACESHIELD (VISOR): .....	91
SN 4277-0025-7 (MSA ITEM # 10117783) .....	91
FIRST AID EQUIPMENT & SUPPLIES.....	91
SUMP PUMPS.....	92
BILGE PUMP.....	93

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

<b>AIR HOSE .....</b>	<b>93</b>
<b>FITTINGS AND SPECIALTIES: HOSE &amp; TUBING.....</b>	<b>94</b>
<b>HOSE FITTINGS.....</b>	<b>94</b>
<b>MECHANICAL JOINT GLANDS.....</b>	<b>95</b>
<b>SPLIT REPAIR RINGS .....</b>	<b>95</b>
<b>RESTRAINER GLAND, SPLIT, DUCTILE IRON, KIT (INCLUDES ALL ACCESSORIES).....</b>	<b>95</b>
<b>RESTRAINER GLAND, M.J., WEDGE ACTION, KIT .....</b>	<b>96</b>
<b>BLACK STEEL PIPE.....</b>	<b>97</b>
<b>MECHANICAL JOINT PIPE, CLASS 54, DUCTILE IRON .....</b>	<b>97</b>
<b>PUSH-ON JOINT PIPE, CLASS 54, DUCTILE IRON.....</b>	<b>99</b>
<b>PVC PIPE, SEWER.....</b>	<b>99</b>
<b>MECHANICAL JOINT VALVE.....</b>	<b>100</b>
<b>AIR VALVES .....</b>	<b>100</b>
<b>BACKWATER VALVE .....</b>	<b>101</b>
<b>BALL VALVE, FOR PRESSURE SEWER (GRINDER PUMP).....</b>	<b>101</b>
<b>BALL VALVES, 1/4 TURN, WITH HAND LEVER, OF NSF RATED BRONZE (NOTE: FOR 2” BRONZE BALL VALVE WITH CURB STOP TYPE OPERATING KEY, USE STOCK NUMBER 1061-5200-2).....</b>	<b>101</b>
<b>FLANGED CHECK VALVE.....</b>	<b>101</b>
<b>HORIZONTAL CHECK VALVE, PVC.....</b>	<b>102</b>
<b>VERTICAL CHECK VALVE, OF NSF RATED BRONZE.....</b>	<b>102</b>
<b>FLANGED GATE VALVE .....</b>	<b>102</b>
<b>NOTE: SOME OF THIS STOCK SERIES MAY NOT BE AVAILABLE AND WILL ONLY BE ORDERED UPON REQUEST (FF) .....</b>	<b>102</b>
<b>THREADED GATE VALVE, OF NSF BRONZE .....</b>	<b>102</b>
<b>THREADED GLOBE VALVE .....</b>	<b>102</b>
<b>FLANGED, HORIZONTAL, DOUBLE DISC OR ROLLING DISC VALVES, AWWA C500,.....</b>	<b>103</b>
<b>FLANGED, HORIZONTAL, DOUBLE DISC OR ROLLING DISC VALVES, AWWA C500,.....</b>	<b>103</b>
<b>BALL VALVES, 1/4 TURN, WITH HAND LEVER, OF NSF RATED BRONZE (NOTE: FOR 2” BRONZE BALL VALVE WITH CURB STOP TYE OPERATING KEY, USE STOCK NUMBER 1061-5200-2).....</b>	<b>104</b>
<b>FOOT VALVE, (WITH INSIDE FLAP).....</b>	<b>104</b>
<b>VALVE PARTS.....</b>	<b>104</b>
<b>CURB BOX &amp; PARTS.....</b>	<b>105</b>
<b>VALVE BOX &amp; PARTS.....</b>	<b>105</b>
<b>MAINTENANCE AND FUEL DISPENSING EQUIPMENT .....</b>	<b>106</b>
<b>NON-POWERED CONSTRUCTION HAND TOOLS .....</b>	<b>106</b>



**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

**TRENCH JACK SCREW END AND BUTT END TO BE USED WITH 2” DIAMETER SCHEDULE 40 STEEL PIPE (S/N 4761-2000-1) TO COMPRISE A TRENCH JACK ASSEMBLY. SEE NOTE UNDER S/N 4761-2000-1 REGARDING DETERMINATION OF ALLOWABLE LOAD FROM MANUFACTURER’S TABULATED DATA FOR THIS ASSEMBLY ..... 107**

**DYNAMIC CONE PENEROMETER (DCP) TEST APPARATUS NOTE: THE DCP TEST IS USED TO EVALUATE THE MECHANICAL PROPERTIES OF COMPACTED SUBGRADE SOIL ..... 107**

**NON-EDGED, NON-POWERED HAND TOOLS ..... 107**

**NON-EDGED, NON-POWERED HAND TOOLS ..... 109**

**DRILL BITS, COUNTERBORES & COUNTERSINKS: MACHINE & HAND..... 111**

**DRILLING AND TAPPING BITS, FOR B-101 AND D-5 MUELLER DRILLING AND TAPPING MACHINES ..... 113**

**HAND TAPS, VARIOUS SIZES AND THREAD TYPES ..... 113**

**DRILL AND TAP BITS FOR MUELLER B-101 DRILLING AND TAPPING MACHINE ..... 114**

**SOCKETS FOR MANHOLE WRENCH, REPAIR CLAMPS, ETC. .... 115**

**BANDING TOOLS & ACCESSORIES ..... 115**

**WATER METER, VALVE & SHUT-OFF KEYS ..... 115**

**GATE VALVE KEYS..... 116**

**CRAFTSMEN MEASURING TOOLS ..... 116**

**SCREWS ..... 116**

**TEE HEAD BOLTS, (MECHANICAL JOINT) ..... 119**

**NAILS AND SPIKES..... 121**

**ANCHORS..... 121**

**PACKING ..... 121**

**FLEXIBLE JOINT SEALANT ..... 122**

**SEALING DEVICES TO MAKE METERS TAMPER RESISTANT..... 122**

**MISCELLANEOUS HARDWARE..... 122**

**JOINT RESTRAINERS ..... 122**

**RESTRAINING GASKETS (FIELD LOK AND SURESTOP FOR SIZES 4”-24”, TALON FOR SIZES 4”-16”)..... 123**

**RESTRAINING GASKETS (FAST GRIP) SIZES 4”-12” ..... 123**

**DISKS, STONES, AND BLADES..... 123**

**ABRASIVE MATERIAL ..... 124**

**PRESTRESSED CONCRETE CYLINDER PIPE GASKETS ..... 125**

**STANDARD SBR (VULCANIZED STYRENE BUTADIENE RUBBER) MECHANICAL JOINT GASKETS..... 126**

**MECHANICAL JOINT, JOINT KIT ..... 127**

**JOINT KITS, FOR USE WITH SPLIT MJ GLANDS ..... ERROR! BOOKMARK NOT DEFINED.**

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

**INCLUDES GASKET, NUTS AND BOLTS, FOR USE WITH SPLIT MJ GLANDS, STOCK SERIES: 4741-0400-7 THRU 4741-1200-0 ..... ERROR! BOOKMARK NOT DEFINED.**

**SUPER BELL JOINT GASKET (PUSH-ON)..... 129**

**FASTITE GASKET (PUSH-ON)..... 130**

**CAST IRON SOIL PIPE GASKET..... 130**

**NBR (NITRILE) MECHANICAL JOINT GASKETS ..... 131**

**TRANSITION GASKET ..... 131**

**PRECAST MANHOLE GASKET..... 131**

**SUCTION HOSE GASKET ..... 131**

**BEVELED GASKETS & METER GASKETS ..... 132**

**LUMBER ..... 132**

**WOOD STAKE, FLAG STAKE, WOODEN BLOCK..... 132**

**WOOD CHOCK..... 132**

**BULK MATERIAL..... 133**

**CEMENT ..... 133**

**BENTONITE ..... 133**

**BRICK..... 133**

**FENCE & EROSION CONTROL..... 133**

**PRECAST MANHOLE PARTS ..... 134**

**HIGH DENSITY POLYETHYLENE GRADE RINGS ..... 134**

**MANHOLE FRAME, COVER & PARTS..... 134**

**LAMPHOLE FRAME & COVER (FOR CLEAN-OUTS) [FOR USE WITH  
CLEAN-OUT EXPANSION PLUGS, 1124-0440-5 (4") & 1124-0460-3 (6")] ..... 136**

**PIPE TO MANHOLE SLEEVE ..... 136**

**REINFORCEMENT STEEL ..... 137**

**RODS, ALL-THREAD (NOTE: AS OF JUNE 1, 2017 NONE OF THE BELOW ROD IS  
STAINLESS STEEL BUT AS CURRENT STOCK OF EACH IS DEPLETED, EACH WILL BE  
REPLACED BY STAINLESS STEEL, THIS ROD MUST BE COATED AS PER WSSC  
SPECIFICATIONS WHEN USED IN BURIED APPLICATIONS UNTIL STAINLESS STEEL IS  
AVAILABLE)..... 137**

**CIRCUIT BREAKERS..... 137**

**SWITCHES ..... 137**

**ELECTRICAL CONNECTORS ..... 137**

**TERMINAL LUGS AND TERMINAL STRIPS..... 137**

**RELAYS AND SOLENOIDS..... 138**

**ELECTRICAL INSULATORS AND INSULATING MATERIAL ..... 138**

**ELECTRICAL SUPPLIES AND HARDWARE..... 138**

**RIGID STEEL CONDUIT ..... 139**

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

<b>FLEXIBLE CONDUIT, WATERTIGHT .....</b>	<b>139</b>
<b>ELECTRICAL WALL AND COVER PLATES .....</b>	<b>139</b>
<b>MISC. ELECTRICAL AND ELECTRONIC COMPONENTS .....</b>	<b>139</b>
<b>BATTERIES .....</b>	<b>140</b>
<b>PORTABLE ELECTRICAL CORD, TYPE SJO .....</b>	<b>140</b>
<b>ELECTRICAL WIRE AND CABLE .....</b>	<b>140</b>
<b>EXTENSION CORDS .....</b>	<b>141</b>
<b>FLASHLIGHTS AND LANTERNS .....</b>	<b>141</b>
<b>ELECTRIC LAMPS .....</b>	<b>141</b>
<b>LAMPHOLDER AND STARTER BALLASTS.....</b>	<b>142</b>
<b>ENDUROSCOPE .....</b>	<b>143</b>
<b>CALIBRATION GAS CYLINDERS.....</b>	<b>143</b>
<b>WATER METERS, ACCESSORIES,.....</b>	<b>143</b>
<b>AND PARTS .....</b>	<b>143</b>
<b>PRESSURE GAUGE, 0-100 PSI.....</b>	<b>174</b>
<b>LEAK DETECTORS, PIPE AND TUBING LOCATORS, AND FERROMAGNETIC LOCATORS .....</b>	<b>174</b>
<b>CHEMICALS .....</b>	<b>174</b>
<b>DE-ICERS.....</b>	<b>175</b>
<b>RODENTICIDE .....</b>	<b>175</b>
<b>PEST CONTROL AGENTS .....</b>	<b>175</b>
<b>DRAIN CLEANING TOOLS AND ACCESSORIES (NOTE: ACCESSORIES CAN ALSO BE USED WITH THE RIDGID HAND CRANK WHICH IS NOT A WSSC STOCK ITEM) FOR THE RIDGID K-1000 RODDER MACHINE AND THE RIDGID K-1500 SECTIONAL DRAIN CLEANING MACHINE .....</b>	<b>175</b>
<b>HOUSEHOLD &amp; COMMERCIAL UTILITY CONTAINERS.....</b>	<b>176</b>
<b>TAGS.....</b>	<b>176</b>
<b>PAPER.....</b>	<b>177</b>
<b>PAPER, 8-1/2 X 11, WHITE, VIRGIN .....</b>	<b>177</b>
<b>PAPER, 8-1/2 X 14, WHITE, VIRGIN .....</b>	<b>177</b>
<b>PAPER, 11 X 17 .....</b>	<b>177</b>
<b>PAPER, STATIONERY, 2<sup>ND</sup> SHEET .....</b>	<b>177</b>
<b>ENVELOPES.....</b>	<b>177</b>
<b>ENVELOPE, BLUE, PAYMENT PACKING: 500/BOX, 5 BOXES/CASE .....</b>	<b>177</b>
<b>BRUSHES AND BROOMS.....</b>	<b>178</b>
<b>MOPHEADS.....</b>	<b>178</b>
<b>WIPING RAGS .....</b>	<b>178</b>
<b>DISINFECTANT WIPES.....</b>	<b>178</b>

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

<b>CLEANING AND POLISHING COMPOUNDS &amp; PREPARATIONS.....</b>	<b>179</b>
<b>REPAIR KIT FOR PROTECTO 401 PIPE LINER MANUFACTURED BY INDURO PROTECTIVE COATINGS, TO BE USED ON DUCTILE IRON PIPE LINED WITH PROTECTO 401 WHICH IS APPLICABLE FOR WASTEWATER LINES.....</b>	<b>180</b>
<b>TAPE COATING SYSTEM COMPONENTS.....</b>	<b>180</b>
<b>(FOR CORROSION PROTECTION OF MECHANICAL JOINT FITTINGS AND JOINT CONNECTIONS, WHERE REQUIRED BY WSSC SPECIFICATIONS).....</b>	<b>180</b>
<b>PAINT.....</b>	<b>181</b>
<b>SPRAY PAINT .....</b>	<b>182</b>
<b>PRIMER PAINT .....</b>	<b>183</b>
<b>SPECIAL PURPOSE PAINT.....</b>	<b>183</b>
<b>BONDING MORTAR.....</b>	<b>184</b>
<b>SOLVENT THINNER .....</b>	<b>184</b>
<b>PAINT &amp; ARTIST'S BRUSHES .....</b>	<b>184</b>
<b>PRESERVATIVE AND SEALING COMPOUNDS .....</b>	<b>184</b>
<b>PVC SOLVENT WELD CEMENT &amp; PRIMER.....</b>	<b>184</b>
<b>BAGS AND SACKS .....</b>	<b>184</b>
<b>TARPAULINS.....</b>	<b>185</b>
<b>OUTERWEAR .....</b>	<b>185</b>
<b>GLOVES .....</b>	<b>185</b>
<b>FOOTWEAR.....</b>	<b>186</b>
<b>DEODORIZER CANNISTER FOR TMS MODEL 1811 LAVORATORY DISPENSERS .....</b>	<b>187</b>
<b>TOILET SOAP AND POWDERS .....</b>	<b>187</b>
<b>TOILETRY PAPER PRODUCTS.....</b>	<b>188</b>
<b>GRASS SEED &amp; PATCH MIX.....</b>	<b>188</b>
<b>BOTTLE WATER.....</b>	<b>188</b>
<b>WIRE PULLING COMPOUND.....</b>	<b>188</b>
<b>MOTOR OIL.....</b>	<b>188</b>
<b>SPRAY DEGREASER.....</b>	<b>188</b>
<b>LUBRICANTS.....</b>	<b>189</b>
<b>TAPE .....</b>	<b>190</b>
<b>PLASTIC SHEETS .....</b>	<b>190</b>
<b>COPPER SHEETS.....</b>	<b>191</b>
<b>SIGNS AND SIGN STAND .....</b>	<b>191</b>
<b>MARKER POSTS .....</b>	<b>192</b>
<b>PAVING MARKER.....</b>	<b>192</b>
<b>FF ITEMS .....</b>	<b>193</b>

## *Washington Suburban Sanitary Commission* **MATERIALS CATALOG**

**REQUIRES 1 JOINT KIT ..... 193**

**FLANGE ADAPTER..... 193**

**NSF HOSE ..... 194**

**FIRE HYDRANT HEADS, COMPLETE WITH ALL ACCESSORIES ERROR! BOOKMARK NOT DEFINED.**

**TUBING POLYETHYLENE (ENCASEMENT FOR PROTECTING DUCTILE IRON PIPE FROM CORROSION)..... 194**

**HORIZONTAL, FLANGED, DOUBLE DISC OR ROLLING DISC VALVE, PRESSURE RATING: 250 PSI..... 194**

**HORIZONTAL, FLANGED, DOUBLE DISC OR ROLLING DISC VALVE, PRESSURE RATING: 150 PSI..... 195**

**REPAIR KITS FOR PRESTRESSED CONCRETE CYLINDER PIPE (PCCP) UTILIZING 2 PCCP X DUCTILE IRON PIPE (DIP) ADAPTERS, ..... CXCVI**

**INCLUDES ALL PARTS NEEDED FOR REPAIR EXCEPT DIP, MJ SLEEVE(S), ACCESSORIES FOR SLEEVE(S) AND POSSIBLY ALTERNATE PCCP LAY GASKETS, ALSO INCLUDES ONE MJ JOINT KIT FOR EACH ADAPTER..... CXCVI**

***(NOTE THAT FOR PCCP DIAMETERS BETWEEN AND INCLUDING 42" THROUGH 72", THE KITS INCLUDE LAY GASKETS WITH CROSS SECTION DIAMETERS OF EITHER 21/32" OR 25/32" BUT THAT THE GASKET NOT PROVIDED MAY BE THE CORRECT GASKET, IF THE WIDTH OF THE GROOVE FOR THE GASKET IN THE SPIGOT END OF THE PIPE OR ADAPTER MEASURES 3/4", THEN THE LAY GASKET OF 21/32" CROSS SECTION DIAMETER IS TO BE USED AND IF THE GROOVE WIDTH MEASURES 7/8", THEN THE LAY GASKET OF 25/32" CROSS SECTION DIAMETER IS TO BE USED)..... CXCVI***

<b>NOTE:</b>	<b>Some items may become discontinued over time either by manufacturer, lack of use, or replaced by other parts. Items may be added on request by using the online form.</b>
<b>FF ITEMS</b>	<b>Some items are designated as FF, these items will be ordered only on request and will not be stocked otherwise.</b>
<b>Prefix</b>	<b>Description</b>
0100	"Zero Value Inventory Items": Note that these items are typically items which were not originally purchased for warehouse stock, there is no charge for these items, they will not be replenished when depleted, and availability may be limited to certain organizations and uses.
1022	PCCP Parts and Accessories
1024	PRECAST MANHOLE ADAPTOR
1025	FLANGED FITTINGS
1030	MALE, PVC, SCHEDULE 80 ADAPTOR
1038	MECHANICAL JOINT BEND
1039	DUCTILE IRON, M.J. AND PLAIN END BEND
1042	PVC SEWER PIPE BEND
1050	TAPERED BUSHING, MUELLER THREAD
1051	BRASS BUSHING, MALE PIPE THREAD, MPT (LARGE SIDE) x FEMALE PIPE THREAD, FPT (SMALL SIDE), UNLESS NOTED OTHERWISE
1052	GALVANIZED REDUCING BUSHING
1055	BRASS CAP, Flared Copper Tube Nut Thread
1057	MECHANICAL JOINT CAP
1059	BRASS CAP, IRON PIPE THREAD FOR USE WITH BRASS NIPPLE OR GALVANIZED

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1060	CORPORATION STOP AND CORPORATION STOP/INSULATOR ASSEMBLY & LEAD FLANGE ADAPTOR
1061	CURB STOP
1062	FLEXIBLE COUPLING TO CONNECT SEWER SADDLE TO SEWER PIPE (ALSO CONNECTS SCH. 40 PVC TO SCH. 35 PVC & A/C PIPE TO C.I. OR PVC)
1063	FLEXIBLE COUPLING, TO CONNECT VARIOUS PIPE
1066	INSULATOR, SERVICE, CORPORATION STOP & FLARED COPPER/COPPER COUPLING
1067	COMPRESSION COPPER TUBING X FEMALE IRON PIPE THREAD ADAPTER, FLARE COPPER TUBING X FEMALE IRON PIPE THREAD ADAPTER & FEMALE FLARE COPPER TUBE THREAD X FEMALE IRON PIPE THREAD ADAPTER
1068	FLARE (OR COMPRESSION) COPPER TUBING x MALE IRON PIPE THREAD ADAPTER
1070	COUPLING, COMPRESSION, FOR JOINING COPPER TUBING-SIZE PIPES OR FOR JOINING COPPER TUBING SIZE PIPE TO GALVANIZED PIPE
1071	COUPLING (HEAVY DUTY), FOR JOINING STEEL, GALVANIZED STEEL, OR BRASS PIPE Dresser Style 90
1072	BRASS REDUCING COUPLING FEMALE PIPE THREAD X FEMALE PIPE THREAD (FPT X FPT)
1075	DOUBLE BELL REPAIR COUPLING For joining PVC sewer pipe
1076	MECHANICAL JOINT CROSS Requires 2 Joint Kits first number & 2 Joint Kits second number
1081	BRASS 90 DEGREE ELL, FEMALE PIPE THREAD X FEMALE PIPE THREAD (FPT X FPT)
1084	BRASS ELL, STREET (NIPPLE), 90 DEGREE Female Pipe Thread x Male Pipe Thread (FPT x MPT)
1095	BRASS NIPPLE National Pipe Thread, NPT (Iron Pipe Thread, IPT)
1115	MECHANICAL JOINT OFFSET, BELL AND BELL Requires 2 Joint Kits
1116	MECHANICAL JOINT OFFSET, BELL & SPIGOT Requires 1 Joint Kit
1118	BRASS PLUG, MALE NATIONAL (IRON) PIPE THREAD, MPT
1119	CONCRETE PLUG, RUBBER JOINT
1121	MECHANICAL JOINT PLUG Requires 1 M.J. Gasket & T-Head Bolts
1124	REPLACEMENT THREADED BRASS PLUG INSERTS WITH COUNTERSUNK SQUARE SOUTHERN CODE SOCKETS FOR IRON CLEANOUT FERRULE FOR 4" PIPE, S/N 1230-0400-4 & EXPANSION PLUGS FOR USE WITH CLEANOUT FRAMES AND COVERS
1125	BRASS PLUG, AWWA THREAD WITH RAISED SQUARE HEAD
1126	TEE PLUG (Cast iron, may be hex head or square head, MIP thread, fits inside sewer clean-out stack wye)
1128	TEST PLUG (Wing Plug for Cast Iron Pipe)
1130	MECHANICAL JOINT REDUCER, BELL & BELL Requires Joint Kit each side
1131	MECHANICAL JOINT REDUCER, LARGE-END-BELL TO SPIGOT END Requires 1 Joint Kit (Bell end only)
1133	MECHANICAL JOINT REDUCER, SMALL-END BELL TO SPIGOT END Requires 1 Joint Kit (Bell-End only)
1135	PVC REDUCER, ECCENTRIC, SMALL END-BELL TO SPIGOT END
1136	FERNCO REDUCER, (Not Eccentric) Flexible coupling to connect plain ends of cast iron soil pipe
1143	STAINLESS STEEL REPAIR CLAMPS FOR ASBESTOS-CEMENT (A/C) WATER PIPE (For ASTM C296 Class 150 rough barrel water pipe)
1144	STAINLESS STEEL REPAIR CLAMPS
1147	CLAMP, TO REPAIR BELL JOINT LEAKS (Replaces 1146 – Stock Series; Can be used on push-on ductile iron pipe (class A-B with rubber gaskets) and oversized cast iron pipe (class C-D with calked poured leaded joints).
1151	SKINNER EMERGENCY CLAMP (TO REPAIR GALVANIZED STEEL PIPE)
1155	SERVICE SADDLE, FOR TAPPING IRON PIPE
1156	WYE SADDLE, FOR TAPPING PVC SEWER PIPE
1157	TEE SADDLE, FOR TAPPING SEWER PIPE (IRON BODY)
1158	TEE SADDLE, FOR TAPPING PVC SEWER PIPE (PVC BODY)

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1159	Saddle, Sewer, Wye, for Corr. Concrete Pipe
1163	TAPPING SLEEVE, FOR AB-CD CAST IRON PIPE (Assesories Included), TAPPING VALVES, SERIES 4834, CAN BE REQUISITIONED SEPERARATELY AND USED WITH THESE SLEEVES
1168	COUPLING, (REPAIR), FOR JOINING IPS SIZE PIPE Dresser Style 38 coupling
1169	SOLID SLEEVE, MECHANICAL JOINT Requires 2 Joint Kits
1170	MECHANICAL JOINT SLEEVE, DUAL PURPOSE
1171	COUPLING, TRANSITION AC/DIP & MECHANICAL JOINT SLEEVE (OVERSIZED)(Will Fit Oversized Cast Iron Pipe and (where indicated) Asbestos-Cement Pipe
1173	SPLIT REPAIR SLEEVE, M.J., FOR CLASS AB C.I. PIPE
1175	SPLIT REPAIR SLEEVE, M.J., BELL PACK, FOR CAST OR DUCTILE IRON PIPE
1176	SPLIT REPAIR SLEEVE, M.J., FOR CLASS CD C.I. PIPE
1177	SPLIT REPAIR SLEEVE, M.J., FOR CAST IRON PIPE (CLOW TYPE)
1178	CLAMP, REPAIR, STAINLESS STEEL WITH 1" cc TAP, FOR CAST IRON PIPE
1182	SADDLE, SERVICE FOR PRESTRESSED CONCRETE LINED CYLINDER PIPE
1183	TAPPING ASSEMBLY FOR PRESTRESSED CONCRETE LINED CYLINDER PIPE
1188	MECHANICAL JOINT TEE
1190	BRASS TEE Female Pipe Thread (FPT x FPT X FPT)
1191	COPPER TEE For flared or compression copper tube connections
1192	REDUCING TEE, COPPER (For Flared or Compression Copper Tube Connections)
1195	3-BELL TEE, PVC, SEWER
1196	HYDRANT TEE
1220	FLANGE ADAPTER & BLIND FLANGE
1222	THREADED FLANGE
1224	SLIP FLANGE
1230	CLEANOUTS
1245	BRASS UNION Female Pipe Thread x Female Pipe Thread (FPT X FPT)
1247	PVC UNION
1250	PVC WYE, SEWER, 3-BELL, 45 DEGREE
1253	MECHANICAL JOINT WYE
1260	PUSH-ON WYE BRASS WYE FOR COPPER TUBE (FLARED OR COMPRESSION CONNECTIONS)
2920	ENGINE, ELECTRICAL SYSTEM COMPONENTS
3439	MISC. WELDING, SOLDERING, BRAZING SUPPLIES & ACCESSORIES
3750	SPREADER
3820	PAVING BREAKER AND ROCK DRILL ACCESSORIES
3920	MATERIALS HANDLING EQUIPMENT-NON-SELF-PROPELLED
3940	TIE-DOWN STRAP & WEB SLINGS FOR LIFTING MATERIALS
4010	CHAIN & SLING CHAINS, 2-LEG AND 4-LEG
4015	CABLE, WIRE
4020	SISAL ROPE
4021	COTTON TWINE
4022	NYLON ROPE
4030	CABLE CLAMP
4032	GRAB HOOK
4210	POTABLE WATER DELIVERY HOSE & ADAPTOR TYPE (SCREW-IN) FIRE HYDRANT
4211	FIRE HYDRANT PARTS & ACCESSORIES
4212	Fire Hydrant extensions
4213	COMPLETE FIRE HYDRANT & YARD FIRE HYDRANT
4220	SAFETY EQUIPMENT

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4222	SAFETY STRING
4225	SAFETY VEST
4227	SAFETY FLAG
4229	SAFETY FLARE
4230	SAFETY CONE & SAFETY DRUM
4240	PROTECTIVE EQUIPMENT
4242	FIRE FIGHTING SUPPLIES
4270	RESPIRATORS & FILTERS
4275	EAR PROTECTION & SUN PROTECTION APPAREL
4276	EYE WEAR
4277	FACE PROTECTION
4280	FIRST AID EQUIPMENT & SUPPLIES (Gloves - Nitrile, Latex, Vinyl)
4320	BILGE & SUMP PUMPS
4720	AIR HOSE, PRESSURE JET HOSE, POTABLE WATER (GARDEN) HOSE
4722	HOSE SUCTION
4730	FITTINGS AND SPECIALTIES: HOSE & TUBING
4732	HOSE FITTINGS
4740	MECHANICAL JOINT GLANDS
4741	SPLIT REPAIR RINGS
4742	RESTRAINER GLAND, SPLIT, DUCTILE IRON, KIT
4744	RESTRAINER GLAND, M.J., WEDGE ACTION, KIT (MEGALUG)
4745	TUBING POLYETHYLENE (ENCASEMENT FOR PROTECTING DUCTILE IRON PIPE FROM CORROSION) (V-BIO)
4750	COPPER PIPE
4761	BLACK STEEL PIPE
4770	MECHANICAL JOINT PIPE, CLASS 54, DUCTILE IRON
4789	PUSH-ON JOINT PIPE, CLASS 54, DUCTILE IRON
4795	PVC PIPE, SEWER
4820	MECHANICAL JOINT VALVE
4822	AIR VALVES For Use on Water Applications Only
4823	BACKWATER VALVE
4824	BALL VALVE, FOR PRESSURE SEWER (GRINDER PUMP)
4825	FLANGED CHECK VALVE
4826	HORIZONTAL CHECK VALVE, BRONZE
4827	VERTICAL CHECK VALVE
4828	FLANGED GATE VALVE
4831	THREADED GATE VALVE (Female X Female)
4832	THREADED GLOBE VALVE
4833	FLANGED, HORIZONTAL, DOUBLE DISC OR ROLLING DISC VALVES
4834	TAPPING VALVE, MECHANICAL JOINT FOR USE WITH TAPPING SLEEVES, STOCK SERIES 1163
4835	BALL VALVES, 1/4 TURN, WITH HAND LEVER, OF NSF RATED BRONZE
4838	FOOT VALVE
4840	VALVE PARTS
4880	CURB BOX & PARTS
4881	VALVE BOX & PARTS
4930	Grease Gun & Accessories
5105	NON-POWERED CONSTRUCTION HAND TOOLS (Shovel, rake, hoe, trench jack, drill rod extension)



**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5110	NON-EDGED, NON-POWERED HAND TOOLS (caulking iron, chisel, digging bar, feeling rod, probe, wrecking bar, file, cutting wheel, hacksaw & blades, axe, wire stripper, tin snips)
5120	NON-EDGED, NON-POWERED HAND TOOLS (hammer, screwdriver, pliers, wrench, clean-out tool, C-clamp, flaring tool)
5133	DRILL BITS, COUNTERBORES & COUNTERSINKS: MACHINE & HAND (Easy Outs)
5136	HAND TAPS, VARIOUS SIZES AND THREAD TYPES
5137	SOCKETS FOR MANHOLE WRENCH, REPAIR CLAMPS, RATCHET AND BREAKER BAR, ETC.
5140	BANDING TOOLS & ACCESSORIES
5145	WATER METER, VALVE & SHUT-OFF KEYS
5147	GATE VALVE KEYS
5210	CRAFTSMEN MEASURING TOOLS
5305	SCREWS
5306	TEE HEAD BOLTS, (MECHANICAL JOINT), Toggle Bolt
5310	NUTS & WASHERS
5315	NAILS AND SPIKES
5326	ANCHORS
5330	PACKING
5332	FLEXIBLE JOINT SEALANT
5340	SEALING DEVICES TO MAKE METERS TAMPER RESISTANT; MISCELLANEOUS HARDWARE (Padlocks)
5341	JOINT RESTRAINERS (Duc-Lug, restraining gaskets)
5345	DISKS, STONES, AND BLADES (cutting discs, whetstones)
5350	ABRASIVE MATERIAL (sandpaper, etc.)
5380	PRESTRESSED CONCRETE CYLINDER PIPE GASKETS
5381	STANDARD SBR (VULCANIZED STYRENE BUTADIENE RUBBER) MECHANICAL JOINT GASKETS
5382	MECHANICAL JOINT, JOINT KIT (and flange kits)
5383	TAPPING SLEEVE OUTLET FLANGE GASKET; SUPER BELL JOINT GASKET (PUSH-ON)
5384	TYTON GASKET (PUSH-ON) SBR
5386	FASTITE GASKET (PUSH-ON) SBR
5387	CAST IRON SOIL PIPE GASKET
5391	NBR (NITRILE) MECHANICAL JOINT GASKETS
5392	TRANSITION GASKET
5395	PRECAST MANHOLE GASKET
5397	SUCTION HOSE GASKET
5399	BEVELED GASKETS & METER GASKETS
5511	LUMBER
5512	WOOD STAKE, FLAG STAKE, WOODEN BLOCK
5513	WOOD CHOCK
5610	CEMENT & BULK MATERIAL (Asphalt, Cold Mix, Top Soil etc.)
5615	BENTONITE
5620	BRICK
5660	FENCE & EROSION CONTROL (sediment filters [gutter buddies])
5670	PRECAST MANHOLE PARTS
5680	MANHOLE FRAME, COVER & PARTS
5681	LAMPHOLE FRAME & COVER (FOR CLEAN-OUTS)
5682	PIPE TO MANHOLE SLEEVE
5685	REINFORCEMENT STEEL
5686	RODS, ALL-THREAD
5925	CIRCUIT BREAKERS

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5930	SWITCHES
5935	ELECTRICAL CONNECTORS
5940	TERMINAL LUGS AND TERMINAL STRIPS
5945	RELAYS AND SOLENOIDS
5970	ELECTRICAL INSULATORS AND INSULATING MATERIAL
5975	ELECTRICAL SUPPLIES AND HARDWARE (Ells, Conduit Connectors)
5977	RIGID STEEL CONDUIT
5979	FLEXIBLE CONDUIT, WATERTIGHT
5981	ELECTRICAL WALL AND COVER PLATES
5999	MISC. ELECTRICAL AND ELECTRONIC COMPONENTS (Cable ties)
6135	BATTERIES
6143	PORTABLE ELECTRICAL CORD, TYPE SJO
6145	ELECTRICAL WIRE AND CABLE
6150	EXTENSION CORDS
6225	FLASHLIGHTS AND LANTERNS
6240	ELECTRIC LAMPS (bulbs)
6250	LAMPHOLDER AND STARTER BALLASTS
6650	ENDUROSCOPE
6665	CALIBRATION GAS CYLINDERS
6680	WATER METER ACCESSORIES AND PARTS
6681	WATER METERS
6685	PRESSURE GAUGE FOR FIRE HYDRANT; PRESSURE GAUGE, 0-100 PSI
6695	LEAK DETECTORS, PIPE AND TUBING LOCATORS, AND FERROMAGNETIC LOCATORS
6810	CHEMICALS
6814	DE-ICERS
6820	DYE TABLETS
6840	PEST CONTROL AGENTS
6850	SILICON SPRAY FOR ELECTRICAL PARTS
6855	DEGREASER; DRAIN CLEANING TOOLS AND ACCESSORIES
7240	HOUSEHOLD & COMMERCIAL UTILITY CONTAINERS (buckets, cans)
7350	DISPOSABLE DRINKING CUPS
7520	TAGS
7540	ENVELOPES & STANDARD FORMS
7640	MAPS
7690	POST MARKERS
7916	BRUSHES (Wire, Counter)
7920	BROOMS
7921	BRUSHES (Daubing, Scrubbing)
7922	MOPHEADS
7924	WIPING RAGS
7930	CLEANING AND POLISHING COMPOUNDS & PREPARATIONS (Sanitizer, Cleaner, Windshield Wash)
8010	TAPE COATING SYSTEM COMPONENTS, PAINT & REPAIR KIT FOR PROTECTO 401 PIPE LINER
8011	SPRAY PAINT
8020	PRIMER PAINT
8025	SPECIAL PURPOSE PAINT
8030	BONDING MORTAR
8045	SOLVENT THINNER (Denatured Alcohol)

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

8060	PAINT & ARTIST'S BRUSHES
8065	PRESERVATIVE AND SEALING COMPOUNDS
8066	PVC SOLVENT WELD CEMENT & PRIMER
8105	BAGS AND SACKS
8340	TARPAULINS
8405	OUTERWEAR (Gloves, Coveralls, Hand Warmers, Sweat Bands)
8430	FOOTWEAR (Hip Boots, Galoshes, Shoe Covers, Shoe Spikes)
8510	DEODORIZER CANNISTER FOR TMS Model 1811 LAVORATORY DISPENSERS
8520	TOILET SOAP AND POWDERS
8540	TOILETRY PAPER PRODUCTS
8730	GRASS SEED & PATCH MIX
8960	BOTTLE WATER
9135	WIRE PULLING COMPOUND
9137	MOTOR OIL
9139	SPRAY DEGREASER
9141	LUBRICANTS (Pipe, Joint)
9143	Grease Gun Cartridge, Lubricant
9145	Lubricant, for Precast Manhole
9150	Lubricant (Hydrant, general Purpose, Penetrating, Compoiund, Tool, etc.)
9320	TAPE
9330	PLASTIC SHEETS
9535	COPPER SHEETS
9905	SIGNS
9907	SIGN POST
9909	DETECTABLE TAPES

HOURS OF OPERATION FOR ISSUING AND RECEIVING MATERIALS

- Anacostia Warehouse, Plant 001  
7:30 a.m. to 3:45 p.m.  
Telephone No. 301-206-4273
- Gaithersburg Warehouse, Plant 002  
7:00 a.m. to 11:45 a.m. and 12:45 p.m. to 3:15 p.m.  
Telephone No. 301-206-7366
- Lyttonsville Warehouse, Plant 003  
7:30 a.m. to 11:45 a.m. and 12:45 p.m. to 3:45 p.m.  
Telephone No. 301- 206-7342
- Temple Hills Warehouse, Plant 004  
7:30 a.m. to 11:45 a.m. and 12:45 p.m. to 3:45

# ***Washington Suburban Sanitary Commission*** ***MATERIALS CATALOG***

Telephone No. 301- 206-7318

## **OBTAINING MATERIALS FROM WSSC WAREHOUSES**

This Materials Catalog lists all tools, materials and supplies carried in the Commission's warehouse inventory. It should be noted that not all items are stocked at all warehouse locations. All items are stocked, however, at the Commission's main warehouse facility at Anacostia and can be shipped to any satellite warehouse upon request.

The index lists materials alphabetically, with series (first 4 digits of stock number) and page number. Some materials will be found on the specific page listed. In other cases the page number is the beginning page of a stock number series and it will be necessary to check the description column to find the exact type and size needed.

All customers are strongly encouraged to enter their orders electronically in advance. This will allow the Materials and Services Group to begin work on the order prior to your arrival and will help to eliminate or reduce your wait time at the warehouse.

- If requesting warehoused materials electronically, follow the established procedures (procedures and sample are enclosed). To request on-line access or training, complete the Access Request form located in the Outlook public folder at Forms\Materials & Services.
- If using a Materials Issue and Return Form (procedures and sample are enclosed). This form may be obtained free of charge from any of the warehouses. (Part number 7540-8082-7)
  - Accurately complete form.
  - Have Supervisor approve request.
- Materials are issued by part number, not description. Make sure the part number is the correct one for the material that is being requested.

Failure to follow any of the above guidelines will justify any refusal by Materials and Services Group personnel to issue or accept material. Information from the Materials Issue and Return Request Form is used to produce management reports for your Unit and Group Managers. It is therefore important that information on this form is accurate.

## **CODE DESIGNATIONS USED IN THE MATERIALS CATALOG**

### **DISCONTINUED ITEMS**

Discontinued items are identified by a "(D)" following the description in the stock catalog. These items will be included in the catalog until existing supplies are used up, but will not be reordered. Any questions concerning why an item was discontinued should be directed to the Materials Management Unit on extension 4270.

### **HAZARDOUS MATERIALS**

# *Washington Suburban Sanitary Commission*

## **MATERIALS CATALOG**

Certain items stocked at the warehouses have been identified as hazardous materials. These items are marked by an "(H)" following the description in the stock catalog. Material Safety Data Sheets for these items are available at each warehouse.

### ASSEMBLIES

An assembly is a collection of two or more part numbers that are combined and may be ordered using the assembly number rather than the individual part numbers. These items are identified by an "(A)" following the description in the stock catalog.

### ITEMS NOT NORMALLY STOCKED, BUT WHICH CAN BE ORDERED ON REQUEST

Certain items are listed in the Materials Catalog for which specifications exist and which can be ordered on request (FF). In some cases these items may be made available in a matter of days and in other cases, the time required for obtaining the items may be considerably longer.

## UNITS OF ISSUE

AY Assembly: NOTE: ASSEMBLIES ARE NOT ACTIVE AT THIS TIME, PLEASE CONTACT THE MATERIALS MANAGEMENT UNIT IF ASSISTANCE IS NEEDED IN DETERMINING THE STOCK ITEMS THAT WERE INCLUDED IN THE ASSEMBLIES. An assembly is a collection of two or more part numbers that are combined. Note that in some cases, an assembly (as defined in the computer system) has instead been given a unit of issue of "SE".

BG	Bag
BR	Bar
BT	Bottle
BX	Box
CA	Cartridge
CL	Coil
CN	Can
CO	Container
CS	Case
EA	Each
FT	Foot
GL	Gallon
KT	Kit
LB	Pound

***Washington Suburban Sanitary Commission***  
***MATERIALS CATALOG***

LG	Length
PC	Piece
PD	Pad
PK	Package
PL	Pail
PR	Pair
QT	Quart
RM	Ream
RO	Roll
SE	Set

A set in some cases a set is purchased and issued as a set, and in others the computer system has been set up to provide specific quantities of specific stock items as an assembly (as described above).

SH	Sheet
SL	Spool
TN	Tons
TU	Tube
VA	Various

**Washington Suburban Sanitary Commission  
MATERIALS CATALOG**

**STOCK SERIES 0100 ITEMS**

“Zero Value Inventory Items”: Note that these items are typically items which were not originally purchased for warehouse stock, there is no charge for these items, they will not be replenished if depleted, and availability may be limited to certain organizations and uses.

**ITEMS FOR USE RELATED TO COVID-19 VIRUS**

FIRST AID EQUIPMENT & SUPPLIES

4280-0010-0	Kit, Personal Protection (For One Person), Includes 2 Face Masks, 2 Pairs Of Disposable Gloves, 2 Hand Sanitizer Packets, & 2 Antimicrobial Wipes	KT
-------------	---	----

DISPOSABLE FACE MASKS AND RESPIRATORS

4270-0010-2	Respirator, NIOSH N95, Size: SMALL	EA
4270-0010-4	Respirator, NIOSH N95, Size : M-XL	EA
4270-0010-8	Respirator, NIOSH N95, Size : M-XL, Box of 20 Respirators	BX
0100-0202-1	Mask, Non -NIOSH, 3-Ply, Blue/Green	EA
0100-0202-2	Mask, Non-NIOSH, Includes Clear Plastic Window	EA
0100-0202-5	Mask, Non-NIOSH, Cloth, Cotton, White	EA
0100-0202-6	Gaiter, Large, Non NIOSH, Cloth, Light Blue With WSSC Logo	EA
0100-0202-7	Gaiter, Small, Non NIOSH, Cloth, Light Blue With WSSC Logo	EA
0100-0203-0	Respirator, Non-NIOSH, KN95, White	EA
0100-0203-1	Respirator, Non-NIOSH, KN95, White	EA
0100-0203-9	Face Mask Ear Saver Strap	EA

RESPIRATORS, NON-DISPOSABLE

4270-0018-7	Respirator, Small, COMFO Classic	EA
4270-0020-3	Respirator, Medium, COMFO Classic	EA
4270-0025-2	Respirator, Large, COMFO Classic	EA
4270-0031-6	Respirator, Small, Advantage 200	EA
4270-0033-6	Respirator, Medium, Advantage 200	EA
4270-0035-0	Respirator, Large, Advantage 200	EA

CARTRIDGES FOR NON-DISPOSABLE RESPIRATORS

4272-0102-5	CARTRIDGE,CHEM,GMA,ADVNTAGE200	EA
-------------	--------------------------------	----

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4272-0120-7	CARTRIDGE,CHEM,GMC,ADVANTG 200	EA
4272-0105-9	CARTRIDGE,COMBO,GMA/P100,ADVTG	EA
4272-0035-7	CARTRIDGE,COMBO,GMA/P100,COMFO	EA
4272-0108-7	CARTRIDGE,COMBO,GMB/P100 ADVTG	EA
4272-0025-8	CARTRIDGE,COMBO,GMB/P100 COMFO	EA
4272-0140-5	CARTRIDGE,COMBO,GMC/P100,ADVTG	EA
4272-0045-6	CARTRIDGE,COMBO,GMD/P100,COMFO	EA
4272-0020-9	CARTRIDGE,COMBO,GME/P100 COMFO	EA

GLOVES

4280-0101-0	Glove, Nitrile, 4ML, Large, 100PK	BX
4280-0107-7	Glove, Nitrile, 4ML, Small, 100PK	BX
4280-0108-5	Glove, Nitrile, 4ML, Medium, 100PK	BX
4280-0117-6	Gloves, Latex, 5Mil, Disposable, Medium	BX
4280-0119-2	Gloves, Latex, 5Mil, Disposable, Large	BX
4280-0124-2	Gloves, Latex, 11Mil, Small 50BX	BX
4280-0126-7	Gloves, Latex, 11Mil, Medium 50BX	BX
4280-0128-3	Gloves, Latex, 11Mil, Large, 50BX	BX
4280-0130-9	Gloves, Latex, 11Mil, Extra-large 50BX	BX
4280-0131-2	Gloves, Vinyl, 5Mil, Small, 100PK	PK
4280-0133-9	Gloves, Vinyl, 5Mil, Medium, 100PK	PK
4280-0135-0	Gloves, Vinyl, 5Mil, Large, 100PK	PK
4280-0137-5	Gloves, Vinyl, 5Mil, XL, 100PK	PK

COVERALLS

8405-9901-3	Coveralls, Disposable, XL	EA
8405-9902-1	Coveralls, Disposable, 2XL	EA
8405-9903-9	Coveralls, Disposable, 3XL	EA
8405-9904-7	Coveralls, Disposable, 4XL	EA

EYE PROTECTION

4276-0020-0	Eyeglasses, Safety, Clear Lens	PR
4276-0022-4	Eyeglasses, Safety, Gray Lens	PR
4276-0024-2	Eyeglasses, Safety, Amber Lens	PR



**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4276-0030-9	Goggles, Safety, Chemical	PR
4276-0030-0	Eyeglasses, OTG, Clear	PR
4276-0030-1	Eyeglasses, OTG, Gray	PR
4277-0010-0	Faceshield, Stand Alone	EA

DISINFECTANT WIPES

7930-9000-1	Wipes, Disinfectant, Included On The Environmental Protection Agency's "List N: Disinfectants For Use Against Sars-Cov-2", Approved Mfr/Product: Itw Pro Brands / Scrubs Metaphene Plus Disinfecting Wipes, 73 Wipes Per Container	CO
-------------	--	----

HAND SANITIZERS (Such as PURELL or other locally made products)

7930-9048-1	Cleaner,(Sanitizer),Hand,4 OZ.	BT
0100-0200-8	Cleaner Sanitizer, Anti Bacterial, Hand - Comes in a container size of 6 or 8 oz	CO
0100-0201-0	Cleaner Sanitizer, Anti Bacterial, Hand - Comes in a container size of 12 or 16 oz	CO
0100-0201-1	Sanitizer, Hand, 32 Ounce Container	CO
0100-0201-2	Cleaner Sanitizer, Anti Bacterial, Hand - Comes In A Gallon Size Container Size	GL
	SANITIZER FOR DISPENSING WALL UNITS -DISPENSING UNITS AND REFILL BAGS -DISINFECTS HANDS	
7930-9052-3	Sanitizer,Antibacterial,Refill Purell Brand Only Works With Purell Brand Sanitizer	EA
7930-9053-1	DISPENSER, HAND SANITIZER, PURELL BRAND	EA
7930-9044-0	SANITIZER,ANTIBACTERIAL,REFILL STATE CHEMICAL BRAND ONLY WORKS WITH STATE	BG
7930-9043-2	DISPENSER, HAND SANITIZER, STATE CHEMICAL BRAND	EA

HARD SURFACE DISINFECTANT SPRAY (NOT FOR HANDS) CDC APPROVED FOR COVID 19 VIRUS

7930-9061-0	SPRAY NINE DISINFECTANT, 32 OZ SPRAY BOTTLE, (PROVIDED BY FASTENAL)	EA
7930-9060-6	LYSOL, GALLON CONTAINERS	GL
7930-9070-5	DISINFECTANT, 32 OZ SPRAY FANTASTIC MULTI-SURF DIS/DEG # 100-5460000032-5	QT
0100-0199-0	DISINFECTANT, STATE CHEM "TRIPLE QUICK", 32 OZ BOTTLE WITH OR WITHOUT SPRAYER OR PURE & CLEAN SURFACE CLEANER PRO	BT
0100-0199-1	DISINFECTANT,15.5 OUNCE (MINIMUM) SPRAY BOTTLE OR AEROSOL CAN	BT

**PLASTIC BOTTLES/CAPS TO REFILL FROM LARGER SANITIZER CONTAINERS**

0100-0197-8	BOTTLE, 8 OUNCE, PLASTIC, WITH SPRAYER INCLUDED, ASSORTED COLORS	BT
0100-0198-0	EMPTY PLASTIC BOTTLE, 4 OUNCE	BT

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

0100-0198-2	PUMP WITH 5-1/4" DIPTUBE	EA
0100-0198-4	PLASTIC CAP FOR EMPTY 4 OUNCE BOTTLE	EA

**OTHER 0100 STOCK ITEMS**

ENVELOPES

0100-1014-9 (previously 7540-1014-9)	Envelope, 11 x 14, W/RET ADD	EA
0100-1017-4 (previously 7540-1017-4)	Envelope, TYVEK, 10 x13, 1st Class	EA
0100-1020-5 (previously 7540-1020-5)	Envelope, TYVEK, 12x16x2	EA
0100-1023-1 (previously 7540-1023-1)	Envelope, TYVEK, 10x15 w/ RET ADD	EA

**FLANGED JOINT TO PRESTRESSED CYL. PIPE (CONCRETE) ADAPTOR**

1022-1036-6	Adapter, PCCP, ECP Bell x AWWA Class E Flange per AWWA C207	EA
1022-1037-4	Adapter, PCCP, ECP Spigot x AWWA Class E Flange per AWWA C207	EA

**WSSC STOCK ITEMS THAT ARE REPLENISHED**

**MECHANICAL JOINT TO PRESTRESSED CYL. PIPE (CONCRETE) ADAPTOR**

1022-1600-9	Adaptor, PCCP ( LCP), B-B, 16"	EA
1022-2000-1	Adaptor, PCCP (LCP), B-B, 20"	EA
1022-2400-3	Adaptor, PCCP (LCP), B-B, 24"	EA
1022-2405-2	Adapator, PCCP (LCP), B-B, 30"	EA
1022-2410-2	Adaptor, PCCP ( LCP), B-B, 36"	EA
1022-2415-1	Adaptor, PCCP ( LCP), B-B, 42"	EA
1022-2420-1	Adaptor, PCCP ( LCP), B-B, 48"	EA
1022-2425-0	Adaptor, PCCP (EMB),B-B, 54"	EA
1022-2500-0	Adaptor, PCCP (LCP),B-S, 16"	EA
1022-2505-9	Adaptor, PCCP (LCP), B-S, 20"	EA
1022-2510-9	Adaptor, PCCP (LCP), B-S, 24"	EA
1022-2515-8	Adaptor, PCCP (LCP), B-S, 30"	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1022-2520-8	Adaptor, PCCP (LCP), B-S, 36"	EA
1022-2525-7	Adaptor, PCCP (LCP), B-S, 42"	EA
1022-2530-7	Adapator, PCCP (LCP), B-S, 48"	EA
1022-2535-6	Adapator, PCCP (EMB),B-S, 54", NOTE: THIS ADAPTER IS PROVIDED WITH A SPECIAL HANSON GLAND FOR THE MECHANICAL JOINT WHICH IS REQUIRED FOR AND USED ONLY FOR THIS ADAPTER. A SPECIAL HANSON GASKET IS ALSO REQUIRED FOR THIS JOINT AND IS AVAILABLE AS WSSC STOCK NUMBER 5380-6210-0	EA
1022-6024-7	Adaptor, PCCP (EMB), B-S, 24"	EA
1022-6030-4	Adaptor, PCCP (EMB), B-S, 30"	EA
1022-6036-1	Adaptor, PCCP (EMB), B-S, 36"	EA
1022-6042-3	Adaptor, PCCP (EMB), B-S, 42"	EA
1022-6048-5	Adapator, PCCP (EMB), B-S, 48"	EA
1022-6124-5	Adapator, PCCP (EMB), B-S, 24"	EA
1022-6130-2	Adapator, PCCP (EMB), B-S, 30"	EA
1022-6136-9	Adaptor, PCCP (EMB), B-S, 36"	EA
1022-6142-8	Adaptor, PCCP (EMB), B-S, 42"	EA
1022-6148-4	Adaptor, PCCP, (EMB), B-S, 48"	EA
	NOTE: SEE THE BEGINNING OF THE PCCP SECTION FOR A COMPLETE LIST OF THE CONTENTS OF THE FOLLOWING 54" (S/N 1022-6200-3) THROUGH 96" (S/N 1022-6800-0) PCCP ECP REPAIR KIT ASSMBLIES	
1022-6202-8	PCCP,DOUB.SPIG.ADPTR,54"/R.KIT	EA
1022-6204-5	PCCP,CLOS.ASSY,54",FOR R.KIT	EA
1022-6205-2	PCCP(ECP),54"DIA,13',FOR R.KIT	EA
1022-6206-0	PCCP(ECP),54"DIA,9',FOR R.KIT	EA
1022-6212-8	DIAPER (GRT BAND) PCCP,54"/R.KIT	EA
1022-6302-7	PCCP DOUB. SPIGOT ADPTR, 60"/R. KIT	EA
1022-6302-9	PCCP,DOUBLE SPIGOT FITTING,60 IN(W/36"OUTLET&INSTALLED FLANGE)9.92 FOOT LENGTH,TPG P/N 60E-050 AS SHOWN ON TPG DRWG #WSSC 60E-50(S1)DATED 9/20/21,(THIS ITEM IS ONE PIECE OF A 2 PIECE REPAIR KIT FOR A 16 FOOT LENGTH OF 60 INCH ECP)	EA
1022-6303-1	PCCP,DOUBLE SPIGOT FITTING,60 IN(W/O 36"OUTLET & FLANGE), 9.92 FOOT LENGTH, MFD BY TPG	EA
1022-6304-3	PCCP, CLOS, ASSY, 60", FOR R. KIT	EA
1022-6306-8	PCCP (ECP), 60" ' DIA, 9' FOR R. KIT	EA
1022-6312-6	DIAPER (GRT BAND) PCCP, 60"/R. KIT	EA
1022-6315-9	PCCP (ECP), 60" DIA, 4' LENGTH	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1022-6402-5	PCCP, DOUB. SPIG. ADPTR, 66"/R. KIT	EA
1022-6402-7	PCCP,DOUBLE SPIGOT FITTING,66 IN(W/ 36"OUTLET & FLANGE), 9.92 FOOT LENGTH, MFD BY TPG	EA
1022-6402-9	PCCP,DOUBLE SPIGOT FITTING,66 IN(W/O 36"OUTLET & FLANGE), 9.92 FOOT LENGTH, MFD BY TPG	
1022-6404-1	PCCP, CLOS, ASSY, 66", FOR R. KIT	EA
1022-6406-6	PCCP (ECP), 66" DIA 9' FOR R. KIT	EA
1022-6412-4	DIAPER (GRIT BAND) PCCP, 66" /R. KIT	EA
1022-6415-7	PCCP (ECP), 66" DIA, 4' LENGTH	EA
1022-6502-2	PCCP, DOUB. SPIG. ADPTR, 72" /R. KIT	EA
1022-6502-4	PCCP,DOUBLE SPIGOT FITTING,72 IN(W/ 36"OUTLET & INSTALLED FLANGE), 9.92 FT LENGTH, MFD P/N 72E-050	EA
1022-6502-6	PCCP,DOUBLE SPIGOT FITTING,72 IN(W/O 36"OUTLET & FLANGE), 9.92 FOOT LENGTH, MFD BY TPG	EA
1022-6504-6	PCCP,CLOS.ASSY,72",FOR R.KIT, BELL/FOLLOWER RING CLOSURE-6' LL,W/OUTLET (D)	EA
1022-6504-8	PCCP, CLOS. ASSY, 72", FOR R. KIT	EA
1022-6506-3	PCCP (ECP), 72" DIA, 9' FOR R. KIT	EA
1022-6512-1	DIAPER (GRIT BAND) PCCP, 72" /R. KIT	EA
1022-6515-4	PCCP (ECP), 72" DIA, 4' LENGTH	EA
1022-6522-0	PCCP,DOUB.SPIG.ADPTR,78"/R.KIT	EA
1022-6522-2	PCCP,DOUBLE SPIGOT FITTING,78 IN(W/ 36"OUTLET & FLANGE), 10 FOOT LENGTH, MFD BY TPG	EA
1022-6522-4	PCCP,DOUBLE SPIGOT FITTING,78 IN(W/O 36"OUTLET & FLANGE), 10 FOOT LENGTH, MFD BY TPG	EA
1022-6524-6	PCCP,CLOS.ASSY,78",FOR R.KIT	EA
1022-6526-1	PCCP(ECP),78"DIA,9',FOR R.KIT	EA
1022-6528-7	DIAPER(GRT BAND)PCCP,78"/R.KIT	EA
102265303	PCCP(ECP),78"DIA,4' LENGTH	EA
1022-6602-0	PCCP, DOUB. SPIG ADPTR, 84" /R. KIT	EA
1022-6602-2	PCCP,DOUBLE SPIGOT FITTING,84 IN(W/ 36"OUTLET & FLANGE), 10 FOOT LENGTH, MFD BY TPG	EA
1022-6602-4	PCCP,DOUBLE SPIGOT FITTING,84 IN(W/O 36"OUTLET & FLANGE), 10 FOOT LENGTH, MFD BY TPG	
1022-6604-6	PCCP, CLOS. ASSY 84", FOR R. KIT	EA
1022-6606-1	PCCP (ECP), 84' DIA, 9' FOR R. KIT	EA
1022-6612-9	DIAPER (GRIT BAND) PCCP, 84" /R. KIT	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

102266152	PCCP(ECP),84"DIA,4' LENGTH	
1022-6702-8	PCCP, DOUB. SPIG. ADPTR, 96" /R. KIT	EA
1022-6704-4	PCCP, CLOS.ASSY, 96", FOR R. KIT	EA
1022-6706-9	PCCP (ECP), 96" DIA, 9' FOR R. KIT	EA
1022-6715-0	PCCP(ECP),96"DIA,4' LENGTH	
1022-7012-1	DIAPER (GRIT BAND) PCCP, 96" /R. KIT	EA
1022-6824-0	PCCP/24'FLG ASY FOR 96" REP. KIT	EA
1022-6900-0	PCCP,DOUBLE SPIGOT FITTING,96 IN(W/ 36"OUTLET & FLANGE), 10 FOOT LENGTH, MFD BY TPG	EA
10226900-2	PCCP,DOUBLE SPIGOT FITTING,96 IN(W/O 36"OUTLET & FLANGE), 10 FOOT LENGTH, MFD BY TPG	EA
1022-6935-4	B EVEL,16"PCCP,LCP,HALF(2 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6936-2	B EVEL,16"PCCP,LCP,FULL(4 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6937-0	B EVEL,18"PCCP,LCP,HALF(2 DEGREE ANGLE) BELL X SPIGOT	EA
1022-6938-8	B EVEL,18"PCCP,LCP,FULL(4 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6941-2	B EVEL,20"PCCP,LCP,HALF(2 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6942-0	B EVEL,20"PCCP,LCP,FULL(4 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6945-3	B EVEL,24"PCCP,LCP,HALF(2 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6946-1	B EVEL,24"PCCP,LCP,FULL(4 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6949-5	B EVEL,30"PCCP,LCP,HALF(2 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6950-3	B EVEL,30"PCCP,LCP,FULL(4 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6955-2	B EVEL,36"PCCP,ECP,HALF(2 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6956-0	B EVEL,36"PCCP,ECP,FULL(4 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6957-8	B EVEL,36"PCCP,LCP,HALF(2 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6958-6	B EVEL,36"PCCP,LCP,FULL(4 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6963-6	B EVEL,42"PCCP,ECP,HALF(2 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6964-4	B EVEL,42"PCCP,ECP,FULL(4 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6965-1	B EVEL,42"PCCP,LCP,HALF(2 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6966-9	B EVEL,42"PCCP,LCP,FULL(4 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6967-7	B EVEL,48"PCCP,ECP,HALF(2 DEGREE ANGLE 2 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6968-5	B EVEL,48"PCCP,ECP,FULL(4 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6969-3	B EVEL,48"PCCP,LCP,HALF(2 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6970-1	B EVEL,48"PCCP,LCP,FULL(4 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6974-3	B EVEL,54"PCCP,ECP,HALF(2 DEGREE ANGLE), BELL X SPIGOT	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1022-6975-0	B EVEL,54" PCCP,ECP,FULL(4 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6976-8	BEVEL,60" PCCP,ECP,HALF(2 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6977-6	BEVEL,60" PCCP,ECP,FULL(4 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6979-2	BEVEL,66" PCCP,ECP,HALF(2 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6980-0	BEVEL,66" PCCP,ECP,FULL(4 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6983-4	BEVEL,72" PCCP,ECP,HALF(2 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6984-2	BEVEL,72" PCCP,ECP,FULL(4 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6986-7	BEVEL,78" PCCP,ECP,HALF(2 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6987-5	BEVEL,78" PCCP,ECP,FULL(4 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6989-1	BEVEL,84" PCCP,ECP,HALF(2 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6990-9	BEVEL,84" PCCP,ECP,FULL(4 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6994-1	B EVEL,96" PCCP ,ECP,HALF(2 DEGREE ANGLE), BELL X SPIGOT	EA
1022-6996-6	BEVEL,96" PCCP ,ECP,FULL(4 DEGREE ANGLE), BELL X SPIGOT	EA

DIAPER, PCCP, LINED CONCRETE PIPE/EMBEDDED CONCRETE PIPE  
ADAPTER JOINT

1022-6212-8	DIAPER (GROUT BAND) PCCP,54"/R.KIT for ECP	EA
1022-6312-6	DIAPER (GROUT BAND) PCCP, 60"/R. KIT for ECP	EA
1022-6412-4	DIAPER (GROUT BAND) PCCP, 66" /R. KIT for ECP	EA
1022-6512-1	DIAPER (GROUT BAND) PCCP, 72" /R. KIT for ECP	EA
1022-6528-7	DIAPER(GROUT BAND)PCCP,78"/R.KIT for ECP	EA
1022-6612-9	DIAPER (GROUT BAND) PCCP, 84" /R. KIT for ECP	EA
1022-7000-6	DIAPER (GROUT BAND) PCCP, 16" for LCP for ECP	EA
1022-7010-5	DIAPER (GROUT BAND) PCCP, 20" for LCP	EA
1022-7012-1	DIAPER (GROUT BAND) PCCP, 96" /R. KIT for ECP	EA
1022-7020-4	DIAPER (GROUT BAND) PCCP, 24" for LCP	EA
1022-7025-3	DIAPER (GROUT BAND) PCCP, 24" for ECP	EA
1022-7030-3	DIAPER (GROUT BAND) PCCP, 30" for LCP	EA
1022-7040-2	DIAPER (GROUT BAND) PCCP, 36" for LCP/ECP	EA
1022-7045-1	DIAPER (GROUT BAND) PCCP, 36" for ECP	EA
1022-7050-1	DIAPER (GROUT BAND) PCCP, 42" for LCP	EA
1022-7055-0	DIAPER (GROUT BAND) PCCP, 42" for ECP	EA
1022-7060-0	DIAPER (GROUT BAND) PCCP, 48" for LCP	EA
1022-7065-9	DIAPER (GROUT BAND) PCCP, 48" for ECP	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1022-7070-9	REPLACED BY STOCK NUMBER 1022-6212-8 (D)	EA
PRECAST MANHOLE ADAPTOR		
1024-9020-8	Adaptor, Manhole, O-Ring Bell, D-Lok Spigot, 1' Height	EA
FLANGED FITTINGS		
1025-0064-2	Tee, Flanged, 6" X 4", Fusion Bonded Epoxy Coated	EA
IRON (CAST OR DUCTILE) FLANGED TEE WITH INSTALLED 30" BLIND ACCESS FLANGE		
1025-1363-0	Tee, Ductile/Cast Iron, 36" X 30", Flanged, With Included and Installed 30" Blind Access Flange,	EA
1025-1423-0	Tee, Ductile/Cast Iron, 42" X 30", Flanged, With Included and Installed 30" Blind Access Flange,	EA
1025-1483-0	Tee, Ductile/Cast Iron, 48" X 30", Flanged, With Included and Installed 30" Blind Access Flange,	EA
10205-1543-0	Tee, Ductile/Cast Iron, 54" X 30", Flanged, With Included and Installed 30" Blind Access Flange,	EA
MALE, PVC, SCHEDULE 80 ADAPTOR Male Iron Pipe Thread x Solvent Weld Joint		
1030-0001-6	Adaptor, Male, PVC, 1-1/4"	EA
1030-0005-8	Adaptor, Male, PVC, 2"	EA
MECHANICAL JOINT BEND Requires 2 Joint Kits		
1038-0304-5	Bend, Mechanical Joint, 1/4 Bend, 3" Dia. (90°)	EA
1038-0308-0	Bend, Mechanical Joint, 1/8 Bend, 3" Dia. (45°)	EA
1038-0316-0	Bend, Mechanical Joint, 1/16 Bend, 3" Dia. (22-1/2°)	EA
1038-0404-3	Bend, Mechanical Joint, 1/4 Bend, 4" Dia. (90°)	EA
1038-0408-4	Bend, Mechanical Joint, 1/8 Bend, 4" Dia. (45°)	EA
1038-0416-7	Bend, Mechanical Joint, 1/16 Bend, 4" Dia. (22-1/2°)	EA
1038-0432-4	Bend, Mechanical Joint, 1/32 Bend, 4" Dia. (11-1/4°)	EA
1038-0604-8	Bend, Mechanical Joint, 1/4 Bend, 6" Dia. (90°)	EA
1038-0608-9	Bend, Mechanical Joint, 1/8 Bend, 6" Dia. (45°)	EA
1038-0616-2	Bend, Mechanical Joint, 1/16 Bend, 6" Dia. (22-1/2°)	EA
1038-0632-9	Bend, Mechanical Joint, 1/32 Bend, 6" Dia. (11-1/4°)	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1038-0804-4	Bend, Mechanical Joint, 1/4 Bend, 8" Dia. (90°)	EA
1038-0808-5	Bend, Mechanical Joint, 1/8 Bend, 8" Dia. (45°)	EA
1038-0816-8	Bend, Mechanical Joint, 1/16 Bend, 8" Dia. (22-1/2°)	EA
1038-0832-5	Bend, Mechanical Joint, 1/32 Bend, 8" Dia. (11-1/4°)	EA
1038-1004-0	Bend, Mechanical Joint, 1/4 Bend, 10" Dia. (90°)	EA
1038-1008-1	Bend, Mechanical Joint, 1/8 Bend, 10" Dia. (45°)	EA
1038-1016-4	Bend, Mechanical Joint, 1/16 Bend, 10" Dia. (22-1/2°)	EA
1038-1032-1	Bend, Mechanical Joint, 1/32 Bend, 10" Dia. (11-1/4°)	EA
1038-1204-6	Bend, Mechanical Joint, 1/4 Bend, 12" Dia. (90°)	EA
1038-1208-7	Bend, Mechanical Joint, 1/8 Bend, 12" Dia. (45°)	EA
1038-1216-0	Bend, Mechanical Joint, 1/16 Bend, 12" Dia. (22-1/2°)	EA
1038-1232-7	Bend, Mechanical Joint, 1/32 Bend, 12" Dia. (11-1/4°)	EA
1038-1404-2	Bend, Mechanical Joint, 1/4 Bend, 14" Dia. (90°)	EA
1038-1408-3	Bend, Mechanical Joint, 1/8 Bend, 14" Dia. (45°)	EA
1038-1416-6	Bend, Mechanical Joint, 1/16 Bend, 14" Dia. (22-1/2°)	EA
1038-1432-3	Bend, Mechanical Joint, 1/32 Bend, 14" Dia. (11-1/4°)	EA
1038-1604-7	Bend, Mechanical Joint, 1/4 Bend, 16" Dia. (90°)	EA
1038-1608-8	Bend, Mechanical Joint, 1/8 Bend, 16" Dia. (45°)	EA
1038-1616-1	Bend, Mechanical Joint, 1/16 Bend, 16" Dia. (22-1/2°)	EA
1038-1632-8	Bend, Mechanical Joint, 1/32 Bend, 16" Dia. (11-1/4°)	EA
1038-2004-9	Bend, Mechanical Joint, 1/4 Bend, 20" Dia. (90°)	EA
1038-2008-0	Bend, Mechanical Joint, 1/8 Bend, 20" Dia. (45°)	EA
1038-2016-3	Bend, Mechanical Joint, 1/16 Bend, 20" Dia. (22-1/2°)	EA
1038-2032-0	Bend, Mechanical Joint, 1/32 Bend, 20" Dia. (11-1/4°)	EA
1038-2404-1	Bend, Mechanical Joint, 1/4 Bend, 24" Dia. (90°)	EA
1038-2408-2	Bend, Mechanical Joint, 1/8 Bend, 24" Dia. (45°)	EA
1038-2416-5	Bend, Mechanical Joint, 1/16 Bend, 24" Dia. (22-1/2°)	EA
1038-2432-2	Bend, Mechanical Joint, 1/32 Bend, 24" Dia. (11-1/4°)	EA

DUCTILE IRON, M.J. AND PLAIN END BEND

Requires 1 - 4" Joint Kit

1039-0408-2	Bend, Ductile Iron, M.J. and Plain End, 1/8 Bend, 4" Dia. (90°)	EA
-------------	---	----

CAST IRON SOIL BEND FOR SEWER USE



## ***Washington Suburban Sanitary Commission*** ***MATERIALS CATALOG***

### PVC SEWER PIPE BEND

1042-0404-5	Bend, PVC Sewer Pipe Bell to Plain End, 1/4 Bend, 4" Dia. (90°)	EA
1042-0408-6	Bend, PVC Sewer Pipe Bell to Plain End, 1/8 Bend, 4" Dia. (45°)	EA
1042-0416-9	Bend, PVC Sewer Pipe Bell to Plain End, 1/16 Bend, 4" Dia. (22-1/2°)	EA
1042-0608-1	Bend, PVC Sewer Pipe Bell to Plain End, 1/8 Bend, 6" Dia. (45°)	EA
1042-0616-4	Bend, PVC Sewer Pipe Bell to Plain End, 1/16 Bend, 6" Dia. (22-1/2°)	EA

### TAPERED BUSHING, MUELLER THREAD

1050-1006-0	Bushing, 1" x 3/4" AWWA Thread	EA
1050-1501-0	Bushing, 1" x 3/4" AWWA Thread	EA
1050-2125-7	Bushing, 2" x 1-1/4" AWWA Thread	EA

### BRASS BUSHING, MALE PIPE THREAD, MPT (LARGE SIDE) x FEMALE PIPE THREAD, FPT (SMALL SIDE), UNLESS NOTED OTHERWISE

1051-0501-9	Adapter Brass, 3/4" Male IPT x 1-1/2" Male NST (Fire Hose) Connection, Note: This item is not NSF approved for contact with potable water	EA
1051-0503-5	Cap, Brass, 2-1/2" Female NST (Fire Hose Thread), With Pin Lugs, Note: This item is not NSF approved for contact with potable water	EA
1051-0507-6	Adapter, Brass, 2-1/2" MNST, (Male NH, Fire Hose Thread) X 2" MPT, Note: This item is not NSF approved for contact with potable water	EA
1051-0508-4	Adapter, Brass, 2-1/2" Male NST (Fire Hose Thread) X MPT (Male Pipe Thread), Adapts 2" Valve to Fire Hose, Note: This item is not NSF approved for contact with potable water	EA
1051-1006-8	Bushing, Brass, 1" X 3/4" Dia.	EA
1051-1210-6	Bushing, Brass, 1-1/4" X 1" Dia.	EA
1051-1406-0	Bushing, Brass, 1-1/2" X 3/4" Dia.	EA
1051-1410-2	Bushing, Brass, 1-1/2" X 1" Dia.	EA
1051-2010-9	Bushing, Brass, 2" X 1" Dia.	EA
1051-2012-5	Bushing, Brass, 2" X 1-1/4" Dia.	EA
1051-2014-1	Bushing, Brass, 2" X 1-1/2" Dia.	EA

### GALVANIZED REDUCING BUSHING

Female small X Male large

1052-0602-3	Bushing, Galvanized Reducing, 3/4" to 1/4"	EA
-------------	--	----

### BRASS CAP, FLARED COPPER TUBE NUT THREAD

1055-0600-0	Cap, Brass, Flared Copper Tube Nut Thread, 3/4" Dia.	EA
-------------	--	----

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1055-1000-2	Cap, Brass, Flared Copper Tube Nut Thread, 1" Dia.	EA
MECHANICAL JOINT CAP		
Requires 1 Joint Kit		
1057-0300-3	Cap, Mechanical Joint, 3" Dia.	EA
1057-0400-1	Cap, Mechanical Joint, 4" Dia	EA
1057-0600-6	Cap, Mechanical Joint, 6" Dia.	EA
1057-0800-2	Cap, Mechanical Joint, 8" Dia.	EA
1057-1000-8	Cap, Mechanical Joint, 10" Dia.	EA
1057-1200-4	Cap, Mechanical Joint, 12" Dia	EA
1057-1400-0	Cap, Mechanical Joint, 14" Dia.	EA
1057-1600-5	Cap, Mechanical Joint, 16" Dia.	EA
1057-2000-7	Cap, Mechanical Joint, 20" Dia.	EA
1057-2400-9	Cap, Mechanical Joint, 24" Dia.	EA
1057-4202-7	Cap, (Special), Mechanical Joint, 42" Dia. With 2" National Pipe Thread (NPT) Tap, Note that this item will be only ordered on request (it will not be kept in stock), (FF)	EA
BRASS CAP, IRON PIPE THREAD FOR USE WITH BRASS NIPPLE OR GALVANIZED		
1059-0600-2	Cap, Brass, Iron Pipe Thread, 3/4" Dia.	EA
1059-1400-6	Cap, Brass, Iron Pipe Thread, 1-1/2" Dia.	EA
1059-2000-3	Cap, Brass, Iron Pipe Thread, 2" Dia.	EA
CORPORATION STOP AND CORPORATION STOP/INSULATOR ASSEMBLY		
1060-0600-0	Stop, Corporation, Compression, 3/4" Dia.	EA
1060-0750-3	Stop, Corporation, Flare, 3/4" Dia.	EA
1060-1000-2	Stop, Corporation, Compression, 1" Dia.	EA
1060-1001-0	Stop, Corporation, Flare, 1" Dia	EA
1060-1050-7	Stop, Corporation, Compression & Electrical Insulator Assembly, 1" Dia.	EA
1060-1200-8	Stop, Corporation, Compression, 1-1/4" Dia.	EA
1060-1400-4	Stop, Corporation, Compression, 1-1/2" Dia.	EA
1060-1401-2	Stop, Corporation, , Flare, 1 1/2" Dia	EA
1060-1550-6	Stop, Corporation, Compression & Electrical Insulator Assembly, 1-1/2" Dia.	EA
1060-2000-1	Stop, Corporation, Compression, 2" Dia.	EA
1060-2001-9	Stop, Corporation, Flare, 2" Dia.	EA
1060-2050-6	Stop, Corporation, Compression & Electrical Insulator Assembly, 2" Dia.	EA

# *Washington Suburban Sanitary Commission*

## *MATERIALS CATALOG*

### LEAD FLANGE ADAPTOR

1060-9075-6	Adaptor, Lead Flange 3/4" Inlet (Replaces Lead Tail)	EA
1060-9100-2	Adaptor, Lead Flange 1" Inlet (Replaces Lead Tail)	EA

### CURB STOP

1061-0600-8	Stop, Curb, Copper/Copper, Compression Ends, 3/4" Dia.	EA
1061-1000-0	Stop, Curb, Copper/Copper, Compression Ends, 1" Dia.	EA
1061-1200-6	Stop, Curb, Copper/Copper, Compression Ends, 1-1/4" Dia.	EA
1061-1400-2	Stop, Curb, Copper/Copper, Compression Ends, 1-1/2" Dia.	EA
1061-1600-7	Stop, Curb, Copper/Copper, Flared Ends, 3/4" Dia.	EA
1061-1601-5	Stop, Curb, Copper/Copper, Flared Ends, 1" Dia.	EA
1061-2000-9	Stop, Curb, Copper/Copper, Compression Ends, 2" Dia.	EA
1061-2203-9	Stop, Curb, Copper/Copper, Flared Ends, 1-1/2" Dia.	EA
1061-2802-8	Stop, Curb, Copper/Copper, Flared Ends, 2" Dia.	EA
1061-5200-2	Stop, Curb, Female Iron Pipe Thread, 2" Dia.	EA

### FLEXIBLE COUPLING TO CONNECT SEWER SADDLE TO SEWER PIPE (ALSO CONNECTS SCH. 40 PVC TO SCH. 35 PVC & A/C PIPE TO C.I. OR PVC)

1062-0100-7	Coupling, Connects Sewer Saddle to C.I. (Soil Pipe) or PVC Pipe, 4" Dia.	EA
1062-0101-5	Coupling, Connects Sewer Saddle to C.I. (Soil Pipe) or PVC Pipe, 6" Dia.	EA
1062-0102-3	Coupling, Connects Sewer Saddle to C.I. (Soil Pipe) or PVC Pipe, 8" Dia.	EA

### FLEXIBLE COUPLING (FERNCO), TO CONNECT VARIOUS PIPE

1063-0200-3	Coupling, Flexible (Fernco), Connects Concrete to C.I. or PVC Pipe, 6" Dia. (Note: Small side of coupling sized approximately midway between 6" SDR 35 and 6" Ductile Iron pipe diameters – should fit both)	EA
1063-0201-1	Coupling, Flexible (Fernco), Connects Concrete to C.I. or PVC Pipe, 8" Dia. (Note: Small side of coupling sized approximately midway between 8" SDR 35 and 8" Ductile Iron pipe diameters – should fit both)	EA
1063-0300-1	Coupling, Flexible (Fernco), Connects Terra Cotta to C.I. or PVC Pipe, 6" Dia. (Note: Small side of coupling sized approximately midway between 6" SDR 35 and 6" Ductile Iron pipe diameters – should fit both)	EA
1063-0301-9	Coupling, Flexible (Fernco), Connects Terra Cotta to C.I. or PVC Pipe, 8" Dia. (Note: Small side of coupling sized approximately midway between 8" SDR 35 and 8" Ductile Iron pipe diameters – should fit both)	EA
1063-0404-1	Coupling, Flexible (Fernco), Connects PVC Sewer to PVC Sewer Pipe, 4" Dia. (Note: Coupling sized approximately midway between 4" SDR 35 and 4" Ductile Iron pipe diameters – should fit both)	EA
1063-0405-8	Fernco Shear Ring, 4"	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1063-0406-6	Coupling, Flexible (Fernco), Connects PVC Sewer to PVC Sewer Pipe, 6" Dia. (Note: Coupling sized approximately midway between 6" SDR 35 and 6" Ductile Iron pipe diameters – should fit both)	EA
1063-0407-4	Fernco Shear Ring, 6"	EA
INSULATOR, SERVICE, CORPORATION STOP		
1066-0010-9	Insulator, Service, Installs on outlet end of Corporation Stop, 1"	EA
1066-0015-8	Insulator, Service, Installs on outlet end of Corporation Stop, 1-1/2"	EA
1066-0020-8	Insulator, Service, Installs on outlet end of Corporation Stop, 2"	EA
FLARED COPPER/COPPER COUPLING (for compression couplings see 1070 series)		
1066-0600-7	Coupling, Flared, Copper/Copper, 3/4" Dia.	EA
1066-0806-0	Coupling, Flared, Copper/Copper, 1" X 3/4" Dia.	EA
1066-1000-9	Coupling, Flared, Copper/Copper, 1" Dia.	EA
1066-1100-7	Coupling Nut, Piggy Back, for reducing one end of a 1-1/2" flared coupling to a 1" connection, enabling an effective 1-1/2" x 1" flared reducer	EA
1066-1200-5	Coupling, Flared, Copper/Copper, 1-1/4" Dia.	EA
1066-1400-1	Coupling, Flared, Copper/Copper, 1-1/2" Dia.	EA
1066-1502-4	Coupling Nut, Piggy Back, for reducing one end of a 2" flared coupling to a 1-1/2" connection, enabling an effective 2" x 1-1/2" flared reducer	EA
1066-2000-8	Coupling, Flared, Copper/Copper, 2" Dia.	EA
COMPRESSION COPPER TUBING X FEMALE IRON PIPE THREAD ADAPTER		
1067-0600-5	Adapter, Copper Tube Compression by Female I.P.T. 3/4 Dia.	EA
1067-1000-7	Adapter, Copper Tube Compression by Female I.P.T. 1" Dia.	EA
1067-1200-3	Adapter, Copper Tube Compression by Female I.P.T. 1-1/4" Dia.	EA
1067-1400-9	Adapter, Copper Tube Compression by Female I.P.T. 1-1/2" Dia.	EA
1067-2000-6	Adapter, Copper Tube Compression by Female I.P.T. 2" Dia.	EA
FLARE COPPER TUBING X FEMALE IRON PIPE THREAD ADAPTER		
1067-2150-9	Adapter, Flare Copper Tube by Female I.P.T. 1-1/2" Dia.	EA
1067-2200-2	Adapter, Flare Copper Tube by Female I.P.T. 2" Dia.	EA
FEMALE FLARE COPPER TUBE THREAD X FEMALE IRON PIPE THREAD ADAPTER		
1067-3000-5	Adapter, Female Thread for Flared Copper Tube (Same as end nut) x FPT, 2" (Can be used to connect a corporation stop to a nipple to install an air valve)	EA

## ***Washington Suburban Sanitary Commission*** ***MATERIALS CATALOG***

### FLARE (OR COMPRESSION) COPPER TUBING x MALE IRON PIPE THREAD ADAPTER

1068-0600-3	Adapter, Copper by Male I.P.T. 3/4" Dia.	EA
1068-1000-5	Adapter, Copper by Male I.P.T. 1" Dia.	EA
1068-1200-1	Adapter, Copper by Male I.P.T. 1-1/4" Dia.	EA
1068-1400-7	Adapter, Copper by Male I.P.T. 1-1/2" Dia.	EA
1068-2000-4	Adapter, Copper by Male I.P.T. 2" Dia.	EA

### COUPLING, COMPRESSION, FOR JOINING COPPER TUBING-SIZE PIPES OR FOR JOINING COPPER TUBING SIZE PIPE TO GALVANIZED PIPE

1070-0600-9	Coupling, Compression, for Joining Copper Tubing - Size Pipe, 3/4" Dia.	EA
1070-1000-1	Coupling, Compression, for Joining Copper Tubing - Size Pipe, 1" Dia.	EA
1070-1250-0	Coupling, Compression, for Joining Copper Tubing - Size, 1-1/4" Dia.	EA
1070-1400-3	Coupling, Compression, for Joining Copper Tubing - Size Pipe, 1-1/2" Dia.	EA
1070-1680-6	Coupling, Compression, for Joining Copper Tubing - Size Pipe, 2" Dia.	EA
1070-1810-3	Coupling, Compression, Reducing, for Joining Copper Tubing - Size Pipe, 3/4" x 1" Dia.	EA
1070-1925-9	Coupling, Compression, Reducing, for Joining Copper Tubing - Size Pipe, 1" x 1-1/4" Dia.	EA
1070-1950-7	Coupling, Compression, Reducing, for Joining Copper Tubing - Size Pipe, 1" x 1-1/2" Dia.	EA
1070-2000-0	Coupling, Compression, Reducing, for Joining Copper Tubing - Size Pipe, 1-1/4" x 1-1/2" Dia.	EA
1070-2015-8	Coupling, Compression, Reducing, for Joining Copper Tubing - Size Pipe, 1-1/2" x 2" Dia.	EA
1070-2100-8	Coupling, Compression, Adapter, 3/4" Dia. Galvanized Pipe x 3/4" Dia. Copper Tubing	EA
1070-2200-6	Coupling, Compression, Adapter, 1" Dia. Galvanized Pipe x 1" Dia. Copper Tubing	EA
1070-2300-4	Coupling, Compression, Adapter, Reducing, 1-1/4" Dia. Galvanized Pipe x 1" Dia. Copper Tubing	EA
1070-2400-2	Coupling, Compression, Adapter, 1-1/2" Dia. Galvanized Pipe x 1-1/2" Dia. Copper Tubing	EA
1070-2500-9	Coupling, Compression, Adapter, 2" Dia. Galvanized Pipe x 2" Dia. Copper Tubing	EA
1070-2600-7	Coupling, Compression, Adapter, Reducing, 3/4" Dia. Galvanized Pipe x 1" Dia. Copper Tubing	EA

## **Washington Suburban Sanitary Commission MATERIALS CATALOG**

### COUPLING (HEAVY DUTY), FOR JOINING STEEL, GALVANIZED STEEL, OR BRASS PIPE

Dresser Style 90

(Also see stock series 1151 for Skinner Emergency clamps, stock series 1070 for brass,  
copper tube to galvanized pipe adapters, and stock series 1168 for Dresser Style 38  
couplings)

1071-0600-7	Coupling (Heavy Duty), for Joining Steel Pipe, 3/4 " Dia.	EA
1071-1000-9	Coupling (Heavy Duty), for Joining Steel Pipe, 1" Dia.	EA
1071-1200-5	Coupling (Heavy Duty), for Joining Steel Pipe, 1-1/4" Dia.	EA
1071-1400-1	Coupling (Heavy Duty), for Joining Steel Pipe, 1-1/2" Dia.	EA
1071-2000-8	Coupling (Heavy Duty), for Joining Steel Pipe, 2" Dia.	EA

### BRASS REDUCING COUPLING

#### FEMALE PIPE THREAD X FEMALE PIPE THREAD (FPT X FPT)

1072-0020-6	Coupling, Brass Reducing, 2" Dia.	EA
1072-1006-4	Coupling, Brass Reducing, 1" to 3/4" Dia.	EA
1072-1210-2	Coupling, Brass Reducing, 1-1/4" to 1" Dia.	EA
1072-1410-8	Coupling, Brass Reducing, 1-1/2" to 1" Dia.	EA
1072-1412-4	Coupling, Brass Reducing, 1-1/2" to 1-1/4" Dia.	EA
1072-2010-5	Coupling, Brass Reducing, 2" to 1" Dia.	EA
1072-2012-1	Coupling, Brass Reducing, 2" to 1-1/4" Dia.	EA
1072-2014-7	Coupling, Brass Reducing, 2" to 1-1/2" Dia.	EA

### DOUBLE BELL REPAIR COUPLING

For joining PVC sewer pipe

1075-9304-8	Coupling, Double Bell, PVC Sewer Pipe, 4" Dia. SDR 35	EA
1075-9306-3	Coupling, Double Bell, PVC Sewer Pipe, 6" Dia. SDR 35	EA
1075-9308-9	Coupling, Double Bell, PVC Sewer Pipe, 8" Dia. SDR 35	EA
1075-9503-2	Coupling, repair, PVC, 1-1/4" SDR 21 (Sch 40), (Can be used for repairs on Grinder Pump Pressure Pipe), Compression Gasket Ends	EA
1075-9505-0	Coupling, Double Bell, for PVC Pipe, 1-1/2" Dia. SDR 21(Sch 40), (Can be used for repairs on Grinder Pump Pressure Pipe), Compression Gasket Ends	EA
1075-9515-9	Coupling, Double Bell, for PVC Pipe, 2-1/2" Dia. SDR 21(Sch 40), (Can be used for repairs on Grinder Pump Pressure Pipe), Compression Gasket Ends	EA
1075-9520-9	Coupling, Double Bell, for PVC Pipe, 3" Dia. SDR 21(Sch 40), (Can be used for repairs on Grinder Pump Pressure Pipe), Compression Gasket Ends	EA
1075-9525-8	Coupling, Double Bell, for PVC Pipe, 4" Dia. SDR21(Sch 40), (Can be used for repairs on Grinder Pump Pressure Pipe), Compression Gasket Ends	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1075-9610-8	Coupling, for Joining PVC Pipe, Solvent Weld, 1-1/4" Dia. Schedule 40	EA
-------------	--	----

MECHANICAL JOINT CROSS

Requires 2 Joint Kits first number & 2 Joint Kits second number

1076-0404-3	Cross, Mechanical Joint, 4" X 4" Dia.	EA
1076-0604-8	Cross, Mechanical Joint, 6" X 4" Dia.	EA
1076-0606-3	Cross, Mechanical Joint, 6" X 6" Dia.	EA
1076-0804-4	Cross, Mechanical Joint, 8" X 4" Dia.	EA
1076-0806-9	Cross, Mechanical Joint, 8" X 6" Dia.	EA
1076-0808-5	Cross, Mechanical Joint, 8" X 8" Dia.	EA
1076-1004-0	Cross, Mechanical Joint, 10" X 4" Dia.	EA
1076-1006-5	Cross, Mechanical Joint, 10" X 6" Dia.	EA
1076-1008-1	Cross, Mechanical Joint, 10" X 8" Dia.	EA
1076-1010-7	Cross, Mechanical Joint, 10" X 10" Dia.	EA
1076-1206-1	Cross, Mechanical Joint, 12" X 6" Dia.	EA
1076-1208-7	Cross, Mechanical Joint, 12" X 8" Dia.	EA
1076-1210-3	Cross, Mechanical Joint, 12" X 10" Dia.	EA
1076-1212-9	Cross, Mechanical Joint, 12" X 12" Dia.	EA
1076-1406-7	Cross, Mechanical Joint, 14" X 6" Dia.	EA
1076-1408-3	Cross, Mechanical Joint, 14" X 8" Dia.	EA
1076-1410-9	Cross, Mechanical Joint, 14" X 10" Dia.	EA
1076-1412-5	Cross, Mechanical Joint, 14" X 12" Dia.	EA
1076-1414-1	Cross, Mechanical Joint, 14" X 14" Dia.	EA
1076-1606-2	Cross, Mechanical Joint, 16" X 6" Dia.	EA
1076-1608-8	Cross, Mechanical Joint, 16" X 8" Dia.	EA
1076-1610-4	Cross, Mechanical Joint, 16" X 10" Dia.	EA
1076-1612-0	Cross, Mechanical Joint, 16" X 12" Dia.	EA
1076-1614-6	Cross, Mechanical Joint, 16" X 14" Dia.	EA
1076-1616-1	Cross, Mechanical Joint, 16" X 16" Dia.	EA
1076-2006-4	Cross, Mechanical Joint, 20" X 6" Dia.	EA
1076-2008-0	Cross, Mechanical Joint, 20" X 8" Dia.	EA
1076-2010-6	Cross, Mechanical Joint, 20" X 10" Dia.	EA
1076-2012-2	Cross, Mechanical Joint, 20" X 12" Dia.	EA
1076-2014-8	Cross, Mechanical Joint, 20" X 14" Dia.	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1076-2016-3	Cross, Mechanical Joint, 20" X 16" Dia.	EA
1076-2020-5	Cross, Mechanical Joint, 20" X 20" Dia.	EA
1076-2406-6	Cross, Mechanical Joint, 24" X 6" Dia.	EA
1076-2408-2	Cross, Mechanical Joint, 24" X 8" Dia.	EA
1076-2410-8	Cross, Mechanical Joint, 24" X 10" Dia.	EA
1076-2412-4	Cross, Mechanical Joint, 24" X 12" Dia.	EA
1076-2414-0	Cross, Mechanical Joint, 24" X 14" Dia.	EA
1076-2416-5	Cross, Mechanical Joint, 24" X 16" Dia.	EA
1076-2420-7	Cross, Mechanical Joint, 24" X 20" Dia.	EA
1076-2424-9	Cross, Mechanical Joint, 24" X 24" Dia.	EA

BRASS 90 DEGREE ELL,  
FEMALE PIPE THREAD X FEMALE PIPE THREAD (FPT X FPT)

1081-0600-6	Ell, Brass, 90 Degree, 3/4" Dia.	EA
1081-1000-8	Ell, Brass, 90 Degree, 1" Dia.	EA
1081-1200-4	Ell, Brass, 90 Degree, 1-1/4" Dia.	EA
1081-1400-0	Ell, Brass, 90 Degree, 1-1/2" Dia.	EA
1081-2000-7	Ell, Brass, 90 Degree, 2" Dia.	EA

BRASS ELL, STREET (NIPPLE), 90 DEGREE  
Female Pipe Thread x Male Pipe Thread (FPT x MPT)

1084-1400-4	Ell, Brass, Street, 90 Degree, 1-1/2" Dia.	EA
1084-2000-1	Ell, Brass, Street, 90 Degree, 2" Dia.	EA

BRASS NIPPLE  
National Pipe Thread, NPT (Iron Pipe Thread, IPT)

1095-0210-4	Nipple, Brass, 1/4" Dia. X Close	EA
1095-0220-3	Nipple, Brass, 1/4" Dia. X 2" Length	EA
1095-0230-2	Nipple, Brass, 1/4" Dia. X 3" Length	EA
1095-0240-1	Nipple, Brass, 1/4" Dia. X 4" Length	EA
1095-0250-0	Nipple, Brass, 1/4" Dia. X 5" Length	EA
1095-0260-9	Nipple, Brass, 1/4" Dia. X 6" Length	EA
1095-0310-2	Nipple, Brass, 3/8" Dia. X Close	EA
1095-0320-1	Nipple, Brass, 3/8" Dia. X 2" Length	EA
1095-0330-0	Nipple, Brass, 3/8" Dia. X 3" Length	EA
1095-0340-9	Nipple, Brass, 3/8" Dia. X 4" Length	EA



**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1095-0350-8	Nipple, Brass, 3/8" Dia. X 5" Length	EA
1095-0360-7	Nipple, Brass, 3/8" Dia. X 6" Length	EA
1095-0410-0	Nipple, Brass, 1/2" Dia. X Close	EA
1095-0420-9	Nipple, Brass, 1/2" Dia. X 2" Length	EA
1095-0430-8	Nipple, Brass, 1/2" Dia. X 3" Length	EA
1095-0440-7	Nipple, Brass, 1/2" Dia. X 4" Length	EA
1095-0450-6	Nipple, Brass, 1/2" Dia. X 5" Length	EA
1095-0460-5	Nipple, Brass, 1/2" Dia. X 6" Length	EA
1095-0614-7	Nipple, Brass, 3/4" Dia. X Close	EA
1095-0620-4	Nipple, Brass, 3/4" Dia. X 2" Length	EA
1095-0630-3	Nipple, Brass, 3/4" Dia. X 3" Length	EA
1095-0640-2	Nipple, Brass, 3/4" Dia. X 4" Length	EA
1095-0650-1	Nipple, Brass, 3/4" Dia. X 5" Length	EA
1095-0660-0	Nipple, Brass, 3/4" Dia. X 6" Length	EA
1095-1014-9	Nipple, Brass, 1" Dia. X Close	EA
1095-1020-6	Nipple, Brass, 1" Dia. X 2" Length	EA
1095-1030-5	Nipple, Brass, 1" Dia. X 3" Length	EA
1095-1040-4	Nipple, Brass, 1" Dia. X 4" Length	EA
1095-1050-3	Nipple, Brass, 1" Dia. X 5" Length	EA
1095-1060-2	Nipple, Brass, 1" Dia. X 6" Length	EA
1095-1214-5	Nipple, Brass, 1-1/4" Dia. X Close	EA
1095-1220-2	Nipple, Brass, 1-1/4" Dia. X 2" Length	EA
1095-1230-1	Nipple, Brass, 1-1/4" Dia. X 3" Length	EA
1095-1240-0	Nipple, Brass, 1-1/4" Dia. X 4" Length	EA
1095-1250-9	Nipple, Brass, 1-1/4" Dia. X 5" Length	EA
1095-1260-8	Nipple, Brass, 1-1/4" Dia. X 6" Length	EA
1095-1412-5	Nipple, Brass, 1-1/2" Dia. X 12" Length	EA
1095-1414-1	Nipple, Brass, 1-1/2" Dia. X Close	EA
1095-1420-8	Nipple, Brass, 1-1/2" Dia. X 2" Length	EA
1095-1430-7	Nipple, Brass, 1-1/2" Dia. X 3" Length	EA
1095-1440-6	Nipple, Brass, 1-1/2" Dia. X 4" Length	EA
1095-1450-5	Nipple, Brass, 1-1/2" Dia. X 5" Length	EA
1095-1460-4	Nipple, Brass, 1-1/2" Dia. X 6" Length	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1095-1490-1	Nipple, Brass, 1-1/2" Dia. X 9" Length	EA
1095-2012-2	Nipple, Brass, 2" Dia. X 12" Length	EA
1095-2018-9	Nipple, Brass, 2" Dia. X 18" Length	EA
1095-2019-7	Nipple, Brass, 2" Dia. X 24" Length	EA
1095-2020-5	Nipple, Brass, 2" Dia. X Close	EA
1095-2030-4	Nipple, Brass, 2" Dia. X 3" Length	EA
1095-2040-3	Nipple, Brass, 2" Dia. X 4" Length	EA
1095-2050-2	Nipple, Brass, 2" Dia. X 5" Length	EA
1095-2060-1	Nipple, Brass, 2" Dia. X 6" Length	EA
1095-2090-8	Nipple, Brass, 2" Dia. X 9" Length	EA
1095-4060-9	Nipple, Brass, 4" Dia. X 6" Length	EA

MECHANICAL JOINT OFFSET, BELL AND BELL

Requires 2 Joint Kits

1115-0406-4	Offset, Mechanical Joint, Bell & Bell, 4" Dia., 6" Drop	EA
1115-0412-2	Offset, Mechanical Joint, Bell & Bell, 4" Dia., 12" Drop	EA
1115-0418-9	Offset, Mechanical Joint, Bell & Bell, 4" Dia., 18" Drop	EA
1115-0424-7	Offset, Mechanical Joint, Bell & Bell, 4" Dia., 24" Drop	EA
1115-0606-9	Offset, Mechanical Joint, Bell & Bell, 6" Dia., 6" Drop	EA
1115-0612-7	Offset, Mechanical Joint, Bell & Bell, 6" Dia., 12" Drop	EA
1115-0618-4	Offset, Mechanical Joint, Bell & Bell, 6" Dia., 18" Drop	EA
1115-0624-2	Offset, Mechanical Joint, Bell & Bell, 6" Dia., 24" Drop	EA
1115-0806-5	Offset, Mechanical Joint, Bell & Bell, 8" Dia., 6" Drop	EA
1115-0812-3	Offset, Mechanical Joint, Bell & Bell, 8" Dia., 12" Drop	EA
1115-0818-0	Offset, Mechanical Joint, Bell & Bell, 8" Dia., 18" Drop	EA
1115-0824-8	Offset, Mechanical Joint, Bell & Bell, 8" Dia., 24" Drop	EA
1115-1006-1	Offset, Mechanical Joint, Bell & Bell, 10" Dia., 6" Drop	EA
1115-1012-9	Offset, Mechanical Joint, Bell & Bell, 10" Dia., 12" Drop	EA
1115-1018-6	Offset, Mechanical Joint, Bell & Bell, 10" Dia., 18" Drop	EA
1115-1024-4	Offset, Mechanical Joint, Bell & Bell, 10" Dia., 24" Drop	EA
1115-1206-7	Offset, Mechanical Joint, Bell & Bell, 12" Dia., 6" Drop	EA
1115-1212-5	Offset, Mechanical Joint, Bell & Bell, 12" Dia., 12" Drop	EA
1115-1218-2	Offset, Mechanical Joint, Bell & Bell, 12" Dia., 18" Drop	EA
1115-1224-0	Offset, Mechanical Joint, Bell & Bell, 12" Dia., 24" Drop	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

MECHANICAL JOINT OFFSET, BELL & SPIGOT

Requires 1 Joint Kit

1116-0406-2	Offset, Mechanical Joint, Bell & Spigot, 4" Dia., 6" Drop	EA
1116-0412-0	Offset, Mechanical Joint, Bell & Spigot, 4" Dia., 12" Drop	EA
1116-0418-7	Offset, Mechanical Joint, Bell & Spigot, 4" Dia., 18" Drop	EA
1116-0424-5	Offset, Mechanical Joint, Bell & Spigot, 4" Dia., 24" Drop	EA
1116-0606-7	Offset, Mechanical Joint, Bell & Spigot, 6" Dia., 6" Drop	EA
1116-0612-5	Offset, Mechanical Joint, Bell & Spigot, 6" Dia., 12" Drop	EA
1116-0618-2	Offset, Mechanical Joint, Bell & Spigot, 6" Dia., 18" Drop	EA
1116-0624-0	Offset, Mechanical Joint, Bell & Spigot, 6" Dia., 24" Drop	EA
1116-0806-3	Offset, Mechanical Joint, Bell & Spigot, 8" Dia., 6" Drop	EA
1116-0812-1	Offset, Mechanical Joint, Bell & Spigot, 8" Dia., 12" Drop	EA
1116-0818-8	Offset, Mechanical Joint, Bell & Spigot, 8" Dia., 18" Drop	EA
1116-0824-6	Offset, Mechanical Joint, Bell & Spigot, 8" Dia., 24" Drop	EA
1116-1006-9	Offset, Mechanical Joint, Bell & Spigot, 10" Dia., 6" Drop	EA
1116-1012-7	Offset, Mechanical Joint, Bell & Spigot, 10" Dia., 12" Drop	EA
1116-1018-4	Offset, Mechanical Joint, Bell & Spigot, 10" Dia., 18" Drop	EA
1116-1206-5	Offset, Mechanical Joint, Bell & Spigot, 12" Dia., 6" Drop	EA
1116-1212-3	Offset, Mechanical Joint, Bell & Spigot, 12" Dia., 12" Drop	EA
1116-1218-0	Offset, Mechanical Joint, Bell & Spigot, 12" Dia., 18" Drop	EA

BRASS PLUG, MALE NATIONAL (IRON) PIPE THREAD, MPT

1118-2000-7	Plug, Brass, Iron Pipe Thread, 2" Dia.	EA
1118-3000-6	Plug, Brass, MPT, 1/4" Dia	EA
1118-3010-5	Plug, Brass, MPT, 3/8" Dia	EA
1118-3020-4	Plug, Brass, MPT, 1/2" Dia	EA
1118-3040-2	Plug, Brass, MPT, 3/4" Dia	EA
1118-3050-1	Plug, Brass, MPT, 1" Dia	EA
1118-3060-0	Plug, Brass, MPT, 1 1/2" Dia	EA

CONCRETE PLUG, RUBBER JOINT

1119-0600-4	Plug, Concrete, Rubber Joint, 6" Dia.	EA
1119-0800-0	Plug, Concrete, Rubber Joint, 8" Dia.	EA

# *Washington Suburban Sanitary Commission*

## **MATERIALS CATALOG**

### MECHANICAL JOINT PLUG

Requires 1 M.J. Gasket & T-Head Bolts

1121-0300-7	Plug, Mechanical Joint, 3" Dia.	EA
1121-0400-5	Plug, Mechanical Joint, 4" Dia.	EA
1121-0600-0	Plug, Mechanical Joint, 6" Dia.	EA
1121-0800-6	Plug, Mechanical Joint, 8" Dia.	EA
1121-1000-2	Plug, Mechanical Joint, 10" Dia.	EA
1121-1200-8	Plug, Mechanical Joint, 12" Dia.	EA
1121-1400-4	Plug, Mechanical Joint, 14" Dia.	EA
1121-1600-9	Plug, Mechanical Joint, 16" Dia.	EA
1121-2000-1	Plug, Mechanical Joint, 20" Dia.	EA
1121-2400-3	Plug, Mechanical Joint, 24" Dia.	EA

### REPLACEMENT THREADED BRASS PLUG INSERTS WITH COUNTERSUNK SQUARE SOUTHERN CODE SOCKETS FOR IRON CLEANOUT FERRULE FOR 4" PIPE, S/N 1230-0400-4

1124-0300-1	Plug, Replacement, for Iron Cleanout Ferrule (manufactured by Jumbo) for 4" pipe, 3-1/2" Dia. (across threaded outside diameter of plug)	EA
1124-0350-6	Plug, Replacement, for Iron Cleanout Ferrule (manufactured by JM) for 4" pipe, 4" Dia. (across threaded outside diameter of plug)	EA

### EXPANSION PLUGS (EXPANDED BY TIGHTENING A HEX NUT WHICH COMPRESSES A RUBBER GASKET BETWEEN 2 DISCS) FOR USE WITH CLEANOUT FRAMES AND COVERS, FOR INSERTION INTO SPIGOT END OF SEWER CLEANOUT RISER

1124-0440-5	Plug, Expansion, for 4" SDR 35 Clean-Outs, for use with Clean-Out Frame and Cover (Stock nos. 5681-4002-4 & 4881-9006-7 respectively)	EA
1124-0460-3	Plug, Expansion, for 6" SDR 35 Clean-Outs, for use with Lamphole (Clean-Out) Frame and Cover (Stock nos. 5681-9002-9 & 5681-9001-1 respectively)	EA

### BRASS PLUG, AWWA THREAD WITH RAISED SQUARE HEAD

1125-0500-3	Plug, Brass, AWWA Thread, 5/8" Dia.	EA
1125-0600-1	Plug, Brass, AWWA Thread, 3/4" Dia.	EA
1125-1000-3	Plug, Brass, AWWA Thread, 1" Dia.	EA
1125-1200-9	Plug, Brass, AWWA Thread, 1-1/4" Dia.	EA
1125-1400-5	Plug, Brass, AWWA Thread, 1-1/2" Dia. (D)	EA
1125-2000-2	Plug, Brass, AWWA Thread, 2" Dia.	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

TEE PLUG

(Cast iron, may be hex head  
or square head, MIP thread, fits inside sewer clean-out stack wye)

1126-0300-6	Plug, for Sewer Clean-Out Stack Wye, 3" Dia.	EA
1126-0400-4	Plug, for Sewer Clean-Out Stack Wye, 4" Dia.	EA

TEST PLUG

(Wing Plug for Cast Iron Pipe)

1128-0300-2	Plug, Test, 3" Dia.	EA
1128-0400-0	Plug, Test, 4" Dia.	EA
1128-0600-5	Plug, Test, 6" Dia.	EA
1128-0800-1	Plug, Test, 8" Dia.	EA

MECHANICAL JOINT REDUCER, BELL & BELL

Requires Joint Kit each side

1130-0403-0	Reducer, Mechanical Joint, Bell & Bell, 4" to 3"	EA
1130-0603-9	Reducer, Mechanical Joint, Bell & Bell, 6" to 3"	EA
1130-0604-3	Reducer, Mechanical Joint, Bell & Bell, 6" to 4"	EA
1130-0804-9	Reducer, Mechanical Joint, Bell & Bell, 8" to 4"	EA
1130-0806-4	Reducer, Mechanical Joint, Bell & Bell, 8" to 6"	EA
1130-1004-5	Reducer, Mechanical Joint, Bell & Bell, 10" to 4"	EA
1130-1006-0	Reducer, Mechanical Joint, Bell & Bell, 10" to 6"	EA
1130-1008-6	Reducer, Mechanical Joint, Bell & Bell, 10" to 8"	EA
1130-1204-1	Reducer, Mechanical Joint, Bell & Bell, 12" to 4"	EA
1130-1206-6	Reducer, Mechanical Joint, Bell & Bell, 12" to 6"	EA
1130-1208-2	Reducer, Mechanical Joint, Bell & Bell, 12" to 8"	EA
1130-1210-8	Reducer, Mechanical Joint, Bell & Bell, 12" to 10"	EA
1130-1406-2	Reducer, Mechanical Joint, Bell & Bell, 14" to 6"	EA
1130-1408-8	Reducer, Mechanical Joint, Bell & Bell, 14" to 8"	EA
1130-1410-4	Reducer, Mechanical Joint, Bell & Bell, 14" to 10"	EA
1130-1412-0	Reducer, Mechanical Joint, Bell & Bell, 14" to 12"	EA
1130-1606-7	Reducer, Mechanical Joint, Bell & Bell, 16" to 6"	EA
1130-1608-3	Reducer, Mechanical Joint, Bell & Bell, 16" to 8"	EA
1130-1610-9	Reducer, Mechanical Joint, Bell & Bell, 16" to 10"	EA
1130-1612-5	Reducer, Mechanical Joint, Bell & Bell, 16" to 12"	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1130-1614-1	Reducer, Mechanical Joint, Bell & Bell, 16" to 14"	EA
1130-2012-7	Reducer, Mechanical Joint, Bell & Bell, 20" to 12"	EA
1130-2014-3	Reducer, Mechanical Joint, Bell & Bell, 20" to 14"	EA
1130-2016-8	Reducer, Mechanical Joint, Bell & Bell, 20" to 16"	EA
1130-2414-5	Reducer, Mechanical Joint, Bell & Bell, 24" to 14"	EA
1130-2416-0	Reducer, Mechanical Joint, Bell & Bell, 24" to 16"	EA
1130-2420-2	Reducer, Mechanical Joint, Bell & Bell, 24" to 20"	EA

MECHANICAL JOINT REDUCER, LARGE-END-BELL TO SPIGOT END

Requires 1 Joint Kit (Bell end only)

1131-0806-2	Reducer, Mechanical Joint, Large-End-Bell, 8" to 6" Spigot End	EA
1131-1008-4	Reducer, Mechanical Joint, Large-End-Bell, 10" to 8" Spigot End	EA
1131-1408-6	Reducer, Mechanical Joint, Large-End-Bell, 14" to 8" Spigot End	EA
1131-1610-7	Reducer, Mechanical Joint, Large-End-Bell, 16" to 10" Spigot End	EA
1131-1614-9	Reducer, Mechanical Joint, Large-End-Bell, 16" to 14" Spigot End	EA
1131-2016-6	Reducer, Mechanical Joint, Large-End-Bell, 20" to 16" Spigot End	EA
1131-2414-3	Reducer, Mechanical Joint, Large-End-Bell, 24" to 14" Spigot End	EA
1131-2416-8	Reducer, Mechanical Joint, Large-End-Bell, 24" to 16" Spigot End	EA
1131-2420-0	Reducer, Mechanical Joint, Large-End-Bell, 24" to 20" Spigot End	EA

MECHANICAL JOINT REDUCER, SMALL-END BELL TO SPIGOT END

Requires 1 Joint Kit (Bell-End only)

1133-0806-8	Reducer, Mechanical Joint, Small-End-Bell, 6" to 8" Spigot End	EA
1133-1606-1	Reducer, Mechanical Joint, Small-End-Bell, 6" to 16" Spigot End	EA
1133-1610-3	Reducer, Mechanical Joint, Small-End-Bell, 10" to 16" Spigot End	EA
1133-1614-5	Reducer, Mechanical Joint, Small-End-Bell, 14" to 16" Spigot End	EA

PVC REDUCER, ECCENTRIC, SMALL END-BELL TO SPIGOT END

1135-0604-2	Reducer, PVC, Eccentric, Small-End-Bell, 4" to 6" Spigot End	EA
-------------	--	----

FERNCO REDUCER, (Not Eccentric)

Flexible coupling to connect plain ends of cast iron soil pipe

1136-0604-0	Reducer, Fernco, 6" to 4"	EA
-------------	---------------------------	----

STAINLESS STEEL REPAIR CLAMPS FOR ASBESTOS-CEMENT (A/C) WATER  
PIPE

(For ASTM C296 Class 150 rough barrel water pipe)

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1143-0400-9	Clamp, Stainless Steel Repair, for A/C Water Pipe, 4" Dia. OD Range 4.97" - 5.32" min., clamp length 7-1/2"	EA
1143-0600-4	Clamp, Stainless Steel Repair, for A/C Water Pipe, 6" Dia. OD Range 7.07" - 7.37" min., clamp length 12"	EA
1143-0800-0	Clamp, Stainless Steel Repair, for A/C Water Pipe, 8" Dia. OD Range 9.27" - 9.62" min., clamp length 12"	EA

STAINLESS STEEL REPAIR CLAMPS FOR CAST IRON AND DUCTILE IRON  
PIPE

1144-0200-1	Clamp, Stainless Steel Repair, for Cast Iron Pipe, 2" Dia. OD Range 2.44" - 2.50" min., clamp length 7 1/2"	EA
1144-0300-9	Clamp, Stainless Steel Repair, for Cast Iron Pipe, 3" Dia. OD Range 3.90" - 4.02" min., clamp length 7 1/2"	EA
1144-0400-7	Clamp, Stainless Steel Repair, for Cast Iron Pipe, 4" Dia. OD Range 4.74" - 5.00" min., clamp length 7 1/2"	EA
1144-0600-2	Clamp, Stainless Steel Repair, for Cast Iron Pipe, 6" Dia. (Also Fits 6" Asbestos –Cement Sewer Pipe), OD Range 6.84" - 7.10" min., clamp length 12"	EA
1144-0800-8	Clamp, Stainless Steel Repair, for Cast Iron Pipe, 8" Dia. (Also Fits 8" Asbestos –Cement Sewer Pipe), OD Range 8.99" - 9.30" min., clamp length 12"	EA
1144-1000-4	Clamp, Stainless Steel Repair, for Cast Iron Pipe, 10" Dia. OD Range 11.04" - 11.40" min., clamp length 15"	EA
1144-1200-0	Clamp, Stainless Steel Repair, for Cast Iron Pipe, 12" Dia. (Also Fits 12" Asbestos –Cement Sewer Pipe), OD Range 13.14" - 13.55" min., clamp length 15"	EA
1144-1400-6	Clamp, Stainless Steel Repair, for Cast Iron Pipe, 14" Dia. OD Range 15.22" - 15.72" min., clamp length 16"	EA
1144-1600-1	Clamp, Stainless Steel Repair, for Cast Iron Pipe, 16" Dia. OD Range 17.32" - 17.84" min., clamp length 16"	EA
1144-2000-3	Clamp, Stainless Steel Repair, for Cast Iron Pipe, 20" Dia. OD Range 21.52" - 22.06" min., clamp length 20"	EA
1144-2004-5	Clamp, Stainless Steel Repair, for Cast Iron Pipe, 24" Dia. OD Range 25.72" - 26.32" min., clamp length 24"	EA

STAINLESS STEEL REPAIR CLAMPS FOR ASTM C76 CLASS 2, WALL B  
CONCRETE GRAVITY SEWER PIPE

1144-2005-2	Clamp, Stainless Steel Repair, for Concrete Pipe (ASTM C76, Class 2, Wall B), 4" Dia., OD Range 5.375"-5.625", clamp length 7 1/2"	EA
1144-2010-2	Clamp, Stainless Steel Repair, for Concrete Pipe (ASTM C76, Class 2, Wall B), 6" Dia., OD Range 8.375"-8.625"8.25", clamp length 12"	EA
1144-2015-1	Clamp, Stainless Steel Repair, for Concrete Pipe (ASTM C76, Class 2, Wall B), 8" Dia., OD Range 10.375"-10.625", clamp length 12", (Note: s/n 1144-5010-9 for 10" PVC Sewer Pipe can be used as an alternate for this item)	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1144-2020-1 Clamp, Stainless Steel Repair, for Concrete Pipe (ASTM C76, Class 2, Wall B), 10" Dia., OD Range 12.875"-13.125", clamp length 20" EA

1144-2025-0 Clamp, Stainless Steel Repair, for Concrete Pipe (ASTM C76, Class 2, Wall B), 12" Dia., OD Range 15.875"-16.125", clamp length 20" EA

STAINLESS STEEL REPAIR CLAMPS FOR ASTM C700, EXTRA-STRENGTH  
CLAY GRAVITY SEWER PIPE

1144-3010-1 Clamp, Stainless Steel Repair, for Clay Pipe (ASTM C700, Extra-Strength), 6" Dia., OD Range 7.275"-7.525", clamp length 12" EA

1144-3025-9 Clamp, Stainless Steel Repair, for Clay Pipe (ASTM C700, Extra-Strength), 12" Dia., OD Range 14.376"-14.626", clamp length 20" EA

STAINLESS STEEL REPAIR CLAMPS FOR ASTM D3034, SDR-35 GRAVITY PVC  
SEWER PIPE

1144-5004-2 Clamp, Stainless Steel Repair, for PVC Sewer Pipe (ASTM D3034, SDR-35), 4" Dia., OD Range 4.20" - 4.22" min., clamp length 7 1/2", (Note" s/n 1144-6005-8 can be used as an alternate for this item) EA

1144-5006-7 Clamp, Stainless Steel Repair, for PVC Sewer Pipe (ASTM D3034, SDR-35), OD Range 6.26" - 6.28" min., clamp length 12"(Note: s/n 1144-6010-8 can be used as an alternate for this item) EA

1144-5008-3 Clamp, Stainless Steel Repair, for PVC Sewer Pipe (ASTM D3034, SDR-35), 8" Dia., OD Range 8.39" - 8.41" min., clamp length 12" EA

1144-5010-9 Clamp, Stainless Steel Repair, for PVC Sewer Pipe (ASTM D3034, SDR-35), 10" Dia., OD Range 10.48" - 10.51" min., clamp length 12", (Note" s/n 1144-2015-1 can be used as an alternate for this item) EA

STAINLESS STEEL REPAIR CLAMPS FOR ASTM A74 SERVICE CAST IRON  
SOIL SEWER PIPE

1144-6005-8 Clamp, Stainless Steel Repair, for SERVICE CAST IRON SOIL PIPE (ASATM A74), 4" Dia., OD Range 4.175" - 4.425" min., clamp length 7 1/2", (Note" s/n 1144-5004-2 can be used as an alternate for this item) EA

1144-6010-8 Clamp, Stainless Steel Repair, for SERVICE CAST IRON SOIL PIPE (ASATM A74), 6" Dia., Pipe OD Range 6.175" - 6.425" min., clamp length 12", (Note" s/n 1144-5006-7 can be used as an alternate for this item) EA

BELL JOINT CLAMP, (DRESSER TYPE 160)

Note: 1146-Series have been deleted and are replaced by 1147-Series. Some 1146 – items may still be in stock. Their use on oversized cast iron pipe is encouraged to help us get rid of them. They will not fit regular ductile iron pipe diameters.

(OLD STYLE OR SHORT BOLTS)

To repair joint leads on class D pit cast old style caulked joint pipe

1146-0400-2 Clamp, Dresser, Bell Joint, 4" Dia. (D) EA

1146-0600-7 Clamp, Dresser, Bell Joint, 6" Dia. (D) EA



**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1146-0800-3	Clamp, Dresser, Bell Joint, 8" Dia. (D)	EA
1146-1000-9	Clamp, Dresser, Bell Joint, 10" Dia. (D)	EA
1146-1200-5	Clamp, Dresser, Bell Joint, 12" Dia. (D)	EA
1146-1400-1	Clamp, Dresser, Bell Joint, 14" Dia. (D)	EA
1146-1600-6	Clamp, Dresser, Bell Joint, 16" Dia. (D)	EA
1146-2000-8	Clamp, Dresser, Bell Joint, 20" Dia. (D)	EA
1146-2400-0	Clamp, Dresser, Bell Joint, 24" Dia. (D)	EA
1146-3000-7	Clamp, Dresser, Bell Joint, 30" Dia. (D)	EA
1146-3600-4	Clamp, Dresser, Bell Joint, 36" Dia. (D)	EA
1146-4200-2	Clamp, Dresser, Bell Joint, 42" Dia. (D)	EA
1146-4800-9	Clamp, Dresser, Bell Joint, 48" Dia., 6" Dia., Dresser/Clow (D)	EA

CLAMP, TO REPAIR BELL JOINT LEAKS

(Replaces 1146 – Stock Series; Can be used on push-on ductile iron pipe (class A-B with rubber gaskets) and oversized cast iron pipe (class C-D with calked poured leaded joints).

(NEW STYLE OR LONG BOLTS)

1147-0300-2	Clamp, Joint Repair, 3" Dia.,	EA
1147-0400-0	Clamp, Joint Repair, 4" Dia.,	EA
1147-0600-5	Clamp, Joint Repair, 6" Dia.,	EA
1147-0800-1	Clamp, Joint Repair, 8" Dia.,	EA
1147-1000-7	Clamp, Joint Repair, 10" Dia.,	EA
1147-1200-3	Clamp, Joint Repair, 12" Dia.	EA
1147-1400-9	Clamp, Joint Repair, 14" Dia.	EA
1147-1600-4	Clamp, Joint Repair, 16" Dia.	EA
1147-2000-6	Clamp, Joint Repair, 20" Dia.	EA
1147-2400-8	Clamp, Joint Repair, 24" Dia.	EA
1147-3000-5	Clamp, Joint Repair, 30" Dia.	EA
1147-3600-2	Clamp, Joint Repair, 36" Dia.	EA
1147-4200-0	Clamp, Joint Repair, 42" Dia.	EA
1147-4800-7	Clamp, Joint Repair, 48" Dia.	EA

# *Washington Suburban Sanitary Commission*

## **MATERIALS CATALOG**

### SKINNER EMERGENCY CLAMP

(TO REPAIR GALVANIZED STEEL PIPE)

(Also see stock series 1070 for brass, copper tube to galvanized pipe adapters, stock series 1071 for Dresser Style 90 couplings, and stock series 1168 for Dresser Style 38 couplings)

1151-0600-7	Clamp, Skinner Emergency, 3/4" Dia. IPS	EA
1151-1000-9	Clamp, Skinner Emergency, 1" Dia. IPS	EA
1151-1200-5	Clamp, Skinner Emergency, 1-1/4" Dia. IPS	EA
1151-1400-1	Clamp, Skinner Emergency, 1-1/2" Dia. IPS	EA
1151-2000-8	Clamp, Skinner Emergency, 2" Dia. IPS	EA

### SERVICE SADDLE, FOR TAPPING IRON PIPE

1155-0310-4	Saddle, Service, for Tapping Iron Pipe, 3" Dia., 1" Tap	EA
1155-0314-6	Saddle, Service, for Tapping Iron Pipe, 3" Dia., 1-1/2" Tap	EA
1155-0320-3	Saddle, Service, for Tapping Iron Pipe, 3" Dia., 2" Tap	EA
1155-0406-0	Saddle, Service, for Tapping Iron Pipe, 4" Dia., 3/4" Tap	EA
1155-0410-2	Saddle, Service, for Tapping Iron Pipe, 4" Dia., 1" Tap	EA
1155-0414-4	Saddle, Service, for Tapping Iron Pipe, 4" Dia., 1-1/2" Tap	EA
1155-0420-1	Saddle, Service, for Tapping Iron Pipe, 4" Dia., 2" Tap	EA
1155-0610-7	Saddle, Service, for Tapping Iron Pipe, 6" Dia., 1" Tap	EA
1155-0614-9	Saddle, Service, for Tapping Iron Pipe, 6" Dia., 1-1/2" Tap	EA
1155-0620-6	Saddle, Service, for Tapping Iron Pipe, 6" Dia., 2" Tap	EA
1155-0810-3	Saddle, Service, for Tapping Iron Pipe, 8" Dia., 1" Tap	EA
1155-0814-5	Saddle, Service, for Tapping Iron Pipe, 8" Dia., 1-1/2" Tap	EA
1155-0820-2	Saddle, Service, for Tapping Iron Pipe, 8" Dia., 2" Tap	EA
1155-1010-9	Saddle, Service, for Tapping Iron Pipe, 10" Dia., 1" Tap	EA
1155-1014-1	Saddle, Service, for Tapping Iron Pipe, 10" Dia., 1-1/2" Tap	EA
1155-1020-8	Saddle, Service, for Tapping Iron Pipe, 10" Dia., 2" Tap	EA
1155-1210-5	Saddle, Service, for Tapping Iron Pipe, 12" Dia., 1" Tap	EA
1155-1214-7	Saddle, Service, for Tapping Iron Pipe, 12" Dia., 1-1/2" Tap	EA
1155-1220-4	Saddle, Service, for Tapping Iron Pipe, 12" Dia., 2" Tap	EA
1155-1614-8	Saddle, Service, for Tapping Iron Pipe, 16" Dia., 1-1/2" Tap, FF Item, Ordered Only on Request	EA
1155-1620-5	Saddle, Service, for Tapping Iron Pipe, 16" Dia., 2" Tap, FF Item, Ordered Only on Request	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1155-2014-1	Saddle, Service, for Tapping Iron Pipe, 20" Dia., 1-1/2" Tap, FF Item, Ordered Only on Request	EA
1155-2020-7	Saddle, Service, for Tapping Iron Pipe, 20" Dia., 2" Tap, FF Item, Ordered Only on Request	EA
1155-2414-2	Saddle, Service, for Tapping Iron Pipe, 24 Dia., 1-1/2" Tap, FF Item, Ordered Only on Request	EA
1155-2420-9	Saddle, Service, for Tapping Iron Pipe, 24" Dia., 2" Tap, FF Item, Ordered Only on Request	EA

WYE SADDLE, FOR TAPPING PVC SEWER PIPE

1156-0804-4	Saddle, Wye, for Tapping PVC Sewer Pipe, 8" Dia., 4" Tap	EA
1156-0806-9	Saddle, Wye, for Tapping PVC Sewer Pipe, 8" Dia., 6" Tap	EA
1156-1004-0	Saddle, Wye, for Tapping PVC Sewer Pipe, 10" Dia., 4" Tap	EA
1156-1006-5	Saddle, Wye, for Tapping PVC Sewer Pipe, 10" Dia., 6" Tap	EA
1156-1204-6	Saddle, Wye, for Tapping PVC Sewer Pipe, 12" Dia., 4" Tap	EA
1156-1206-1	Saddle, Wye, for Tapping PVC Sewer Pipe, 12" Dia., 6" Tap	EA

TEE SADDLE, FOR TAPPING SEWER PIPE  
(IRON BODY)

1157-0505-5	Saddle, Tee, Concrete, 24" x 4"	EA
1157-2010-4	Saddle, Sewer, Tee for A/C Clay & All Concrete Pipe, 8" X 4" Tap	EA

TEE SADDLE, FOR TAPPING PVC SEWER PIPE  
(PVC BODY)

1158-0604-4	Saddle, Tee, for Tapping PVC Sewer Pipe, 6" Dia., 4" Tap	EA
1158-0804-0	Saddle, Tee, for Tapping PVC Sewer Pipe, 8" Dia., 4" Tap	EA
1158-1004-6	Saddle, Tee, for Tapping PVC Sewer Pipe, 10" Dia., 4" Tap	EA
1158-1006-1	Saddle, Tee, for Tapping PVC Sewer Pipe, 10" Dia., 6" Tap	EA
1159-2020-9	Saddle, Sewer, Wye, for Corr. Concrete Pipe 8" Dia., 4" Tap	EA

TAPPING SLEEVE, FOR AB-CD CAST IRON PIPE  
(Assesories Included), TAPPING VALVES, SERIES 4834, CAN BE  
REQUISITIONED SEPERARATELY AND USED WITH THESE SLEEVES

1163-0404-1	Sleeve, Tapping, for Class AB & CD Pipe 4" Dia., 4" Tap	EA
1163-0604-3	Sleeve, Tapping, Class AB & CD Pipe 6" Dia., 4" Tap	EA
1163-0606-8	Sleeve, Tapping, Class AB & CD Pipe 6" Dia., 6" Tap	EA
1163-0804-2	Sleeve, Tapping, Class AB & CD Pipe 8" Dia., 4" Tap	EA
1163-0806-0	Sleeve, Tapping Class AB & CD Pipe 8" Dia., 6" Tap	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1163-0808-7	Sleeve, Tapping, Class AB & CD Pipe 8" Dia., 8" Tap	EA
1163-1004-4	Sleeve, Tapping, Class AB & CD Pipe 10" Dia., 4" Tap	EA
1163-1006-8	Sleeve, Tapping, Class AB & CD Pipe 10" Dia., 6" Tap	EA
1163-1008-6	Sleeve, Tapping, Class AB & CD Pipe 10" Dia., 8" Tap	EA
1163-1010-3	Sleeve, Tapping, Class AB & CD Pipe 10" Dia., 10" Tap	EA
1163-1203-0	Sleeve, Tapping, Class AB & CD Pipe 12" Dia., 3" Tap (D)	EA
1163-1204-2	Sleeve, Tapping, Class AB & CD Pipe 12" Dia., 4" Tap	EA
1163-1206-5	Sleeve, Tapping, Class AB & CD Pipe 12" Dia., 6" Tap	EA
1163-1208-7	Sleeve, Tapping, Class AB & CD Pipe 12" Dia., 8" Tap	EA
1163-1210-4	Sleeve, Tapping, Class AB & CD Pipe 12" Dia., 10" Tap	EA
1163-1212-9	Sleeve, Tapping, Class AB & CD Pipe 12" Dia., 12" Tap	EA
1163-1404-1	Sleeve, Tapping, Class AB & CD Pipe 14" Dia., 4" Tap	EA
1163-1406-0	Sleeve, Tapping, Class AB & CD Pipe 14" Dia., 6" Tap	EA
1163-1408-3	Sleeve, Tapping, Class AB & CD Pipe 14" Dia., 8" Tap	EA
1163-1410-8	Sleeve, Tapping, Class AB & CD Pipe 14" Dia., 10" Tap	EA
1163-1412-2	Sleeve, Tapping, Class AB & CD Pipe 14" Dia., 12" Tap	EA
1163-1414-7	Sleeve, Tapping, Class AB & CD Pipe 14" Dia., 14" Tap	EA
1163-1604-4	Sleeve, Tapping, Class AB & CD Pipe 16" Dia., 4" Tap	EA
1163-1606-5	Sleeve, Tapping, Class AB & CD Pipe 16" Dia., 6" Tap	EA
1163-1608-3	Sleeve, Tapping, Class AB & CD Pipe 16" Dia., 8" Tap	EA
1163-1610-7	Sleeve, Tapping, Class AB & CD Pipe 16" Dia., 10" Tap	EA
1163-1612-2	Sleeve, Tapping, Class AB & CD Pipe 16" Dia., 12" Tap	EA
1163-1614-2	Sleeve, Tapping, Class AB & CD Pipe 16" Dia., 14" Tap	EA
1163-2004-6	Sleeve, Tapping, Class AB & CD Pipe 20" Dia., 4" Tap	EA
1163-2006-5	Sleeve, Tapping, Class AB & CD Pipe 20" Dia., 6" Tap	EA
1163-2008-1	Sleeve, Tapping, Class AB & CD Pipe 20" Dia., 8" Tap	EA
1163-2010-0	Sleeve, Tapping, Class AB & CD Pipe 20" Dia., 10" Tap	EA
1163-2012-7	Sleeve, Tapping, Class AB & CD Pipe 20" Dia., 12" Tap	EA
1163-2014-4	Sleeve, Tapping, Class AB & CD Pipe 20" Dia., 14" Tap	EA
1163-2404-3	Sleeve, Tapping, Class AB & CD Pipe 24" Dia., 4" Tap	EA
1163-2406-4	Sleeve, Tapping, Class AB & CD Pipe 24" Dia., 6" Tap	EA
1163-2408-9	Sleeve, Tapping, Class AB & CD Pipe 24" Dia., 8" Tap	EA
1163-2410-5	Sleeve, Tapping, Class AB & CD Pipe 24" Dia., 10" Tap	EA

## *Washington Suburban Sanitary Commission* **MATERIALS CATALOG**

1163-2412-2	Sleeve, Tapping, Class AB & CD Pipe 24" Dia., 12" Tap	EA
1163-2414-6	Sleeve, Tapping, Class AB & CD Pipe 24" Dia., 14" Tap	EA

TAPPING SLEEVE AND VALVE SET FOR AB-CD CAST IRON PIPE (NOTE"  
THIS SERIES IS BEING DELETED, TAPPING SLEEVES, STOCK SERIES 1163,  
AND TAPPING VALVES, SERIES 4834, CAN BE REQUISITIONED  
SEPERARATELY AND USED TOGETHER)

Accessories Included

1163-5014-0	Sleeve & Valve, Tap, MJ, 16" X 14" (D)	SE
1163-5016-8	Sleeve & Valve, Tap, MJ, 16" X 16", RT (D)	SE
1163-5018-4	Sleeve & Valve, Tap, MJ, 16" X 16", LT (D)	SE
1163-5024-5	Sleeve & Valve, Tap, MJ, 20" X 14" (D)	SE
1163-5026-1	Sleeve & Valve, Tap, MJ, 24" X 14 (D)"	SE

COUPLING, (REPAIR), FOR JOINING IPS SIZE PIPE

Dresser Style 38 coupling

(Also see stock series 1070 for brass, copper tube to galvanized pipe adapters, stock series 1071 for Dresser Style 90 couplings, and stock series 1151 for Skinner Emergency Clamps)

1168-0600-1	Coupling, for Joining IPS Size Pipe, 3/4" Dia.	EA
1168-1000-3	Coupling, for Joining IPS Size Pipe, 1" Dia.	EA
1168-1200-9	Coupling, for Joining IPS Size Pipe, 1-1/4" Dia.	EA
1168-1400-5	Coupling, for Joining IPS Size Pipe, 1-1/2" Dia.	EA
1168-1600-7	Coupling, for Joining IPS Size Pipe, 2"	EA

SOLID SLEEVE, MECHANICAL JOINT

Requires 2 Joint Kits

1169-0300-6	Sleeve, Long, Solid, Mechanical Joint, 3"	EA
1169-0400-4	Sleeve, Long, Solid, Mechanical Joint, 4"	EA
1169-0600-9	Sleeve, Long, Solid, Mechanical Joint, 6"	EA
1169-0800-5	Sleeve, Long, Solid, Mechanical Joint, 8"	EA
1169-1000-1	Sleeve, Long, Solid, Mechanical Joint, 10"	EA
1169-1200-7	Sleeve, Long, Solid, Mechanical Joint, 12"	EA
1169-1400-3	Sleeve, Long, Solid, Mechanical Joint, 14"	EA
1169-1600-8	Sleeve, Long, Solid, Mechanical Joint, 16"	EA
1169-1800-4	Sleeve, Long, Solid, Mechanical Joint, 18"	EA
1169-2000-0	Sleeve, Long, Solid, Mechanical Joint, 20"	EA
1169-2400-2	Sleeve, Long, Solid, Mechanical Joint, 24"	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1169-3000-9	Sleeve, Long, Solid, Mechanical Joint, 30"	EA
1169-3600-6	Sleeve, Long, Solid, Mechanical Joint, 36"	EA
1169-4200-4	Sleeve, Long, Solid, Mechanical Joint, 42"	EA
1169-4800-1	Sleeve, Long, Solid, Mechanical Joint, 48"	EA
1169-5400-9	Sleeve, Long, Solid, Mechanical Joint, 54"	EA
1169-5520-4	Sleeve, Short, Solid, Mechanical Joint, 20"	EA
1169-5524-6	Sleeve, Short, Solid, Mechanical Joint, 24"	EA
1169-5530-3	Sleeve, Short, Solid, Mechanical Joint, 30"	EA
1169-5536-0	Sleeve, Short, Solid, Mechanical Joint, 36"	EA
1169-5542-8	Sleeve, Short, Solid, Mechanical Joint, 42"	EA
1169-5548-5	Sleeve, Short, Solid, Mechanical Joint, 48"	EA
1169-5554-3	Sleeve, Short, Solid, Mechanical Joint, 54"	EA

**MECHANICAL JOINT SLEEVE, DUAL PURPOSE**

(Includes all accessories for both ends of sleeve)

Will fit either Class AB or CD diameter gray or ductile iron pipe (Note that restraining gland manufacturers do not offer pressure ratings for use on cast iron pipe. Refer to WSSC Standard Blocking Details for best practices in restraining pipe).

1170-0400-6	Sleeve, Solid, M.J., Dual Purpose, 4", includes all accessories for both ends of sleeve	EA
1170-0600-3	Sleeve, Solid, M.J., Dual Purpose, 6", includes all accessories for both ends of sleeve	EA
1170-0800-9	Sleeve, Solid, M.J., Dual Purpose, 8", includes all accessories for both ends of sleeve	EA
1170-1000-1	Sleeve, Solid, M.J., Dual Purpose, 10", includes all accessories for both ends of sleeve	EA
1170-1200-8	Sleeve, Solid, M.J., Dual Purpose, 12", includes all accessories for both ends of sleeve	EA
1170-1600-6	Sleeve, Solid, M.J., Dual Purpose, 16", includes all accessories for both ends of sleeve	EA

**MECHANICAL JOINT SLEEVE (OVERSIZED) & COUPLING, TRANSITION  
AC/DIP (Will Fit Oversized Cast Iron Pipe and (where indicated) Asbestos-Cement  
Pipe**

Note: For applications requiring joint restraint, do not use transition couplings, i.e., use dual purpose sleeves, stock series 1170-0400-6 thru 1170-1600-6 for nominal diameters of 4"-16" (not available for 14") instead of 1171-0040-4 thru 1171-0160-0, along with restraining glands

1171-0030-5	Coupling, Transition, AC/DIP, 3" Steel (will also fit dip-dip)	EA
1171-0040-4	Coupling, Transition, AC/DIP, 4", Steel (will also fit dip-dip)	EA
1171-0060-2	Coupling, Transition, AC/DIP, 6", Steel (will also fit dip-dip)	EA
1171-0080-0	Coupling, Transition, AC/DIP, 8", Steel (will also fit dip-dip)	EA
1171-0100-6	Coupling, Transition, AC/DIP, 10", Steel (will also fit dip-dip)	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1171-0120-4	Coupling, Transition, AC/DIP, 12", Steel (will also fit dip-dip)	EA
1171-0140-2	Coupling, Transition, AC/DIP, 14", Steel (will also fit dip-dip) (won't fit AC cl. 200)	EA
1171-0160-0	Coupling, Transition, AC/DIP, 16", Steel (will also fit dip-dip) Note: Maxi-Fit coupling will fit only thru spigot of Class 100 AC pipe	EA
1171-0200-4	Coupling, Transition, Oversized Cip/DIP, 20", Steel (will also fit dip-dip)	EA
1171-0240-0	Coupling, Transition, Oversized Cip/DIP, 24", Steel (will also fit dip-dip)	EA

SPLIT REPAIR SLEEVE, M.J., FOR CLASS AB C.I. PIPE

1173-1400-5	Sleeve, Split Repair, M.J., for Class AB C.I. Pipe, 14" Dia.	EA
1173-1600-0	Sleeve, Split Repair, M.J., for Class AB C.I. Pipe, 16" Dia.	EA
1173-2000-2	Sleeve, Split Repair, M.J., for Class AB C.I. Pipe, 20" Dia.	EA
1173-2400-4	Sleeve, Split Repair, M.J., for Class AB C.I. Pipe, 24" Dia.	EA

SPLIT REPAIR SLEEVE, M.J., BELL PACK, FOR CAST OR DUCTILE IRON PIPE  
Provided with 2 sets of gaskets, can be used to encapsulate the bell joint of either cast iron class C & D (oversized) or ductile iron class A & B (standard diameter) pipe. Cannot be used over a mechanical joint bell.

1175-1600-5	Sleeve, Split, Repair, Bell Pack, Fits over Bell of 16" Dia. Cast Iron (Oversized) Pipe, Pipe Barrel = 17.8", or 16" Dia. Ductile Iron (Standard Size) Pipe, Pipe Barrel = 17.4"	EA
1175-2000-7	Sleeve, Split, Repair, Bell Pack, Fits Over Bell of 20" Dia Cast Iron (Oversized) Pipe, Pipe Barrell = 22.06" or 20" dia. Ductile Iron (Standard Size) Pipe, Pipe Barrel = 21.6"	EA
1175-2400-9	Sleeve, Split Repair, Bell Pack, Fits Over Bell of 24" Dia. Cast Iron (Oversized) Pipe, Pipe Barrell = 26.32" or 24" Dia. Ductile Iron (Standard Size) Pipe, Pipe Barrel = 25.8"	EA

SPLIT REPAIR SLEEVE, M.J., FOR CLASS CD C.I. PIPE

1176-1400-8	Sleeve, Split Repair, M.J., for Class CD C.I. Pipe, 14" Dia.	EA
1176-1600-3	Sleeve, Split Repair, M.J., for Class CD C.I. Pipe, 16" Dia.	EA
1176-2000-5	Sleeve, Split Repair, M.J., for Class CD C.I. Pipe, 20" Dia.	EA
1176-2400-7	Sleeve, Split Repair, M.J., for Class CD C.I. Pipe, 24" Dia.	EA

SPLIT REPAIR SLEEVE, M.J., FOR CAST IRON PIPE (CLOW TYPE)

(Has 1" Tap)

(NEEDS 1050-1006-0 IF SERVICE IS 3/4")

1177-0400-7	Sleeve, Split Repair, M.J., for Cast Iron Pipe, 4" Dia.	EA
1177-0600-2	Sleeve, Split Repair, M.J., for Cast Iron Pipe, 6" Dia.	EA
1177-0800-8	Sleeve, Split Repair, M.J., for Cast Iron Pipe, 8" Dia.	EA
1177-1000-4	Sleeve, Split Repair, M.J., for Cast Iron Pipe, 10" Dia.	EA
1177-1200-0	Sleeve, Split Repair, M.J., for Cast Iron Pipe, 12" Dia.	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

CLAMP, REPAIR, STAINLESS STEEL WITH 1" cc TAP, FOR CAST IRON PIPE  
(NEEDS 1050-1006-0 IF SERVICE IS 3/4")

1178-0300-7	Clamp, Repair, Stainless Steel, with 1" cc Outlet, for Cast Iron Pipe, 3" Dia., Outside Diameter Range (Minimum) = 3.90" – 4.02", Clamp Length (Minimum) = 12"	EA
1178-0400-5	Clamp, Repair, Stainless Steel, with 1" cc Outlet, for Cast Iron Pipe, 4" Dia. , Outside Diameter Range (Minimum) = 4.74" – 5.0", Clamp Length (Minimum) = 12"	EA
1178-0600-0	Clamp, Repair, Stainless Steel, with 1" cc Outlet, for Cast Iron Pipe, 6" Dia. , Outside Diameter Range (Minimum) = 6.84" – 7.10", Clamp Length (Minimum) = 12"	EA
1178-0800-6	Clamp, Repair, Stainless Steel, with 1" cc Outlet, for Cast Iron Pipe, 8" Dia. , Outside Diameter Range (Minimum) = 8.99" – 9.3", Clamp Length (Minimum) = 12"	EA
1178-1000-2	Clamp, Repair, Stainless Steel, with 1" cc Outlet, for Cast Iron Pipe, 10" Dia. , Outside Diameter Range (Minimum) = 11.04" – 11.40", Clamp Length (Minimum) = 12"	EA
1178-1200-8	Clamp, Repair, Stainless Steel, with 1" cc Outlet, for Cast Iron Pipe, 12" Dia. , Outside Diameter Range (Minimum) = 13.14" – 13.5", Clamp Length (Minimum) = 12"	EA

SADDLE, SERVICE FOR PRESTRESSED CONCRETE LINED CYLINDER PIPE  
(Lock-joint style pipe)

1182-1606-8	Saddle Assembly and Gland Insert for, 16" Dia., 3/4" Tap	SE
1182-1610-0	Saddle Assembly and Gland Insert for, 16" Dia., 1" Tap	SE
1182-1612-6	Saddle Assembly and Gland Insert for, 16" Dia., 1-1/4" Tap	SE
1182-1614-2	Saddle Assembly and Gland Insert for, 16" Dia., 1-1/2" Tap	SE
1182-1620-9	Saddle Assembly and Gland Insert for, 16" Dia., 2" Tap	SE
1182-2006-0	Saddle Assembly and Gland Insert for, 20" Dia., 3/4" Tap	SE
1182-2010-2	Saddle Assembly and Gland Insert for, 20" Dia., 1" Tap	SE
1182-2014-4	Saddle Assembly and Gland Insert for, 20" Dia., 1-1/2" Tap	SE
1182-2020-1	Saddle Assembly and Gland Insert for, 20" Dia., 2" Tap	SE
1182-2410-4	Saddle Assembly and Gland Insert for, 24" Dia., 1" Tap	SE
1182-2412-0	Saddle Assembly and Gland Insert for, 24" Dia., 1-1/4" Tap	SE
1182-2414-6	Saddle Assembly and Gland Insert for, 24" Dia., 1-1/2" Tap	SE
1182-2420-3	Saddle Assembly and Gland Insert for, 24" Dia., 2" Tap	SE

TAPPING ASSEMBLY FOR PRESTRESSED CONCRETE LINED CYLINDER PIPE  
(Lock-joint style pipe)

1183-1604-1	Tapping Assembly for, 16" Dia., 4" Tap	EA
1183-1606-6	Tapping Assembly for, 16" Dia., 6" Tap	EA
1183-1608-2	Tapping Assembly for, 16" Dia., 8" Tap	EA
1183-1610-8	Tapping Assembly for, 16" Dia., 10" Tap	EA



**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1183-1612-4	Tapping Assembly for, 16" Dia., 12" Tap	EA
1183-2004-3	Tapping Assembly for, 20" Dia., 4" Tap	EA
1183-2006-8	Tapping Assembly for, 20" Dia., 6" Tap	EA
1183-2008-4	Tapping Assembly for, 20" Dia., 8" Tap	EA
1183-2010-0	Tapping Assembly for, 20" Dia., 10" Tap	EA
1183-2012-6	Tapping Assembly for, 20" Dia., 12" Tap	EA
1183-2404-5	Tapping Assembly for, 24" Dia., 4" Tap	EA
1183-2406-0	Tapping Assembly for, 24" Dia., 6" Tap	EA
1183-2408-6	Tapping Assembly for, 24" Dia., 8" Tap	EA
1183-2410-2	Tapping Assembly for, 24" Dia., 10" Tap	EA
1183-2412-8	Tapping Assembly for, 24" Dia., 12" Tap	EA
1183-3006-7	Tapping Assembly for, 30" Dia., 6" Tap	EA
1183-3008-3	Tapping Assembly for, 30" Dia., 8" Tap	EA
1183-3010-9	Tapping Assembly for, 30" Dia., 10" Tap	EA

MECHANICAL JOINT TEE

Requires 2 Joint Kits 1st number & 1 Joint Kit 2nd number

1188-0404-6	Tee, Mechanical Joint, 4" X 4" Dia.	EA
1188-0603-2	Tee, Mechanical Joint, 6" X 3" Dia	EA
1188-0604-1	Tee, Mechanical Joint, 6" X 4" Dia.	EA
1188-0606-6	Tee, Mechanical Joint, 6" X 6" Dia.	EA
1188-0804-7	Tee, Mechanical Joint, 8" X 4" Dia.	EA
1188-0806-2	Tee, Mechanical Joint, 8" X 6" Dia.	EA
1188-0808-8	Tee, Mechanical Joint, 8" X 8" Dia.	EA
1188-1004-3	Tee, Mechanical Joint, 10" X 4" Dia.	EA
1188-1006-8	Tee, Mechanical Joint, 10" X 6" Dia.	EA
1188-1008-4	Tee, Mechanical Joint, 10" X 8" Dia.	EA
1188-1010-0	Tee, Mechanical Joint, 10" X 10" Dia.	EA
1188-1204-9	Tee, Mechanical Joint, 12" X 4" Dia.	EA
1188-1206-4	Tee, Mechanical Joint, 12" X 6" Dia.	EA
1188-1208-0	Tee, Mechanical Joint, 12" X 8" Dia.	EA
1188-1210-6	Tee, Mechanical Joint, 12" X 10" Dia.	EA
1188-1212-2	Tee, Mechanical Joint, 12" X 12" Dia.	EA
1188-1406-0	Tee, Mechanical Joint, 14" X 6" Dia.	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1188-1408-6	Tee, Mechanical Joint, 14" X 8" Dia.	EA
1188-1410-2	Tee, Mechanical Joint, 14" X 10" Dia.	EA
1188-1412-8	Tee, Mechanical Joint, 14" X 12" Dia.	EA
1188-1414-4	Tee, Mechanical Joint, 14" X 14" Dia.	EA
1188-1606-5	Tee, Mechanical Joint, 16" X 6" Dia.	EA
1188-1608-1	Tee, Mechanical Joint, 16" X 8" Dia.	EA
1188-1610-7	Tee, Mechanical Joint, 16" X 10" Dia.	EA
1188-1612-3	Tee, Mechanical Joint, 16" X 12" Dia.	EA
1188-1614-9	Tee, Mechanical Joint, 16" X 14" Dia.	EA
1188-1616-4	Tee, Mechanical Joint, 16" X 16" Dia.	EA
1188-2006-7	Tee, Mechanical Joint, 20" X 6" Dia.	EA
1188-2008-3	Tee, Mechanical Joint, 20" X 8" Dia.	EA
1188-2010-9	Tee, Mechanical Joint, 20" X 10" Dia.	EA
1188-2012-5	Tee, Mechanical Joint, 20" X 12" Dia.	EA
1188-2014-1	Tee, Mechanical Joint, 20" X 14" Dia.	EA
1188-2016-6	Tee, Mechanical Joint, 20" X 16" Dia.	EA
1188-2020-8	Tee, Mechanical Joint, 20" X 20" Dia.	EA
1188-2406-9	Tee, Mechanical Joint, 24" X 6" Dia.	EA
1188-2408-5	Tee, Mechanical Joint, 24" X 8" Dia.	EA
1188-2410-1	Tee, Mechanical Joint, 24" X 10" Dia.	EA
1188-2412-7	Tee, Mechanical Joint, 24" X 12" Dia.	EA
1188-2414-3	Tee, Mechanical Joint, 24" X 14" Dia.	EA
1188-2416-8	Tee, Mechanical Joint, 24" X 16" Dia.	EA
1188-2420-0	Tee, Mechanical Joint, 24" X 20" Dia.	EA
1188-2424-2	Tee, Mechanical Joint, 24" X 24" Dia.	EA
	IRON (CAST OR DUCTILE) TEE WITH INSTALLED 30" BLIND FLANGE Mechanical Joint X Flange	
	These items will be ordered only on request and will not be stocked otherwise.	
1188-3630-3	Tee, Ductile/Cast Iron, 36" MJ X 30" Flanged, With Included and Installed 30" Blind Flange, Note that this item will be only ordered on request (it will not be kept in stock), (FF)	EA
1188-4230-1	Tee, Ductile/Cast Iron, 42" MJ X 30" Flanged, With Included and Installed 30" Blind Flange, Note that this item will be only ordered on request (it will not be kept in stock), (FF)	EA
1188-4830-8	Tee, Ductile/Cast Iron, 48" MJ X 30" Flanged, With Included and Installed 30" Blind Flange, Note that this item will be only ordered on request (it will not be kept in stock), (FF)	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1188-5430-6	Tee, Ductile/Cast Iron, 54" MJ X 30" Flanged, With Included and Installed 30" Blind Flange, Note that this item will be only ordered on request (it will not be kept in stock), (FF)	EA
-------------	--	----

BRASS TEE

Female Pipe Thread (FPT x FPT X FPT)

(Note\*The last size listed is the center perpendicular connection)

1190-1406-6	Tee, Brass, Threaded, 1-1/2" X 3/4" Dia.	EA
1190-1410-8	Tee, Brass, Threaded, 1-1/2" X 1" Dia.	EA
1190-1414-0	Tee, Brass, Threaded, 1-1/2" X 1-1/2" Dia.	EA
1190-2006-3	Tee, Brass, Threaded, 2" X 3/4" Dia.	EA
1190-2010-5	Tee, Brass, Threaded, 2" X 1" Dia.	EA
1190-2020-4	Tee, Brass, Threaded, 2" X 2" Dia.	EA

COPPER TEE

For flared or compression copper tube connections

(Note: Last size listed is the center perpendicular connection)

1191-0606-0	Tee, Brass, for Copper tubing, 3/4" x 3/4" Dia.	EA
1191-1006-2	Tee, Brass, for Copper tubing, 1" x 1"x 3/4" Dia. (D)	EA
1191-1010-4	Tee, Brass, for Copper tubing, 1" x 1" Dia.	EA
1191-1206-8	Tee, Brass, for Copper tubing, 1-1/4" x 1-1/4" x 3/4" Dia. (D)	EA
1191-1210-0	Tee, Brass, for Copper tubing, 1-1/4" x 1-1/4" x 1" Dia.	EA
1191-1406-4	Tee, Brass, for Copper tubing, 1-1/2" x 1-1/2" x 3/4" Dia.	EA
1191-1410-6	Tee, Brass, for Copper tubing, 1-1/2" x 1-1/2" x 1" Dia. (D)	EA
1191-2006-1	Tee, Brass, for Copper tubing, 2" x 2" x 3/4" Dia. (D)	EA
1191-2010-3	Tee, Brass, for Flared Copper tubing, 2" x 2" x 1" Dia (D)	EA
1191-2020-2	Tee, Brass, for Flared Copper tubing, 2" x 2" Dia.	EA

REDUCING TEE, COPPER

(For Flared or Compression Copper Tube Connections)

1192-0610-0	Tee, Reducing, Brass, for Copper tubing, 1" X 3/4" X 1" Dia. (D)	EA
1192-1010-2	Tee, Reducing, Brass, for Copper tubing, 1" x 1"x "1-1/4" Dia.	EA
1192-1206-6	Tee, Reducing, Brass, for Copper tubing, 1-1/4" X 1-1/2" X 3/4" Dia. (D)	EA

3-BELL TEE, PVC, SEWER

1195-0604-6	Tee, 3-Bell, PVC, 6" X 4" Dia.	EA
1195-0804-2	Tee, 3-Bell, PVC, 8" X 4" Dia.	EA

# **Washington Suburban Sanitary Commission**

## **MATERIALS CATALOG**

### HYDRANT TEE

Requires 2 Joint Kits 1st number, gasket & bolts 2nd number

1196-0606-9	Tee, Hydrant, with Swivel Joint, M.J. Ends, 6" X 6" Dia.	EA
1196-0608-2	Tee, Hydrant, Parallel, with Swivel Joint, M.J. Ends, 6" X 6" Dia.	EA
1196-0806-5	Tee, Hydrant, with Swivel Joint, M.J. Ends, 8" X 6" Dia.	EA
1196-1006-1	Tee, Hydrant, with Swivel Joint, M.J. Ends, 10" X 6" Dia.	EA
1196-1206-7	Tee Hydrant, with Swivel Joint, M.J. Ends, 12" X 6" Dia.	EA

### FLANGE ADAPTER

Note that the Series 2100 MegaFlange manufactured by EBAA is currently the only item used. It is to be used solely by and at the discretion of Utility Services by agreement with the Technical Services Group. These items will be ordered only on request and will not be stocked otherwise. Note the manufactures rated design pressures listed. Contact the Technical Services Group if assistance is needed.

1220-0000-3	Flange Adapter, Restrained, sizes for ductile iron pipe of diameters of 3"-48" are available. For pipe diameters of 3" through 16" (except 10") the mfr's rated design pressure is 350 psi. For pipe diameters of 10" and 18" the mfr's rated design pressure is 300 psi. For pipe diameters of 20" the mfr's rated design pressure is 250 psi. For pipe diameters of 24" the mfr's rated design pressure is 200 psi. For pipe diameters of 30" through 48" the mfr's rated design pressure is 150 psi., Note that this item will be only ordered on request (it will not be kept in stock), (FF)	SE
1220-0006-6	Adapter, Mechanical Joint X Flanged End, Size: 6" Dia., Awwa C153, Pressure Rating: 350 Psi, Accessories Not Provided, Internal & External Coating: Fusion Bonded Epoxy, Note: This item will only be ordered on request and will not be stocked otherwise, (FF)	EA
1220-0006-8	Adapter, Mechanical Joint X Flanged End, Size: 8" Dia., Awwa C153, Pressure Rating: 350 Psi, Accessories Not Provided, Internal & External Coating: Fusion Bonded Epoxy, Note: This item will only be ordered on request and will not be stocked otherwise, (FF)	EA
1220-0007-0	Adapter, Mechanical Joint X Flanged End, Size: 10" Dia., Awwa C153, Pressure Rating: 350 Psi, Accessories Not Provided, Internal & External Coating: Fusion Bonded Epoxy, Note: This item will only be ordered on request and will not be stocked otherwise, (FF)	EA

### BLIND FLANGE

Requires cap screws

Class 150 Steel Welding Flange with Raised Face

1220-0300-7	Flange, Blind, 3" Dia. (OD = 72")	EA
1220-0400-5	Flange, Blind, 4" Dia. (OD = 9")	EA
1220-0600-0	Flange, Blind, 6" Dia. (OD = 11")	EA
1220-0800-6	Flange, Blind, 8" Dia. (OD = 132")	EA
1220-1000-2	Flange, Blind, 10" Dia. (OD = 16")	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1220-1200-8	Flange, Blind, 12" Dia. (OD = 19")	EA
<p>THREADED FLANGE</p> <p>Class 150</p>		
1222-0300-3	Flange, Threaded, 3" Dia. (OD = 72")	EA
1222-0400-1	Flange, Threaded, 4" Dia. (OD = 9")	EA
1222-0600-6	Flange, Threaded, 6" Dia. (OD = 11")	EA
1222-0800-2	Flange, Threaded, 8" Dia. (OD = 132")	EA
1222-1425-7	Flange, Companion, 4" X 2-1/2", Fusion Bonded Epoxy Coated	EA
<p>SLIP FLANGE</p> <p>Class 150 Steel Welding Flange</p>		
1224-0800-8	Flange, Slip, 8" Dia. (OD = 132")	EA
1224-1000-4	Flange, Slip, 10" Dia. (OD = 16")	EA
<p>CLEANOUTS (IRON CLEANOUT FERRULE WITH THREADED BRASS INSERT WITH SQUARE COUNTERSUNK SOUTHERN CODE SOCKET) FOR CAPPING SEWER CLEANOUT PIPE RISERS AT GRADE ON EXISTING INSTALLATIONS (WILL FIT ASTM D3034 PVC PIPE AND SERVICE WEIGHT CAST IRON SOIL PIPE)</p>		
1230-0300-6	Ferrule Cleanout, Iron, with 2-1/2" threaded brass insert plug for connection to a 3" iron or PVC pipe spigot via use of a Fernco	EA
1230-0400-4	Ferrule Cleanout, Iron, with 3-1/2" or 4" threaded brass insert plug for connection to a 4" iron or PVC pipe spigot via use of a Fernco, (Note: for replacement threaded brass inserts, see S/N's 1124-0300-1 and 1124-0350-6)	EA
1230-0600-9	Ferrule Cleanout, Iron, with 5" threaded brass insert plug for connection to a 6" iron or PVC pipe spigot via use of a Fernco	EA
1230-5004-9	Ferrule, Panella (Cap) Style, Iron, with 3-1/2" threaded brass insert plug and a Donut Style Gasket for connection to a 4" PVC Pipe (SDR. 35) or a 4" (Ductile or Soil) Iron Pipe Sewer Cleanout Riser spigot	EA
<p>BRASS UNION</p> <p>Female Pipe Thread x Female Pipe Thread (FPT X FPT)</p>		
1245-0600-7	Union, Brass, 3/4" Dia.	EA
1245-1000-9	Union, Brass, 1" Dia. (D)	EA
1245-1200-5	Union, Brass, 1-1/4" Dia.	EA
1245-1400-1	Union, Brass, 1-1/2" Dia.	EA
1245-2000-8	Union, Brass, 2" Dia.	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

PVC UNION  
(Schedule 80)

1247-0002-7	Union, PVC, 1-1/4" Dia.	EA
-------------	-------------------------	----

PVC WYE, SEWER, 3-BELL, 45 DEGREE  
(for SDR 35 Pipe)

1250-0404-4	Wye, 3-Bell, PVC, 45 Degree, 4" X 4" Dia.	EA
1250-0604-9	Wye, 3-Bell, PVC, 45 Degree, 6" X 4" Dia.	EA
1250-0606-4	Wye, 3-Bell, PVC, 45 Degree, 6" X 6" Dia.	EA
1250-0808-6	Wye, 3-Bell, PVC, 45 Degree, 8" X 8" Dia.	EA

MECHANICAL JOINT WYE  
Requires 3 Joint Kits

1253-0600-1	Wye, Mechanical Joint, 6" X 6" Dia.	EA
1253-0806-4	Wye, Mechanical Joint, 8" X 6" Dia. (2 - 8" Joint Kits, 1 - 6" Joint Kit)	EA
1253-0808-0	Wye, Mechanical Joint, 8" X 8" Dia.	EA

PUSH-ON WYE

BRASS WYE FOR COPPER TUBE  
(FLARED OR COMPRESSION CONNECTIONS)

1260-1006-5	Wye, Brass, 1" X 3/4" X 3/4" Dia.	EA
-------------	-----------------------------------	----

ENGINE, ELECTRICAL SYSTEM COMPONENTS

2920-9002-4	Spark Plug, UJ-12	EA
-------------	-------------------	----

MISC. WELDING, SOLDERING, BRAZING SUPPLIES & ACCESSORIES

3439-9100-6	Flux, Soldering, Paste Type, (4 oz.) Used with 95/5 solder.	CN
3439-9200-4	Solder, Wire, 95/5, Tin/Antimony, 1 lb. Spool , 100% lead free	SL

SPREADER

3750-0101-3	Spreader, Handheld for use with Grass Seed Pelleted Limestone, and Deicer. Rustproof and corrosion proof.	EA
-------------	---	----

PAVING BREAKER AND ROCK DRILL ACCESSORIES

3820-9005-8	Moil Point for Paving Breaker, 1-1/4" X 6" Hexagonal Shank, Length Under Collar: 18"	EA
-------------	--	----

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

3820-9010-8	Asphalt Cutter for Paving Breaker, 1-1/4" X 6" Hexagonal Shank, Length Under Collar: 11", Cutter Width: 5"	EA
3820-9032-2	Steel Drill Rod for Rock Drills, 7/8" x 3-1/4" Hexagonal Shank x 2' Length, Male "H" Thread	EA
3820-9034-8	Steel Drill Rod for Rock Drills, 7/8" x 3-1/4" Hexagonal Shank x 4' Length, Male "H" Thread	EA
3820-9040-5	Rock Bit (with Carbide insert) for Rock Drills, Four Point, 1-5/8" Dia., Female "H" Thread	EA

MATERIALS HANDLING EQUIPMENT-NON-SELF-PROPELLED

3920-9010-6	Wheelbarrow, for general purpose construction use. Packaging: disassembled with all necessary hardware to assemble	EA
-------------	---	----

TIE-DOWN STRAP

Made of EPDM Rubber for all-weather durability

3940-0004-8	Tie-Down Strap, 9"	EA
3940-0007-1	Tie-Down Strap, 15"	EA
3940-0009-6	Tie-Down Strap, 22"	EA
3940-0011-3	Tie-Down Strap, 31"	EA

WEB SLINGS FOR LIFTING MATERIALS

3940-1080-5	Sling, Web, Synthetic, Eye & Eye (Each end comprised of an eye), 8 Feet Long x 3 Inches Wide, Load Ratings: {Vertical-8,800 Lbs, Choker Hitch-7,040 Lbs, Basket Hitch-17,600 Lbs}	EA
3940-1100-1	Sling, Web, Synthetic, Eye & Eye (Each end comprised of an eye), 10 Feet Long x 3 Inches Wide, Load Ratings: {Vertical-8,800 Lbs, Choker Hitch-7,040 Lbs, Basket Hitch-17,600 Lbs}	EA

GALVANIZED AND SELF-COLORED CHAIN

4010-9375-2	Chain, 3/8" Dia., Grade 80, Alloy Steel for general purpose use, max lifting load 5,000 lbs. (See 4032-0338-3 for Hooks)	FT
-------------	--	----

SLING CHAINS, 2-LEG AND 4-LEG

4010-9400-8	Sling Chain, 5 Foot Length (each chain), 3/8" chain links, 2 Legs, with oblong master ring and 2 grab hooks, Working Load Limit: 12,300 LBS @ 60 degree angle	EA
4010-9410-7	Sling Chain, 10 Foot Length (each chain), 3/8" chain links, 2 Legs, with oblong master ring and 2 grab hooks, Working Load Limit: 12,300 LBS @ 60 degree angle	EA
4010-9420-6	Sling Chain, 10 Foot Length (each chain), 3/8" chain links, 4 Legs, with oblong master ring and 4 grab hooks, Working Load Limit: 22,900 LBS @ 60 degree angle	EA

CABLE, WIRE

4015-9030-2	Cable, Wire, 1/2" Dia., Packaging: 1,000 ft./spool	FT
-------------	--	----

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

SISAL ROPE

3-Strand Medium Lay

4020-0100-2	Rope, Sisal, 1/4" Dia., 480 Lb. Min. Breaking Strength	FT
4020-0400-6	Rope, Sisal, 1/2" Dia., Packaging: one full 50 lb. coil/box	LB
4020-0700-9	Rope, Sisal, 3/8" Dia., 1080 Lb. Min. Breaking Strength	FT

COTTON TWINE

4021-0100-0	Twine, Cotton, General purpose coreless center pull ball	EA
-------------	--	----

NYLON ROPE

4022-0200-6	Rope, Nylon Cord, 1/4" Dia., solid braid Packaging: 500 ft./spool	FT
-------------	--	----

CABLE CLAMP

4030-9003-8	Clamp, Cable, 1/2" Dia., for joining wire rope	EA
-------------	--	----

GRAB HOOK

4032-0338-3	Grab Hook, 3/8", for use with 3/8" alloy steel chain (part no. 4010-9375-2)	EA
-------------	--	----

POTABLE WATER DELIVERY HOSE

4210-0110-8	Potable Water Delivery Hose (bypass), with Fire Hose type connections, NSF Certified, Blue, 2-1/2" Dia. X 50' Length (NST Coupling)	LG
4210-0140-5	Potable Water Delivery Hose (bypass), with Fire Hose type connections, NSF Certified, Blue, 4" Dia. X 100' Length (NST Coupling), Note that this item will be only ordered on request (it will not be kept in stock), (FF)	LG

HYDRANT (FIRE) ADAPTERS (SCREW IN REPLACEMENTS)

4210-9030-9	Hydrant (Fire) Adaptor, 3' Height	EA
4210-9035-8	Hydrant (Fire) Adaptor, 3-1/2' Height	EA
4210-9040-8	Hydrant (Fire) Adaptor, 4' Height	EA
4210-9045-7	Hydrant (Fire) Adaptor, 4-1/2' Height	EA
4210-9050-7	Hydrant (Fire) Adaptor, 5' Height	EA
4210-9055-6	Hydrant (Fire) Adaptor, 5-1/2' Height	EA
4210-9060-6	Hydrant (Fire) Adaptor, 6' Height	EA
4210-9065-5	Hydrant (Fire) Adaptor, 6-1/2' Height	EA
4210-9070-5	Hydrant (Fire) Adaptor, 7' Height	EA



**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4210-9075-4	Hydrant (Fire) Adaptor, 7-1/2' Height	EA
4210-9080-4	Hydrant (Fire) Adaptor, 8' Height	EA

HYDRANTS, FIRE, TRAFFIC MODELS (COMPATIBLE WITH ADAPTERS)

4210-9130-7	Hydrant, Fire, Traffic Model (Compatible with Adapters), 3'-0"	EA
4210-9135-6	Hydrant, Fire, Traffic Model (Compatible with Adapters), 3'-6"	EA
4210-9140-6	Hydrant, Fire, Traffic Model (Compatible with Adapters), 4'-0"	EA
4210-9145-5	Hydrant, Fire, Traffic Model (Compatible with Adapters), 4'-6"	EA
4210-9150-5	Hydrant, Fire, Traffic Model (Compatible with Adapters), 5'-0"	EA
4210-9155-4	Hydrant, Fire, Traffic Model (Compatible with Adapters), 5'-6"	EA
4210-9160-4	Hydrant, Fire, Traffic Model (Compatible with Adapters), 6'-0"	EA
4210-9165-3	Hydrant, Fire, Traffic Model (Compatible with Adapters), 6'-6"	EA
4210-9170-3	Hydrant, Fire, Traffic Model (Compatible with Adapters), 7'-0"	EA
4210-9175-2	Hydrant, Fire, Traffic Model (Compatible with Adapters), 7'-6"	EA
4210-9180-2	Hydrant, Fire, Traffic Model (Compatible with Adapters), 8'-0"	EA

FIRE HYDRANT PARTS & ACCESSORIES

US Parts begin with s/n 4211-5005-3

Kennedy Parts begin with s/n 4211-7005-1

Mueller Parts begin with s/n 4211-7200-8

American Parts begin with s/n 4211-7305-5

Clow Medallion Parts begin with 4211-7505-0

Miscellaneous fire related fittings begin with s/n 4211-9005-9

Tools for use with fire hydrants begin with s/n 4211-9011-7

Traffic Collision repair kits begin with s/n 4211-9020-8

Elbow Gaskets for adapter type (screw-in) Fire Hydrants begin with s/n 4211-9034-9

Replacement main valves for fire hydrants begin with s/n 4211-9040-6

For Top Frost Casing Top (CAP) for adapter type (screw-in) fire hydrants see s/n 4211-9060-4

For 8" dia. PVCO pipe for use as Frost Casing for adapter type (screw-in) fire hydrants see s/n 4795-2308-6

Fire Hydrant extensions begin with s/n 4212-9106-3

Parts for U.S. Pipe (Metropolitan250) M94 Model and older "Metopolitan 250" Model  
Fire Hydrants

4211-5005-3	Operating Nut, 1-1/2" Pentagonal, for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram Item # 1, U.S. Pipe Part No. 4000019697 (US)	EA
-------------	---	----

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4211-5010-3	Operating Nut Seal, for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram Item # 2, U.S. Pipe Part No. 197673 (US)	EA
4211-5015-2	Operating Nut Locking Pin, for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram # 3, U.S. Pipe Part No. 2000001797 (US)	EA
4211-5020-2	Hydrant Grease, one Quart, for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram # 4, U.S. Pipe Part No. 2000005281 (US)	EA
4211-5025-1	Travel Stop Nut and Washer, for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram # 5, U.S. Pipe Part No. 2000001760 (US)	EA
4211-5030-1	Hold Down Nut, for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram # 6, U.S. Pipe Part No. 4000019547 (US)	EA
4211-5035-0	Hold Down Nut Screw, for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram # 7, U.S. Pipe Part No. 2000001716 (US)	EA
4211-5040-0	Bonnet (Opens Left), for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram # 8, U.S. Pipe Part No. 4000019690 (US)	EA
4211-5045-9	Screw, Bonnet, Locking, for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram # 9, U.S. Pipe Part No. 2000001754 (US)	EA
4211-5050-9	Bonnet Seal, for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram # 10, U.S. Pipe Part No. 2000002938 (US)	EA
4211-5053-3	O-Ring, Hold Down Nut, for US model "Metropolitan 250," (pre-model M94) Fire Hydrant, US Diagram # 11, U.S. Pipe Part No. 2000001674 (US)	EA
4211-5055-8	O-Ring, Hold Down Nut, for US model M94 (not for previous model Metropolitan 250) Fire Hydrant, US Diagram # 11, U.S. Pipe Part No. 197083 (US)	EA
4211-5060-8	O-Ring for Bonnet Revolving Nut, for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram #12, U.S. Pipe Part No. 195705 (US)	EA
4211-5065-7	Revolving Nut (Opens Left), for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram # 13, U.S. Pipe Part No. 2000002370 (US)	EA
4211-5070-7	Inner Revolving Nut O-Ring, for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram # 14, U.S. Pipe Part No. 2000001720 (US)	EA
4211-5075-6	Pumper Nozzle, for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram # 15, U.S. Pipe Part No. 4000019601 (US)	EA
4211-5080-6	Pumper Nozzle Cap Gasket, for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram # 16, U.S. Pipe Part No. 2000001794 (US)	EA
4211-5085-5	Pumper Nozzle Cap, for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram # 17, U.S. Pipe Part No. 2000002803 (US)	EA
4211-5090-5	Pumper Nozzle Gasket, for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram # 18, U.S. Pipe Part No. 2000001673 (US)	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4211-5095-4	Hose Nozzle, for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram # 19, U.S. Pipe Part No. 2000002792 (US)	EA
4211-5100-2	Hose Nozzle Cap Gasket, for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram # 20, U.S. Pipe Part No. 2000001811 (US)	EA
4211-5105-1	Hose Nozzle Cap, for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram # 21, U.S. Pipe Part No. 4000014540 (US)	EA
4211-5110-1	Hose Nozzle Gasket, for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram # 22, U.S. Pipe Part No. 2000001675 (US)	EA
4211-5115-0	Pumper Chain Assembly, for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram # 23, U.S. Pipe Part No. 4000025351 (US)	EA
4211-5117-6	Hose Chain Assembly, for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram # 23 4000025352 (US)	EA
4211-5120-0	Valve Rod Upper Section, Opens Left, for US model M94 (not for models prior to M94 such as "Metropolitan 250") Fire Hydrant, US Diagram # 24, U.S. Pipe Part No. 4000019560 (US)	EA
4211-5125-9	Valve Rod Coupling, for US model M94 (not for models prior to M94 such as "Metropolitan 250") Fire Hydrant, US Diagram # 26, U.S. Pipe Part No. 2000002812 (US)	EA
4211-5130-9	Coupling Retaining Ring, for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram # 27, U.S. Pipe Part No. 2000001809 (US)	EA
4211-5135-8	Rod Coupling Pin, for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram # 28, U.S. Pipe Part No. 2000001790 (US)	EA
4211-5140-8	Standpipe Coupling Seal, for US model M94 (not for models prior to M94 such as "Metropolitan 250") Fire Hydrant, US Diagram # 29, U.S. Pipe Part No. 2000001679 (US)	EA
4211-5145-7	Standpipe Coupling, for US model M94 (not for models prior to M94 such as "Metropolitan 250") Fire Hydrant, US Diagram # 30, U.S. Pipe Part No. 4000021012 (US)	EA
4211-5150-7	Standpipe Coupling Bolt, for US model M94 (not for models prior to M94 such as "Metropolitan 250") Fire Hydrant, US Diagram # 31, U.S. Pipe Part No. 194992 (US)	EA
4211-5152-3	Standpipe Coupling Nut, for US model M94 (not for models prior to M94 such as "Metropolitan 250") Fire Hydrant, US Diagram # 31, U.S. Pipe Part No. 194998 (US)	EA
4211-5160-6	Top Plate Pin (Shear Proof), for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram # 34, U.S. Pipe Part No. 2000001814 (US)	EA
4211-5165-5	Valve Top Plate, for US model M94 (not for models prior to M94 such as "Metropolitan 250") Fire Hydrant, US Diagram # 35 (Also includes Drain Valve Facing, Qty=2, US Diagram #39), U.S. Pipe Part No. 4000021003 (US)	EA
4211-5175-4	Drain Valve Facing, for US model M94 (not for models prior to M94 such as "Metropolitan 250") Fire Hydrant, US Diagram # 39, U.S. Pipe Part No. 2000001805 (US)	EA
4211-5180-4	Seat Ring for 5-1/4" Opening, for US model M94 (not for models prior to M94 such as "Metropolitan 250") Fire Hydrant, US Diagram #42, U.S. Pipe Part No. 2000001867 (US)	EA

## *Washington Suburban Sanitary Commission*

### **MATERIALS CATALOG**

4211-5185-3	"O"Ring for Seat Ring, for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram # 43, U.S. Pipe Part No. 2000001725 (US)	EA
4211-5190-3	Main Valve, 5-1/4", for US model M94 (not for models prior to M94 such as "Metropolitan 250") Fire Hydrant, US Diagram #44, U.S. Pipe Part No. 2000001793 (US)	EA
4211-5195-2	Valve Bottom Plate, for US model M94 (not for models prior to M94 such as "Metropolitan 250") Fire Hydrant, US Diagram #45, U.S. Pipe Part No. 4000000624 (US)	EA
4211-5200-0	Anti-Friction Bearing, for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram # 47, U.S. Pipe Part No. 2000001704 (US)	EA
4211-5205-9	Nozzle Wedge Lock, Quantity =1, (Note: One Required for Each Nozzle), for US model M94 (and Metropolitan 250) Fire Hydrant, US Diagram # 48, U.S. Pipe Part No. 2000003474 (US)	EA
4211-5210-9	Rubber Dampener, Installs between Valve Rods Inside Rod Coupling, U.S. Pipe Part No. 194861 (US)	EA
4211-5215-8	Conversion Kit from Old US Pipe Metropolitan 250 (pre-model M94) Fire Hydrant to Current Model M94. Kit Modifies Main Valve Assembly and Associated Parts Only, U.S. Pipe Part No. 7000042792 (US)	EA
4211-5216-0	Upper Barrel, Complete with all accessories, for US Model M94 (manufactured 1994 to Present) fire hydrant	EA
(See Stock No. 4211-9022-4)	Repair Kit for US model M94 (not for models prior to M94 such as "Metropolitan 250") Fire Hydrant, US Part No. 4000001719, Packaging: one/box (US)	EA
(See Stock No. 4211-9023-2)	Repair Kit for Old US Pipe "Metropolitan 250" model Fire Hydrant, US Part No. 4000001718, Packaging: one/box (US)	EA
(See Stock No. 4211-9024-0)	Repair Kit for U.S. Sentinel 250 Fire Hydrant (Manufactured from 2009 to Present), US Part No. (#287361), Packaging: one/box (US)	EA

Parts for use Exclusively with U.S. Sentinel 250 Fire Hydrant (Manufactured from 2009 to Present)

(For parts shared with Mueller Super Centurian Fire Hydrant see parts starting with stock no. 4211-7200-8)

PART #	DESCRIPTION	FIGURE #	US PART #	UOM
421153008	OPERATING NUT,FH,#U1,US SENT'L	U-1	4000019697	EA
421153057	OPERATING NUT SEAL,FH,#U2,USNT	U-2	197673	EA
421153107	OPERATING NUT LOCKPIN,U3,USSENT	U-3	2000001797	EA
421153156	TRAVEL STOP NUT,FH,#U5,US SENT	U-5	2000001760	EA
421153206	HOLD DOWN NUT,FH,#U6,US SENT'L	U-6	4000019547	EA
421153255	SCREW,HOLD DOWN NUT,#U7,USSENT	U-7	2000001868	EA
421153305	BONNET,#U8,#240601,LEFT,USSENT	U-8	240601-LEFT	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

421153354	SCREW,BONNET LOCKING,U9,USSENT	U-9	2000001754	EA
421153404	SEAL,BONNET, U10,#240690,USSENT	U-10	240690	EA
421153453	ORING,HOLD DOWN NUT,U11,USSENT	U-11	197083	EA
421153503	ORING,BONNET REV.NUT,U12,USSENT	U-12	195705	EA
421153552	REVOLVING NUT,U13 LEFT,US SENT	U-13	240612-LEFT	EA
421153602	STEM,UPPER ASSY,U24 LEFT,USSENT	U-24	28317-LEFT	EA
421153651	BEARING,ANTIFRICTI ON,U56,USSENT	U-56	2000001704	EA
421153701	28317 O-RING, STEM, U58,#198857,USSENT	U-58		EA

Parts for Kennedy K81 & K81A Guardian Fire Hydrant

4211-7005-1	Alemite Fitting, (fits Kennedy K11, K81, and K81A Hydrants) PT. #K8101			EA
4211-7006-9	Operating Nut, PT. #K8102			EA
4211-7007-7	Weather Shield, PT. #K8103			EA
4211-7008-5	Stem Lock Nut, PT. #K8104			EA
4211-7009-3	Stem Nut "O" Ring, PT. #K8105			EA
4211-7011-9	Thrust Washer, PT. #K8106			EA
4211-7012-7	Hydrant Bonnet (Cap), PT. #K8107			EA
4211-7013-5	Bonnet Bolts & Nuts , PT. #K8107			EA
4211-7014-3	Bonnet Gasket, PT. #K8109			EA
4211-7017-6	Bonnet "O" Ring, PT. #K8111			EA
4211-7019-2	Test Plug, PT. #K8113			EA
4211-7020-0	Upper Stem, PT. #K8114			EA
4211-7021-8	Stem Coupling, PT. #K8116			EA
4211-7022-6	Upper Coupling Pin, PT. #K8117 (Note: Stock number 4211-7028-4 Should be Used Instead of this Item When this Item is Depleted) (K) (D)			
4211-7023-4	BRKG Ring Bolts & Nuts, PT. #K8118			EA
4211-7024-2	Breaking Ring, Pipe, PT. #K8119			EA
4211-7026-7	"O" Ring, Pipe, PT. #K8120			EA
4211-7027-5	Lower Coupling Clips, Use With Stock No. 4211-7028-3, PT. #K8121 (Note: Stock number 4211-7028-4 Should be Used Instead of this Item When this Item is Depleted) (K) (D)			EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4211-7028-3	Upper and Lower Coupling Pin, Use With Stock No. 4211-7027-5, PT. #K8122 (Note: Stock number 4211-7028-4 Should be Used Instead of this Item When this Item is Depleted) (K) (D)	EA
4211-7028-4	Upper and Lower Coupling Pin With Integral Locking Plunger, Note: Use Stock Number 4211-7022-6 or Combination of Stock No. 4211-7027-5 and 4211-7028-3 Until they are Depleted, PT. #K8122R (K) (FF)	EA
4211-7029-1	Drain Valve, PT. #K8136	EA
4211-7030-9	Drain Valve Facing, PT. #K8137	EA
4211-7033-3	Seat Ring, PT. #K8128	EA
4211-7036-6	Drain Valve Pin, PT. #K8133	EA
4211-7037-4	"O" Ring, Nozzle, 2-1/2", PT. #K8145H	EA
4211-7038-2	Nozzle, Cap, 2-1/2", #K3186552	
4211-7039-0	Nozzle Cap Gasket, 2-1/2", For K11 and K81 Hydrants, #K8143	EA
4211-7040-8	Nozzle Chain Band, PT. #K8140	EA
4211-7041-6	S-Hook (fits Kennedy K11, K81, & K81A) PT. # "K8138-S-Hook"	EA
4211-7042-4	Nozzle Cap Chains W/ Bands to Connect to all 3 Nozzles, (fits Kennedy K11, K81, & K81A) PT. # "K8138-Chain w/Bands, 3-way"	EA
4211-7043-2	Allen Head Set Screw for Stem Lock Nut , PT.#K8146	EA
4211-7044-0	Nozzle, 2-1/2", (fits Kennedy K81, & K81A), Installs with 1/4 Turn, PT. # "K8140,	EA
4211-7045-7	Nozzle, 4-1/2", (fits Kennedy K81 & K81A) PT. # "K8142, 4-1/2"	EA
4211-7046-5	Nozzle, Cap, 4-1/2", PT. #K3816662	EA
4211-7047-3	Nozzle Cap Gasket, 4-1/2", For K11 and K81 Hydrants, PT. #K8143	EA
4211-7048-1	"O" Ring, Nozzle, 4-1/2", PT. #K8145S	EA
4211-7049-9	"O" Ring, Seat, Upper, PT. #K8126A	EA
4211-7050-7	"O" Ring, Seat, Lower, PT #K8130	EA
4211-7051-5	Screw, Nozzle Retaining, PT #K8141	EA
4211-7105-9	Tap Bolt, #01. M62 Breakable	EA
4211-7106-7	Shield Operating Nut, #02, M62	EA
4211-7107-5	Hold Down Nut, #03, M62	EA
4211-7108-3	Revolving Nut, PT. #04, M62	EA
4211-7110-9	Stop Nut, PT. #06, M62	EA
4211-7112-5	Stuffing Box Nut, #07, M62	EA
4211-7113-3	20" Ring Weather Seal, #08, M62	EA
4211-7114-1	"O" Ring Pres Seal, #09, M62 (D)	EA
4211-7115-8	Eye Nut, PT. #13, For K81	EA
4211-7117-4	Thrust Washer, #12, M62 (D)	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4211-7120-8	Hose Cap Gasket, PT. #M10A	EA
4211-7122-4	Pumper Nozzle Gasket, #18, M62	EA
4211-7123-2	Hose Nozzle, PT. #19, M62	EA
4211-7125-7	Chain, PT. #20, M62 Breakable	EA
4211-7126-5	Pumper Nozzle, PT #23, M62	EA
4211-7127-3	Swivel Flange, PT. #23, M62	EA
4211-7128-1	Swivel Flange Bolts, #24, M62	EA
4211-7129-9	Head Gasket, PT. #26, M62	EA
4211-7130-7	Drain Valve Facing, #33, M62	EA
4211-7131-5	Drain Valve, #K30, Kennedy K-11	EA
4211-7132-3	Drain Seat, #37, M62	EA
4211-7133-1	Drain Valve Key, PT. #38, M62	EA
4211-7134-9	Cylinder Seat Gasket, #41, M62	EA
4211-7135-6	Cotter Plate, PT #44, M62	EA
4211-7136-4	Lock & Nut Gasket, PT. #45, M62	EA
4211-7137-2	Lock & Nut, #46, M62	EA
4211-7160-4	Cap Bolt Nut, PT. #K1101	EA
4211-7161-2	Operating Stem Nut, #KD1102	EA
4211-7162-0	"O" Ring Weather Seal, #KD1104	EA
4211-7163-8	Lock & Nut, PT. #KD1107	EA
4211-7164-6	Cover Plate Bolts, PT. #K1109	EA
4211-7165-3	Cover Plate Gasket, PT. #K1111	EA
4211-7166-1	Nozzle w/Poured Lead, 4-1/2" NST #K1115	EA
4211-7167-9	Cap, PT. #K1105, K11 Dry Top	EA
4211-7168-7	Stop Nut, #K1116, K11 Dry Top	EA
4211-7169-5	Nozzle Cap Hook, PT. #K1117	EA
4211-7171-1	Upper Stem Section, PT. #KD1119	EA
4211-7172-9	Nozzle Cap Chain, PT. #K1120	EA
4211-7173-7	Stem Coupling, PT. #K1121	EA
4211-7174-5	Coupling Pins, PT. #K1122	EA
4211-7175-2	Standpipe Break Ring, #K1123	EA
4211-7177-8	Hose Gasket, 2-1/2", K11	EA
4211-7179-4	Nozzle Gasket, 4-1/2", K11	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4211-7180-2	Hose Nozzle Cap, 2-1/2, K11	EA
4211-7181-0	Nozzle Cap, 4-1/2" for K11	EA
4211-7182-8	Standpipe Gasket, K11 Dry Top	EA
4211-7183-6	Nozzle, 2-1/2" NST, For Kennedy K-11 Fire Hydrant, Threaded, K1115	EA
4211-7185-0	Upper Barrel, Complete with all accessories, for Kennedy Model K81 fire hydrant	EA

Parts for use with Mueller model A423 Super Centurion 250, 200, and Centurion Fire Hydrants (Note: Some parts shared with Parts for U.S. Sentinel 250 Fire Hydrant as indicated (Manufactured from 2009 to Present))

(Note: for oil for lubricating Mueller fire hydrants see s/n 9150-1905-3 & 9150-1910-3)

Part #	Description	Mueller Figure # / US Figure #	For Mueller Model A423 Fire Hydrants Manufactured between	Mueller Part #	UOM
4211-7200-8	Operating nut	A1	1975-1987	175234	EA
4211-7201-6	Hold Down Nut	A84	1988-Present	146501	EA
4211-7202-4	Weather Seal	A85	1988-Present	197899	EA
4211-7203-2	Stem, Upper	A11	1977-1986	184193 (length=28-13/32")	EA
4211-7204-0	Stem, Upper	A11	1987-Present	184092 (length=27-9/16")	EA
4211-7205-7	Operating Nut	A1	1988-Present	146440	EA
4211-7206-5	Weather Cap	A2	1975-1987 (not required for 1988- Present)	142818	EA
4211-7207-3	Hold Down Nut "O" Ring	A3	1975-Present	194898 (included with s/n 4211-7208-1)	EA
4211-7208-1	Hold Down Nut	A4	1975-1987	28195 (includes s/n's 4211- 7207-3, 4211-7209-9, & 4211-7210-7)	EA
4211-7209-9	Bonnet "O" Ring	A5	1975-Present	142779 (included with s/n 4211-7208-1)	EA
4211-7210-7	Anti-Friction Washer	A6	1975-Present	195546 (included with s/n 4211-7208-1)	EA
4211-7211-5	Oil Filler Plug	A7	1975-Present	194932	EA
4211-7212-3	Bonnet	A8	1975-Present	145703	EA
4211-7213-1	Bonnet Bolt and nut	A9	1975-Present	28007 (8 required)	EA



**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4211-7214-9	Bonnet Flat Gasket	A10	1975-1996	198357	EA
4211-7215-6	Bonnet O-ring	A10	1997-Present	190348	EA
4211-7216-4	Stem O-ring	A12	1975-Present	194514 (2 required)	EA
4211-7217-2	Nozzle Lock Screw	A13	1975-Present	143137	EA
4211-7218-0	Pumper Nozzle	A14	1977-Present	143124-40560	EA
4211-7219-8	Pumper Nozzle Gasket	A15	1975-Present	192345	EA
4211-7220-6	Pumper Nozzle "O" Ring	A16	1975-Present	142781	EA
4211-7221-4	Pumper Nozzle Cap	A17	1975-Present	158667-40560	EA
4211-7223-0	Hose Nozzle	A18	1977-Present	143116-75298	EA
4211-7224-8	Hose Nozzle, Gasket	A19	1977-Present	192342	EA
4211-7225-5	Hose Nozzle "O" Ring	A20	1975-Present	142847	EA
4211-7226-3	Hose Nozzle Cap	A21	1975-Present	158660-75298	EA
4211-7227-1	Chains, Cap, with ring	A22	1975-Present	142987	EA
4211-7228-9	Chain S Hook	A23	1975-Present	147738	EA
4211-7229-7	Safety Stem Coupling	A25	1975-Present	190350	EA
4211-7230-5	Safety Bolt and Nut	A26	1975-Present	280016 (8 required)	EA
4211-7231-3	Safety Flange Gasket, Flat	A27	1975-1996	148725	EA
4211-7232-1	Safety Flange	A28	1975-Present	175211-1	EA
4211-7233-9	Safety Flange O-Ring	A27	1997-Present	190349	EA
4211-7234-7	Cotter Pins	A29	1975-Present	195235	EA
4211-7235-4	Clevis Pins	A30	1975-Present	195234 (2 required)	EA
4211-7236-2	Stem Pin	A33	1975-Present	195347	EA
4211-7237-0	Drain Valve Facing	A34	1975-Present	142811	EA
4211-7238-8	Drain Valve Screw	A35/U37	1975-Present	142812 (4 required)	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4211-7241-2	Top Seat "O" Ring	A39/U52	1975-Present	195033	EA
4211-7244-6	Bottom Seat "O" Ring	A44/U38	1975-Present	142893	EA
4211-7245-3	Cap Nut Seal	A47/U44	1975-Present	195547	EA
4211-7246-1	Lock Washer	A48/U44	1975-Present	142845	EA
4211-7247-9	Lower Valve Plate Cap Nut	A49/U44	1975-Present	142771	EA
4211-7248-7	Gasket, Elbow, for Mueller Adapter (screw-in), Model A-468 (Note: For Mueller Adapter Type Fire Hydrants manufactured prior to 1997, use S/N 4211-9034-9)		1997 & Later	284405	EA
4211-7249-5	Lower Valve Plate	A46/U44	1975-Present	(Note: can only be used with the reversible main valve, s/n 4211-9045-5), Mueller part # 190356-1	EA
4211-7250-3	Upper Valve Plate	A36/U35	1975-Present	184055	EA
4211-7251-1	Seat Ring, Bronze	A43/U40	1975-Present	142764	EA
4211-7290-9	Upper Barrel, Complete Assembly	SP-WSSCHYDTOP	1986-Present	SP-WSSCHTDTOP	EA

Parts for American Flow Control B-62-B Fire Hydrant

4211-7305-5	Operating Nut, PT. #62-1				EA
4211-7306-3	Housing "O" Ring, PT. #62-2-1				EA
4211-7307-1	Housing "O" Ring, PT. #62-2-2				EA
4211-7308-9	Thrust Washer, PT. #62-4-4				EA
421-7310-5	Pipe plug, PT. #62-5-3 (SS)				EA
4211-7311-3	Hydrant Cover, PT. #62-7-7				EA
4211-7312-1	Housing Cover, PT. #62-9				EA
4211-7313-9	Housing Cover Cap Screws, Part # 62-11-2 (SS)				EA
4211-7314-7	Housing Cover Gasket (made of fiber), PT. #62-13 (Also fits Matthews w/ lip)				EA
4211-7315-4	Housing, PT. #62-15				EA
4211-7316-2	Housing Gasket (made of rubber), PT. #62-14 (Also fits Matthews w/ lip)				EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4211-7317-0	Housing Bolt & Nut, Part # 62-16 (SS)	EA
4211-7319-0	Nozzle, Hose (2006 and Newer), Part # 62-20-60, (Provided with the following: one hose nozzle seal (O-ring) (part # 62-20-61) and one hose nozzle retainer washer (part # 62-20-63))	EA
4211-7319-1	Hose Nozzle Seal (O-Ring), (2006 and Newer), Part # 62-20-61	EA
4211-7319-2	Hose Nozzle Retainer (2006 and Newer), Part # 62-20-62	EA
4211-7319-3	Hose Nozzle Retainer Washer (2006 and Newer), Part # 62-20-63	EA
4211-7320-4	Nozzle, Hose, AMLOK (2005 & Older), Part # 62-20-3, (Provided with the following: one hose nozzle O-ring (part # 62-20-4), one hose nozzle spacer o-ring (part # 62-20-5), one nozzle set screw (part # 62-24-3), and one hose nozzle internal set screw (part # 62-24-4)).	EA
4211-7320-5	Hose Nozzle O-Ring (AMLOK) 2005& Older, Part # 62-20-4	EA
4211-7320-6	Hose Nozzle Spacer O-Ring (AMLOK) 2005& Older, Part # 62-20-5	EA
4211-7320-7	Hose Nozzle Internal Set Screw (AMLOK) 2005& Older, Part # 62-24-4	EA
4211-7320-8	Nozzle Set Screw(AMLOK) 2005& Older, Part # 62-24-3	EA
4211-7321-2	Hose Caps, PT. #62-21	EA
4211-7322-0	Hose Cap Gasket, PT. #62-22	EA
4211-7323-8	Hose Chain, PT. #62-23-1	EA
4211-7324-6	"S" Hook, PT. #62-23-2	EA
4211-7325-4	Nozzle, Pumper (2006 and Newer), Part # 62-25-60, (To be used with the following: one pumper nozzle seal (O-ring) (part # 62-25-61) and one pumper nozzle retainer washer (part # 62-25-63))	EA
4211-7325-5	Pumper Nozzle Seal (O-Ring), (2006 and Newer), Part # 62-25-61	EA
4211-7325-6	Pumper Nozzle Retainer (2006 and Newer), Part # 62-25-62	EA
4211-7325-7	Pumper Nozzle Retainer Washer (2006 and Newer), Part # 62-25-63	EA
4211-7326-1	Nozzle, Pumper, AMLOK, (2005 & Older), Part # 62-25-3, (Provided with the following: one pumper nozzle O-ring (part # 62-25-4), one pumperr nozzle spacer o-ring (part # 62-25-5), one nozzle set screw (part # 62-24-3), and one pumper nozzle internal set screw (part # 62-24-5)).	EA
4211-7326-2	Pumper Nozzle O-Ring (AMLOK) 2005& Older, Part # 62-25-4	EA
4211-7326-3	Pumper Nozzle Spacer O-Ring (AMLOK) 2005& Older, Part # 62-25-5	EA
4211-7326-4	Pumper Nozzle Internal Set Screw (AMLOK) 2005& Older, Part # 62-24-5	EA
4211-7327-9	Pumper Cap, PT. #62-26	EA
4211-7328-7	Pumper Cap Gasket, PT. #62-27	EA
4211-7329-7	Snap Ring, #62-29-14 (A)	EA
4211-7329-9	Upper Rod, #62-30-11 (A)	EA
4211-7230-1	Rod Sleeve, #62-145 (A)	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4211-7230-2	Rod Sleeve O-Ring, #62-146 (A)	EA
4211-7330-3	Rod (Breakable) Coupling, #62-29-30	EA
4211-7331-1	Rod coupling Clevis Pins & Clips, #62-29-31	EA
4211-7332-9	Spring Plate, #62-30-04 (SS)	EA
4211-7333-7	Spring Plate Pin, #62-30-07	EA
4211-7334-0	Spring, Hydrant, #62-30-03(SS)	EA
4211-7334-1	Drain Lever, #62-31	EA
4211-7334-2	Hydrant Seat, #62-35-OR	EA
4211-7334-5	Seat "O" Ring Out, #62-36-2	EA
4211-7335-2	Seat "O" Ring In, #62-36-3	EA
4211-7338-6	Frangible Bolt & Nut (For B-62-B Hydrants 1985 & Older, Type 304 Stainless Steel), #62-39-7(SS) (A)	EA
4211-7339-4	Hydrant Valve Top, #62-40	EA
4211-7340-2	Hydrant Valve Bottom, #62-42	EA
4211-7341-0	Barrel (Base) Gasket, #62-38-6 (D)	EA
4211-7343-6	Travel Stop Nut, #62-30-06	EA
4211-7344-4	(Upper) Barrel Gasket, #62-38-1	EA
4211-7344-6	Breakable Flange (One Set Consisting Of Two Half Flanges, 1986 & Newer), #62-29-15 (A)	EA
4211-7344-8	Barrel Bolt & Nut (@ Break Joint of B-62-B-5 Hydrants 1986 & Newer)(Type 304 Stainless Steel), #62-39-9(SS)	EA
4211-7345-1	Drain Ring Gasket, #62-38 (D)	EA
4211-7375-8	Quik-Fix Segment, #62-29-18	EA
4211-7381-5	Quik-Fix Segment Bolt & Nut (For Quik-Fix Repairs), (Type 304 Stainless Steel), #62-29-19 (SS)	EA
4211-7385-7	Gasket, Barrel, Quik-Fix, #62-29-20	EA
4211-7398-0	Upper Barrel, Complete with all accessories, for an American Flow Control model B62B fire hydrant	EA
4211-7399-8	Upper Barrel, Complete with all accessories, for an American Flow Control model B62B Quick Fix fire hydrant	EA

CLOW MEDALLION FIRE HYDRANT PARTS

(APPROVED FOR USE IN THE WSSD IN 2010)

4211-7505-0	OPERATING NUT O RING #131 BUNA, CLOW PART NO. T2400815 (PART NO. M-1 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
-------------	---	----

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4211-7510-0	OPERATING NUT THRUST BEARING CLOW PART NO. T0200669 (PART NO. M-2 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7515-9	OPERATING NUT FOR SHOE STOP A(1-1/2"PENT.), 5-1/4 OL, CLOW PART NO. F0800834 (PART NO. M-3 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7525-8	UPPER STEM SLEEVE O-RING #119 BUNA (NOTE: INCLUDED WITH WSSC STOCK NO. 4211-7530-8), CLOW PART NO. T2400580 (PART NO. M-6 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7530-8	UPPER STEM (INCLUDES M5-M11) OPEN LEFT, CLOW PART NO. M2202801 (PART NO. M-7 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7535-7	UPPER STEM PIN, SS (NOTE: INCLUDED WITH WSSC STOCK NO. 4211-7530-8), CLOW PART NO. T0400896 (PART NO. M-8 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7540-7	SAFETY COUPLING COTTER PIN, SS (NOTE: INCLUDED WITH WSSC STOCK NO. 4211-7530-8), CLOW PART NO. T0400980 (PART NO. M-9 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7545-6	SAFETY STEM COUPLING, SS (NOTE: INCLUDED WITH WSSC STOCK NOS. 4211-7350-8 AND 4211-9026-5), CLOW PART NO. T2203021 (PART NO. M-10 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7550-6	SAFETY COUPLING PIN, SS (NOTE: INCLUDED WITH WSSC STOCK NOS. 4211-7350-8 AND 4211-9026-5), CLOW PART NO. T0400891 (PART NO. M-11 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA

***Washington Suburban Sanitary Commission***  
***MATERIALS CATALOG***

4211-7555-5	LOWER STEM PIN CLOW PART NO. T0400896 (PART NO. M-13 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7560-5	DRAIN VALVE FACING PIN (NOTE: INCLUDED WITH WSSC STOCK NOS. 4211-7570-4 AND 4211-9043-0), CLOW PART NO. T0401030 (PART NO. M-15 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7565-4	DRAIN VALVE FACING (NOTE: INCLUDED WITH WSSC STOCK NOS. 4211-7570-4 AND 4211-9043-0), CLOW PART NO. T1600971 (PART NO. M-16 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7570-4	UPPER VALVE PLATE (NOTE: INCLUDES WSSC STOCK NOS. 4211-7560-5 AND 4211-7565-4), CLOW PART NO. F1600803 (PART NO. M-17 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7575-3	SEAT RING UPPER O-RING BUNA CLOW PART NO. T2400722 (PART NO. M-18 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7580-3	SEAT RING BRONZE CLOW PART NO. F1605805 (PART NO. M-19 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7585-2	SEAT RING LOWER O-RING BUNA (NOTE: INCLUDED WITH WSSC STOCK NO. 4211-9043-0), CLOW PART NO. T2401318 (PART NO. M-20 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7595-1	LOWER VALVE PLATE LOCKWASHER (NOTE: INCLUDED WITH WSSC STOCK NO. 4211-9043-0), CLOW PART NO. T0200318 (PART NO. M-22 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4211-7600-9	LOWER VALVE PLATE (BRONZE) CLOW PART NO. F1605830 (PART NO. M-24 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7605-8	WEATHER CAP HOLD DOWN SCREW CLOW PART NO. T0401212 (PART NO. M-25 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7610-8	WEATHER CAP, A (1-1/2"PENT.) CLOW PART NO. M0800843 (PART NO. M-26 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7615-7	THRUST NUT CLOW PART NO. F1605810 (PART NO. M-27 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7620-7	THRUST NUT O-RING #151 BUNA CLOW PART NO. T2400948 (PART NO. M-28 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7625-6	BONNET BOLT CLOW PART NO. T0400929 (PART NO. M-29B ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7630-6	BONNET NUT CLOW PART NO. T0400347 (PART NO. M-29N ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7635-5	BONNET-OPEN LEFT, WSSC GREEN CLOW PART NO. M1601011 (PART NO. M-30 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7640-5	STEM O-RING #217 BUNA CLOW PART NO. T2401026 (PART NO. M-31 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4211-7645-4	BONNET O-RING BUNA CLOW PART NO. T2401040 (PART NO. M-32 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7655-3	PUMPER NOZZLE LOCK CLOW PART NO. R1620994 (PART NO. M-34 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7660-3	PUMPER NOZZLE O-RING BUNA CLOW PART NO. T2400585 (PART NO. M-35 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7665-2	PUMPER NOZZLE CLOW PART NO. F1025001 (PART NO. M-36 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7670-2	PUMPER NOZZLE GASKET, 4-1/2" BUNA CLOW PART NO. T0600027 (PART NO. M-37 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7675-1	PUMPER NOZZLE CAP, WSSC GREY CLOW PART NO. M1020428 (PART NO. M-38 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7680-1	HOSE NOZZLE LOCK CLOW PART NO. R1620994 (PART NO. M-39 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7685-0	HOSE NOZZLE O-RING #235 BUNA CLOW PART NO. T2400952 (PART NO. M-40 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7690-0	HOSE NOZZLE CLOW PART NO. F1015001 (PART NO. M-41 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA



**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4211-7695-9	HOSE NOZZLE GASKET BUNA CLOW PART NO. T0600014 (PART NO. M-42 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7700-7	HOSE NOZZLE CAP, WSSC GRAY CLOW PART NO. M1010230 (PART NO. M-43 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7705-6	CHAIN SINGLE CLOW PART NO. T1600712 (PART NO. M-44C ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7710-6	CHAIN "S" HOOK CLOW PART NO. T1600713 (PART NO. M-44S ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7715-5	SAFETY FLANGE BOLT, SS (NOTE: INCLUDED WITH WSSC STOCK NO. 4211-9026-5), CLOW PART NO. T0400407 (PART NO. M-46B ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7720-5	SAFETY FLANGE NUT, SS (NOTE: INCLUDED WITH WSSC STOCK NO. 4211-9026-5), CLOW PART NO. T0400347 (PART NO. M-46N ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7725-4	BARREL O-RING BUNA (NOTE: INCLUDED WITH WSSC STOCK NO. 4211-9026-5), CLOW PART NO. T2401032 (PART NO. M-47 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-7730-4	BARREL UPPER FLANGE FOR FH MFD 1994 OR NEWER (NOTE: INCLUDED WITH WSSC STOCK NO. 4211-9026-5), CLOW PART NO. M1600865 (PART NO. M-48 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA

***Washington Suburban Sanitary Commission***  
***MATERIALS CATALOG***

4211-7735-3 SAFETY FLANGE (NOTE: INCLUDED EA  
WITH WSSC STOCK NO. 4211-9026-5),  
CLOW PART NO. M1600808  
(PART NO. M-49 ON CLOW VALVE CO. MEDALLION  
HYDRANT ASSEMBLY EXPLOSION DRAWING)

MISCELLANEOUS FIRE RELATED FITTINGS

4211-9005-9 Anchoring Coupling, for connecting M.J. valves in setting fire hydrants EA  
4211-9009-6 Fitting, Straight Body Siamese, w/o Clappers, Bronze or Brass EA  
4211-9010-9 Fitting, Siamese Wall, without clappers, bronze or brass EA  
Size: 4" X 2-1/2" X 2-1/2"

TOOLS FOR USE WITH FIRE HYDRANTS

4211-9011-7 Wrench, Fire Hydrant, for operating fire hydrants with PIN or lug-type couplings EA  
4211-9012-5 Wrench, Seat Removing, 6' Trench, For Kennedy K-11 F.H., for use with Kennedy EA  
Fire Hydrant model No. K-11  
4211-9015-8 Wrench, Seat for removing Mueller Centurion F.H., EA  
removing main valve and seat from Mueller Centurion fire hydrant.  
4211-9019-0 Sleeve, Brass for Mueller Centurion Fire Hydrant (for repair) EA  
to protect threads during removal of Mueller centurion F.H. housing. Mueller Part #  
142660 (D)

TRAFFIC COLLISION REPAIR KITS FOR FIRE HYDRANTS

4211-9020-8 Repair Kit for Kennedy K-11 Fire Hydrant EA  
Packaging: one/box  
4211-9022-4 Repair Kit for US model M94 (not for models prior to M94 such as "Metropolitan EA  
250") Fire Hydrant, US Part No. 4000001719, Packaging: one/box (US)  
4211-9023-2 Repair Kit for Old US Pipe "Metropolitan 250" model Fire Hydrant, US Part No. EA  
4000001718, Packaging: one/box (US)  
4211-9024-0 Repair Kit for U.S. Sentinel 250 Fire Hydrant (Manufactured from 2009 to Present), EA  
US Part No. (#287361), Packaging: one/box (US)  
4211-9025-7 Repair Kit for Mueller Centurion Fire Hydrant, for repairing F.H., to include a total EA  
of 8 bolts and 8 nuts, (1975-present) Mueller Part # A-301  
Packaging: one/box  
4211-9026-5 5-1/4" MVO BREAK FLANGE W/ SS B&N (TRAFFIC EA  
REPAIR KIT),  
CLOW PART NO. R1620859  
INCLUDES M-9SS THRU M-11SS, M-46SS, & M-47  
THRU M-49 ON CLOW VALVE CO. MEDALLION  
HYDRANT ASSEMBLY EXPLOSION DRAWING

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4211-9028-1	Repair Kit for American B-62-B-1 (Pre 1985) Fire Hydrant, (Part # B51627-KIT), Includes: Rod Coupling (#62-29-30)           1 EACH Clevis Pin And Clip (#62-29-31)   2 EACH Barrel Gasket (#62-38-1)           1 EACH Frangible Bolt & Nut, 3-7/8"L      8 EACH (#62-39-7) Packaging: one/box	EA
4211-9029-9	Repair Kit for American B-62-B-5 (Post 1986) Fire Hydrant, (Part # B57023-KIT), Includes: Snap Ring (#62-29-14)            1 EACH Breakable Flange (#62-29-15)    1 EACH Rod Coupling (#62-29-30)        1 EACH Clevis Pin And Clip (#62-29-31)  2 EACH Barrel Gasket (#62-38-1)        1 EACH Barrel Bolt & Nut (SS)           8 EACH (#62-39-9) Packaging: one/box	EA
4211-9030-7	Repair Kit, "Quick Fix" for American B-62-B Fire Hydrants, (Part # B55204-KIT) Includes: Quik-Fix Segment (#62-29-18)       4 EACH Segment Bolt&Nut, 1/2"X4" (#62-29-19) 4 EACH Barrel Gasket (3/16" Thick) (#62-29-20) 1 EACH (Quik-Fix Gasket) Rod Coupling (#62-29-30)           1 EACH Clevis Pin And Clip (#62-29-31)    2 EACH Barrel Gasket (#62-38-1)           1 EACH Packaging: one/box	EA
4211-9032-3	Repair Kit for Kennedy K-81A or K-81D (Complete or Adaptor Fire Hydrant) Kennedy Product no. K8149, Packaging: one/box	EA
4211-9033-1	Repair Kit, for R.D. Woods/ Matthews Fire Hydrant Adapter (Manufactured by Penn Troy, Product no. M50X), Packaging: one/box  ELBOW GASKETS FOR ADAPTER TYPE (SCREW-IN) FIRE HYDRANTS	EA
4211-9034-9	Gasket, Elbow, for Mueller Adaptor Type, (screw-in) Fire Hydrants manufactured between 1975-1996, Mueller Part #281878 (Note: for adapters manufactured from 1997 to present, use S/N 4211-7248-7)	EA
4211-9037-2	Gasket, Elbow, for Kennedy modernized Mathews Fire Hydrant, 3/16" Thickness	EA
4211-9038-0	Gasket, Elbow, for Kennedy modernized Mathews Fire Hydrant, 1/4" Thickness	EA
REPLACEMENT MAIN VALVES FOR FIRE HYDRANTS		
4211-9040-6	Valve, Main, for Mathews Adaptor (Modernized)	EA
4211-9041-4	MAIN VALVE RUBBER (NOTE: INCLUDED WITH WSSC STOCK NO. 4211-9043-0), CLOW PART NO. T1600802 (PART NO. M-21 ON CLOW VALVE CO. MEDALLION HYDRANT ASSEMBLY EXPLOSION DRAWING)	EA
4211-9042-2	Valve, Main, for Kennedy K-81 and K-11 F.H.	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4211-9043-0	MAIN VALVE KIT FOR CLOW MEDALLION FIRE HYDRANT CLOW PART NO. R1620655 INCLUDES M-15, M-16, & M-20 THRU M-22 & GREASE (PROVIDED FOR FREE PER CLOW REP (TOM WALSTON, 410-952-1650)	EA
4211-9044-8	Valve, Main, for Mueller A-423 Fire Hydrant, FIG#A45 (1975-1996), #192913, not reversible, (D)	EA
4211-9045-5	Valve, Main, for Mueller A-423 Fire Hydrant, FIG#A45/U43 (1997-Present), #190354, Reversible. This item is also used for the U.S. Sentinel 250 Fire Hydrant (Manufactured from 2009 to Present)  Can also be used with Fire Hydrants manufactured prior to 1997 if new lower valve plate (s/n 4221-7249-5) is used.	EA
4211-9046-3	Valve, Main, for American B-62-B Fire Hydrant Pt. #62-41  FROST CASE TOP (CAP) FOR ADAPTER TYPE (SCREW-IN) FIRE HYDRANTS	EA
4211-9060-4	Frost Case, Top (CAP), for Mathews Fire Hydrant  FIRE HYDRANT EXTENSIONS	EA
4212-9106-3	Extension, Mueller Centurion, Fire Hydrant, also for use on U.S. Sentinel 250 Fire Hydrant (Manufactured from 2009 to Present), 6" Height	EA
4212-9112-1	Extension, Mueller Centurion, Fire Hydrant, also for use on U.S. Sentinel 250 Fire Hydrant (Manufactured from 2009 to Present), 12" Height	EA
4212-9130-3	Extension, Mueller Centurion, Fire Hydrant, also for use on U.S. Sentinel 250 Fire Hydrant (Manufactured from 2009 to Present), 30" Height	EA
4212-9206-1	5-1/4" MVO, LENGTH=6", W/ SS B&N (MEDALLION (5-1/4) EXTENSION, 6") CLOW PART NO. R1620836 6" EXTENSION FOR CLOW VALVE CO. MEDALLION FIRE HYDRANT	EA
4212-9212-9	5-1/4" MVO, LENGTH=12", W/ SS B&N (MEDALLION (5-1/4) EXTENSION, 12") CLOW PART NO. R1620837 12" EXTENSION FOR CLOW VALVE CO. MEDALLION FIRE HYDRANT	EA
4212-9230-1	5-1/4" MVO, LENGTH=30", W/ SS B&N (MEDALLION (5-1/4) EXTENSION, 30") CLOW PART NO. R1620922 30" EXTENSION FOR CLOW VALVE CO. MEDALLION FIRE HYDRANT	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4212-9306-9	Extension, American B-62-B, Fire Hydrant, 6" Height Packaging: all parts shall be inside the extension and sealed at each end.	EA
4212-9312-7	Extension, American B-62-B, Fire Hydrant, 12" Height Packaging: all parts shall be inside the extension and sealed at each end.	EA
4212-9318-4	Extension, American B-62-B, Fire Hydrant, 18" Height Packaging: all parts shall be inside the extension and sealed at each end. (D)	EA
4212-9320-0	Extension, American B-62-B, Fire Hydrant, 30" Height Packaging: all parts shall be inside the extension and sealed at each end.	EA
4212-9412-5	<b>EXTENSION,12",QUIK-FIX FH (A), (D)</b>	<b>EA</b>
4212-9506-4	Extension, Kennedy Model K-81A, Fire Hydrant, 6" Height Packaging: all parts shall be inside the extension and sealed at each end.	EA
4212-9512-2	Extension, Kennedy Model K-81A, Fire Hydrant, 12" Height Packaging: all parts shall be inside the extension and sealed at each end.	EA
4212-9530-4	Extension, Kennedy Model K-81A, Fire Hydrant, 30" Height Packaging: all parts shall be inside the extension and sealed at each end.	EA
4212-9606-2	Extension, U.S. Pipe (Metropolitan 250) Fire Hydrant, 6" (Mueller Hydrant Extension Kit No. 7000038072)	EA
4212-9612-0	Extension, U.S. Pipe (Metropolitan 250) Fire Hydrant, 12" (Mueller Hydrant Extension Kit No. 7000038073)	EA
4212-9630-2	Extension, U.S. Pipe (Metropolitan 250) Fire Hydrant, 30" (Mueller Hydrant Extension Kit No. 7000038076)	EA

YARD FIRE HYDRANT

4213-9001-4	Hydrant Yard, 3/4" Dia. X 5' Height	EA
4213-9003-0	Hydrant Yard, 2" Dia. X 5' Height	EA

COMPLETE FIRE HYDRANT

Requires 6" Joint Kit

4213-9130-1	Hydrant, Fire, Complete 3'H	EA
4213-9135-0	Hydrant, Fire, Complete 3 ½'H	EA
4213-9140-0	Hydrant, Fire, Complete 4' Height	EA
4213-9145-9	Hydrant, Fire, Complete 4-1/2' Height	EA
4213-9150-9	Hydrant, Fire, Complete 5' Height	EA
4213-9155-8	Hydrant, Fire, Complete 5-1/2' Height	EA
4213-9160-8	Hydrant, Fire, Complete 6' Height	EA
4213-9165-7	Hydrant, Fire, Complete 6-1/2' Height	EA
4213-9170-7	Hydrant, Fire, Complete 7' Height	EA
4213-9175-6	Hydrant, Fire, Complete 7-1/2' Height	EA
4213-9180-6	Hydrant, Fire, Complete 8' Height	EA

# **Washington Suburban Sanitary Commission**

## **MATERIALS CATALOG**

### SAFETY EQUIPMENT

4220-9020-9	Eyewash Station Refill, Sterile, for refilling Pure Flow 1000 self contained eyewash stations, (Note: One Cartridge consists of two packs, both of which are needed for refilling one eyewash station), Honeywell part no. 32-ST1050-0000, Item is ordered only when request is placed in order to minimize expired items as this item has a limited shelf life, MCC code = FF	CA
4220-9024-1	Knee Pads, Gel Pads with Thermoplastic Cap	PR
4220-9026-6	Toe Guards, Fits All Sizes, galvanized steel or aluminum with top clip and strapping.	PR
4220-9029-0	Lifeline, Vertical (ANSI Z359.1), 20' Length, w/ self closing snap on one end.	EA
4220-9030-8	Lanyard, One Leg, Shock and Energy Absorbing, 6 Feet Long	EA
4220-9033-2	Rope Grab, Stainless Steel, for use with vertical lifeline	EA
4220-9036-5	Strap, Adjustable Cross-Arm Anchor, for use with vertical lifeline	EA
4220-9130-6	Harness, Safety, Full Body, (Medium), with adjustable waist and shoulder straps along with tongue buckle leg straps.	EA
4220-9133-0	Harness, Safety, Full Body, (Large and Extra Large), with adjustable waist and shoulder straps along with tongue buckle leg straps.	EA

### SAFETY STRING

4222-9005-6	String, Perimeter Marking, 60' Long, with the following safety slogans: DANGER KEEP OUT, BE CAREFUL, SAFETY FIRST, DANGER AHEAD, AND SAFETY ALWAYS, ALTERNATING. To be used to outline restricted areas. 12" X 18" yellow triangular pennants. Packaging: 50 ea./carton	EA
-------------	--	----

### SAFETY VEST

Note: Class 3 vests have sleeves and are required to be used on all state roadways (roads with a black and white numbered sign) or interstate highways and adjacent right of ways at all times. Class 2 vests do not have sleeves and can be used on any other roadway, parking lot or traveled way.

4225-9015-8	Vest , Safety Class 2, Lime, WSSC Logo Imprinted, Medium	EA
4225-9020-8	Vest. Safety, Class 2, Lime, WSSC Logo Imprinted, Large	EA
4225-9025-7	Vest, Safety, Class 2, Lime, WSSC Logo Imprinted, XL	EA
4225-9030-7	Vest, Safety, Class 2, Lime, WSSC Logo Imprinted, 2X	EA
4225-9035-6	Vest, Safety, Class 2, Lime, WSSC Logo Imprinted, 3X	EA
4225-9040-6	Vest, Safety, Class 2, Lime, WSSC Logo Imprinted, 4X	EA
4225-9040-8	Vest, Safety, Class 2, Lime, WSSC Logo Imprinted, 5X	EA
4225-9055-4	Vest, Safety, Class 3, Lime, WSSC Logo Imprinted, Medium	EA
4225-9060-4	Vest, Safety, Class 3, Lime, WSSC Logo Imprinted, Large	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4225-9065-3	Vest, Safety, Class 3, Lime, WSSC Logo Imprinted, XL	EA
4225-9070-3	Vest, Safety, Class 3, Lime, WSSC Logo Imprinted, 2X	EA
4225-9075-2	Vest, Safety, Class 3, Lime, WSSC Logo Imprinted, 3X	EA
4225-9080-2	Vest, Safety, Class 3, Lim, WSSC Logo Imprinted, 4X	EA
4225-9080-4	Vest, Safety, Class 3, Lime, WSSC Logo Imprinted, 5X	EA
4225-9083-6	Vest, Safety, Meter Reader, Class 2, M	EA
4225-9084-4	Vest, Safety, Meter Reader, Class 2, L	EA
4225-9085-1	Vest, Safety, Meter Reader, Class 2, XL	EA
4225-9086-9	Vest, Safety, Meter Reader, Class 2, 2X	EA
4225-9087-7	Vest, Safety, Meter Reader, Class 2, 3X	EA
4225-9088-5	Vest, Safety, Meter Reader, Class 2, 4X	EA
4225-9090-1	Vest, Safety, Field Ser. Rep., Class 2, M	EA
4225-9091-9	Vest, Safety, Field Ser. Rep., Class 2, L	EA
4225-9092-7	Vest, Safety, Field Ser. Rep., Class 2, XL	EA
4225-9093-5	Vest, Safety, Field Ser. Rep., Class 2, 2X	EA
4225-9094-3	Vest, Safety, Field Ser. Rep., Class 2, 3X	EA
4225-9095-0	Vest, Safety, Field Ser. Rep., Class 2, 4X	EA

SAFETY FLAG

4227-9004-8	Flag, Safety, Plastic Nylon. PVC covered with diagonal stay and wooden staff. Color: Fluorescent Red Packaging: 100/box	EA
-------------	---	----

SAFETY FLARE

4229-9006-9	Flare, Red, with wire stand, thirty minute burn time (H) Packaging: 36/Box	EA
-------------	---	----

SAFETY CONE

4230-9028-1	Safety Cones, 28" High, for day and night use	EA
-------------	---	----

SAFETY DRUM

4230-9029-1	Drum, Safety, Traffic, Height 36" X Dia 18"	
-------------	---	--

PROTECTIVE EQUIPMENT

Note: Hard hats should be replaced after 5 years of service and should not (in any case) be used beyond 10 years after date of manufacture stamped on hat. Suspension systems should be replaced after one year of service.

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4240-9052-0	Protective Helmet (Hard Hat), Size Range: Standard (6-1/2" through 7-3/4"), Slotted, "High Visibility" Orange, model: MSA V-GARD #488146, without chin strap.	EA
	<u>Available Accessories</u>	
	1. Faceshield Frame: SN 4277-0016-6 (MSA Item # 10115730)	
	2. Visor: SN 4277-002507 (MSA Item #10117783)	
	3. Chin Protector: SN 4277-0050-5 (MSA Item # 10115828)	
	4. Hearing Protection: SN 4275-0020-2 (MSA Item #10061272)	
4240-9052-1	Protective Helmet (Hard Hat), Size: Large (7"-8-1/2"), Slotted, "High Visibility" Orange, model: MSA V-GARD #489364, without chin strap.	
	<u>Available Accessories</u>	
	1. Faceshield Frame: SN 4277-0016-6 (MSA Item # 10115730)	
	2. Visor: SN 4277-002507 (MSA Item #10117783)	
	3. Chin Protector: SN 4277-0050-5 (MSA Item # 10115828)	
	4. Hearing Protection: SN 4275-0020-2 (MSA Item #10061272)	
4240-9053-8	Protective Helmet (Hard Hat), Slotted, White, model: MSA V-GARD #475358, without chin strap. Size Range: 6-1/2" through 7-3/4"	EA
	<u>Available Accessories</u>	
	1. Faceshield Frame: SN 4277-0016-6 (MSA Item # 10115730)	
	2. Visor: SN 4277-002507 (MSA Item #10117783)	
	3. Chin Protector: SN 4277-0050-5 (MSA Item # 10115828)	
	4. Hearing Protection: SN 4275-0020-2 (MSA Item #10061272)	
4240-9054-6	Protective Helmet (Hard Hat), Full Brim, High-Visibility Yellow, Dielectric Strength: 20,000Volts, model: MSA V-Gard # 10061515, without chin strap.	EA
	NOTE: NONE OF THE HEARING NOR EYE PROTECTION ACCESSORIES INCLUDED ELSEWHERE IN THIS MATERIALS CATALOG SHOULD BE USED WITH THIS HELMET.	
4240-9060-3	Winter Liner, Protective Helmet, fleece lined twill with adjustable chin strap	EA
4240-9065-2	Hard Hat Suspension System with size adjustment knob (MSA Item No. 10148708), For use with the following MSA V-GARD Safety Caps:	EA
	1) SN 4240-9052-0 (MSA Item # 488146)	
	2) SN 4240-9053-8 (MSA Item # 475358)	
	3) SN 4240-9054-6 (MSA Item # 10061515)	

FIRE FIGHTING SUPPLIES

4242-9020-3	Extinguisher, Fire, Kidde, Multi-Purpose 5#, dry chemical type, supplied with vehicle mounting bracket, with U/L rating of 3A:40 B:C, approved for use on Class A, B, & C fires, with hose outlet. (Note for vehicle mount bracket, use stock no. 4242-9021-1, below) Capacity: 5 lbs. Packaging: 1/box, 4/case	EA
4242-9021-1	Bracket, Vehicle Mount, for Stock Number 4242-9020-3, Kidde fire extinguisher model 466112-01	EA

RESPIRATORS & FILTERS



***Washington Suburban Sanitary Commission***  
***MATERIALS CATALOG***

4270-0010-2	Respirator, KN95, Size: Small, Filtration Effectiveness: A Minimum Of 95% Of Particles Of .3 Microns (And Lager) In Size	EA
4270-0010-4	Respirator, N95, Filter At Least 95% Of Airborne Particles But Is Not Resistant To Oil. Shall Be Included On NIOSH's List of Approved N95 Particulate Filtering Facepiece Respirators Packaging: 10 or 20/Box	EA
4270-0010-8	Respirator, NIOSH N95, Size : M-XL, Box of 20 Respirators	BX
4270-0018-7	Respirator, Comfo Classic, Small, without filters/cartridges, half-mask facepiece (more expensive than Stock No. 4270-0031-6), Packaging: 1/box	EA
4270-0020-3	Respirator, Comfo Classic, Medium, without filters/cartridges, half-mask facepiece (more expensive than Stock No. 4270-0033-6), Packaging: 1/box	EA
4270-0021-1	Cartridge, Particulate, for use with MSA Comfo Classic Respirator, Designated for P100 Hazards.	EA
4270-0023-7	Cartridge, Particulate, for use with MSA Advantage 200 Respirator, Designated for SHA and P100 Hazards.	EA
4270-0025-2	Respirator, Comfo Classic, Large, without filters/cartridges, half-mask facepiece (more expensive than Stock No. 4270-0035-0), Packaging: 1/box	EA
4270-0031-6	Respirator, Advantage, Small, without filters/cartridges half-mask facepiece, Advantage 200 (less expensive than Stock No. 4270-0018-7), Packaging: 1/box	EA
4270-0033-6	Respirator, Advantage, Medium, without filters/cartridges half-mask facepiece, Advantage 200 (less expensive than Stock No. 4270-0020-3), Packaging: 1/box	EA
4270-0035-0	Respirator, Advantage, Large, without filters/cartridges half-mask facepiece, Advantage 200 (less expensive than Stock No. 4270-0025-2), Packaging: 1/box	EA
4272-0015-9	Cartridge, chemical (GMA type), for organic vapor hazards for use with Comfo Classic respirator, Packaging: 10/Pkg	EA
4272-0020-9	Cartridge, chemical and particulate (GME / P100 type), for Organic Vapors (OV), CL, SD, CD, HC, HS, AM, MA, FM, HF, and P100 hazards for use with Comfo Classic respirator. Packaging: 6/Pkg	EA
4272-0025-8	Cartridge, chemical and particulate (GMB / P100 type), for chlorine, hydrogen/chloride, chlorine dioxide, sulfur dioxide, hydrogen sulfide, and P100 hazards for use with Comfo Classic respirator. Packaging: 6/Pkg	EA
4272-0030-8	Cartridge, chemical (GMC type), for OV, CL, SD, CD, HC, and HS hazards for use with Comfo Classic respirator. Packaging: 10/Pkg	EA
4272-0035-7	Cartridge, chemical and particulate (GMA / P100 type), for organic vapors and P100 hazards for use with Comfo Classic respirator. Packaging: 6/box	EA
4272-0040-7	Cartridge, chemical and particulate (GMC / P100 type), for OV, CL, SD, CD, HC, HS, & P100 hazards for use with Comfo Classic respirator. Packaging: 6/Pkg	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4272-0045-6	Cartridge, chemical and particulate (GMD / P100 type), for AM, MA, & P100 hazards for use with Comfo Classic respirator. Packaging: 6/Pkg	EA
4272-0102-5	Cartridge, chemical (GMA type) for organic vapor hazards such as acetylene, acetone, and alcohols for use with Advantage 200 respirator. Packaging: 2/Pkg	EA
4272-0105-9	Cartridge, chemical and particulate (GMA / P100 type), for organic vapor hazards such as acetylene, acetone, and alcohols and for P100 hazards for use with Advantage 200 respirator. Packaging: 2/Pkg	EA
4272-0108-7	Cartridge, chemical and particulate (GMB / P100 type), for CL, SD, CD, HC, HS, & P100 hazards for use with Advantage 200 respirator. Packaging: 2/Pkg	EA
4272-0120-7	Cartridge, chemical (GMC type), for OV, CL, SD, CD, HC, AND HS hazards for use with Advantage 200 respirator. Packaging: 2/Pkg	EA
4272-0140-5	Cartridge, chemical and particulate (GMC / P100 type), for OV, CL, SD, CD, HC, HS, & P100 hazards for use with Advantage 200 respirator. Packaging: 2/Pkg	EA
4274-0012-2	Cartridge, chemical and particulate (GMD / P100 type), for AM, MA, & P100 hazards for use with Advantage 200 respirator. Packaging: 2/Pkg	EA
4274-0112-0	Cartridge, chemical and particulate (GME / P100 type), for OV, CL, SD, CD, HC, HS, AM, MA, FM, HF, & P100 hazards for use with Advantage 200 respirator. Packaging: 2/Pkg	EA

EAR PROTECTION

4275-0010-3	Earplug, Disposable, with noise reduction rating of 30 DB. Packaging: one pair/pack	PR
4275-0012-6	Earplug, Corded, Disposable, with Min, 23" cord, min. noise reduction rating of 30 DB. Packaging one pair/pack, 10 packs/box	EA
4275-0013-5	Earplugs, Uncorded, w/ Case, disposable type, with min. noise reduction rating of 27 DB. Packaging: one pair/pack	PR
4275-0014-8	Earplugs, Corded, w/ Case, disposable type, corded with min. noise reaction rating of 27 DB. Packing: one pair/pack	PR
4275-0015-2	Ear Muff (Hearing Protection), over the head style	EA
4275-0020-2	Ear Muffs (Hearing Protection), MSA Item # 10190357, fits MSA V-Gard Protective Helmet (Hard Hat, Cap style), s/n's 4240-9052-0 and 4240-9053-8 and MSA (Plastic) faceshield frame (s/n 4277-0016-6, MSA Item # 10115730)	EA
4275-0025-1	Ear Muffs (Hearing Protection), MSA part# 10026398, Fits MSA V-Gard Protective Helmet (Hard Hat, Cap style), s/n's 4240-9052-0 and 4240-9053-8, These muffs are being discontinued but a faceshield frame (MSA Item # 10021614) into which they are installed) will be provided at no charge until the existing stock is depleted (D)	EA

# **Washington Suburban Sanitary Commission**

## **MATERIALS CATALOG**

### SUN PROTECTION APPAREL AND SUN BLOCK

4275-0401-4	Neck Shade, Cooling, for use with hard hats, High Visibility Lime	EA
4275-0402-2	Bandana, with tie closure, Lime Color	EA
4275-0403-0	Hat, Cooling, Terrycloth, Lime Color	EA
4275-0405-0	Sun Block Towelletes (2 of the manufacturer's packs, packaged into a single Fastenal pouch for inclusion in Fastenal vending machines), Provides SPF 30+ UVA/UVB Protection, Available Only Through Fastenal Vending Machines	

### EYE WEAR

4276-0010-1	Case, for Safety Glasses, with sideshields	EA
4276-0020-0	Eyeglasses, Safety, Wraparound, Impact Resistant, 99.9% UV Protection, Neck Cord Included, Size: Universal, ANSI Z87.1 Rated, Lens Color: Clear	PR
4276-0022-4	Eyeglasses, Safety, Wraparound, Impact Resistant, 99.9% UV Protection, Neck Cord Included, Size: Universal, ANSI Z87.1 Rated, Lens Color: Smoke Mirror	PR
4276-0024-2	Eyeglasses, Safety, Wraparound, Impact Resistant, 99.9% UV Protection, Neck Cord Included, Size: Universal, ANSI Z87.1 Rated, Lens Color: Amber	PR
4276-0030-0	Eyeglasses, Over The Glass (OTG, to be worn over eyeglasses), Safety,Clear Lens	PR
4276-0030-1	Eyeglasses, Over The Glass (OTG, to be worn over eyeglasses), Safety,Gray Tinted Lens	PR
4276-0030-9	Goggles, Safety, Chemical, to be used when handling Chemicals	PR
4276-0040-8	Goggles, for use with Cutting Tools, to be used when handling cutting or chipping tools.	PR
4276-0050-7	Goggles, for use with MSA Respirators	PR
4276-0060-6	Lens, Replacement, for use with MSA Respirators Goggles Model No. 461027	EA

### FACE PROTECTION

4277-0010-0	Face shield, Stand Alone (Does not Attach to Hard Hat) Resistant to Fluid Droplet Splash, Meets ANSI Z87.1 Requirements for Impact, Clarity, Haze, and D3 Requirements for Fluid Droplet Resistance, Includes an Adjustable Elastic Strap, Approximately 13.5" Wide x 9.5" in Height	EA
4277-0016-6	<p>Frame, Adjustable, MSA Item # 10115730, for use with the following MSA V-Gard slotted hard hats:</p> <p>1) SN 4240-9052-0 (MSA Item # 488146)</p> <p>2) SN 4240-9053-8 (MSA Item # 475358)</p> <p>Also compatible with the following faceshield (visor):</p> <p>SN 4277-0025-7 (MSA Item # 10117783)</p> <p>Also compatible with the following ear muffs for hearing protection:</p> <p>SN 4275-0020-2 (MSA Item # 10061272)</p> <p>Also compatible with the following chin protector:</p> <p>SN 4277-0050-5 (MSA Item # 10115828)</p>	EA

## ***Washington Suburban Sanitary Commission*** ***MATERIALS CATALOG***

4277-0024-0	Faceshield (Visor), 7.5" Length, MSA Item # 10115840, For use with MSA faceshield frame (s/n 4277-0016-6) and MSA hardhats (S/N's 4240-9052-0 and 4240-9053-8), Not compatible with chin protector (D)	EA
4277-0025-7	Faceshield (Visor), Replacement, 7-1/2" length, MSA Item # 10117783), for use with the following MSA V-Gard slotted hard hats: 1) SN 4240-9052-0 (MSA Item # 488146) 2) SN 4240-9053-8 (MSA Item # 475358) Also compatible with the following faceshield (frame): SN 4277-0016-6 (MSA Item # 10115730) Also compatible with the following ear muffs for hearing protection: SN 4275-0020-2 (MSA Item # 10061272) Also compatible with the following chin protector: SN 4277-0050-5 (MSA Item # 10115828)	EA
4277-0050-5	Chin Protector, Retractable, MSA Item # 10115828, for use with the following MSA V-Gard slotted hard hats: 1) SN 4240-9052-0 (MSA Item # 488146) 2) SN 4240-9053-8 (MSA Item # 475358) Also compatible with the following faceshield (frame): SN 4277-0016-6 (MSA Item # 10115730) Also compatible with the following faceshield (visor): SN 4277-0025-7 (MSA Item # 10117783) Also compatible with the following ear muffs for hearing protection: SN 4275-0020-2 (MSA Item # 10061272)	

### FIRST AID EQUIPMENT & SUPPLIES

4280-0010-0	Kit, Personal Protection (For One Person), Includes 2 Face Masks, 2 Pairs Of Disposable Gloves, 2 Hand Sanitizer Packets, & 2 Antimicrobial Wipes	KT
4280-0015-2	Kit, First Aid, #10 Unit, for general purpose use	EA
4280-0020-2	Kit, First Aid, #24 Unit, for general purpose use	EA
4280-0025-1	Bandage, Compress, 2" (4/Pack), sterile, with non-adherent strip. Packaging: 4/pack	PK
4280-0030-1	Bandage, Compress, 4" (1/Pack), sterile, with non-adherent pad. Packaging: 1/pack	EA
4280-0035-0	Bandage, Triangular (1/Pack), sterile, with two safety pins. Packaging: 1/pack	EA
4280-0040-0	Bandage, Adhesive (Band-Aid) (16/Pack), sterile, with non-adherent pad. Packaging: 16/pack	PK
4280-0045-9	Bandage, Adhesive, 2" X 3" (8/Pack), plastic, with non-adhering pad. Packaging: minimum of 5 bandages/pack	PK
4280-0050-9	Pad, Gauze, 3" X 3" (4/Pack), sterile Packaging: 4 pads/boxed pack	PK

***Washington Suburban Sanitary Commission***  
***MATERIALS CATALOG***

4280-0062-4	Swab, Povidone/Iodine (10/pack), Crushable ampule filled with 1/2 CC antiseptic with absorbent tipped applicator at one end. Packaging: 10/pack	PK
4280-0069-9	Insect Sting Relief Swab/Wipe (10/Pack)	PK
4280-0070-7	Tape, Adhesive, 1/2" width X 15 ft./roll	RO
4280-0080-6	Eye Dressing, w/o Ointment (4/Pack), sterile, without ointment. Packaging: 4/pack	PK
4280-0090-5	Tweezers, for First Aid Kit, chrome plated steel, with semi-pointed ends	PR
4280-0095-4	Scissors, for First Aid Kit, chrome plated steel, with blunt ends	PR
4280-0101-0	Gloves, Nitrile, 4 Mils Thick, Disposable, Large, Powder-Free, Ambidextrous Packaging: 100/box	BX
4280-0102-8	Gloves, Nitrile, 4 Mils Thick, Disposable, XLarge, Powder-Free, Ambidextrous Packaging: 100/box	BX
4280-0104-4	Mask, Barrier, for CPR	EA
4280-0105-1	Cold Pack, Disposable, for Emergency Treatment, for emergency first aid treatment. Packaging: one pack/box	EA
4280-0107-7	Gloves, Nitrile, 4 Mils Thick, Disposable, Small, Powder-Free, Ambidextrous Packaging: 100/box	BX
4280-0108-5	Gloves, Nitrile, Disposable, 4 Mils Thick, Medium, Powder-Free, Ambidextrous Packaging: 100/box	BX
4280-0117-6	Gloves, Latex, 5 Mils Thick, Disposable, Small/Medium, Ambidextrous Packaging: 100/box	BX
4280-0119-2	Gloves, Latex, 5 Mils Thick, Disposable, Medium/Large, Ambidextrous Packaging: 100/box	BX
4280-0124-2	Gloves, Latex, 11 Mils Thick, Small, Powder Free, 50 Single Ambidextrous Gloves per box	BX
4280-0126-7	Gloves, Latex, 11 Mils Thick, Medium, Powder Free, 50 Single Ambidextrous Gloves per box	BX
4280-0128-3	Gloves, Latex, 11 Mils Thick, Large, Powder Free, 50 Single Ambidextrous Gloves per box	BX
4280-0130-9	Gloves, Latex, 11 Mils Thick, Extra Large, Powder Free, 50 Single Ambidextrous Gloves per box	BX
4280-0131-2	Gloves, Vinyl, 5 Mils Thick, Antistatic, Powder-Free, Small, Ambidextrous Packaging: 100/box	PK
4280-0133-9	Gloves, Vinyl, 5 Mils Thick, Antistatic, Powder-Free, Medium, Ambidextrous. Packaging: 100/box	PK
4280-0135-0	Gloves, Vinyl, 5 Mils Thick, Antistatic, Powder-Free, Large, Ambidextrous. Packaging: 100/box	PK
4280-0137-5	Gloves, Vinyl, 5 Mils Thick, Antistatic, Powder-Free, XLarge, Ambidextrous. Packaging: 100/box	PK

SUMP PUMPS

## **Washington Suburban Sanitary Commission**

### **MATERIALS CATALOG**

4320-0161-8	Pump, Utility (Sump), 1/3 HP, Automatic, 115 V, 3.9 FLA, Max 70 GPM, Max 24 FT. Head, Discharge nozzle size 1-1/2" FNPT, 20 FT. Cord, Note: for the current stock, the shutoff water level is 5" from the floor, future purchases will have a lower shutoff level	EA
4320-0200-4	Pump, Utility (Sump), 1/2HP, Automatic, 115V, 4.1 FLA, Max 75 GPM, Max 25 FT. Head, Discharge nozzle size 1.5" FNPT, 20 FT. Cord, Note: for the current stock, the shutoff water level is 5" from the floor, future purchases will have a lower shutoff level	EA
4320-0222-8	Pump, Sump, Replacement for Pump Used in a Number of Pumping Stations, Myers Model No. MESP50AH1-20, 1/2HP, Automatic, 115V, 4.1 FLA, Max 75 GPM, Max 25 FT. Head, Discharge nozzle size 1.5" FNPT, 20 FT. Cord	EA

#### BILGE PUMP

(Also called Bull Pump or Boat Pump)

4320-9001-7	Pump, Bilge, 3" Dia. Galvanized Metal with 2-3/4" Discharge Spout, 4' Height	EA
4320-9002-5	Pump, Bilge, 3" Dia. Galvanized Metal with 2-3/4" Discharge Spout, 5' Height	EA
4320-9051-2	Pump, Bilge, Hand-operated, with 3-1/2" Dia. Plastic Body, 4' Height	EA
4320-9052-6	Pump, Bilge, Hand-operated with 3-1/2" Dia. ABS Plastic Body, 5' Height	EA

#### AIR HOSE

4720-0500-8	Hose, Air Compressor, 3/4" X 50', 200 psi min. working pressure, one end provided with a standard quick-connect fitting. The other end can be fitted with a similar quick-connect coupling such as s/n 4730-9110-6 utilizing s/n 4730-9150-2 (clamp).	LG
-------------	---	----

#### HOSES, PRESSURE, FOR JET TRUCKS

4720-0700-4	Hose, Pressure Jet, Blue, 3,000 psi rated working pressure, 7,500 psi rated burst pressure, 500 feet length, male pipe thread fitting (MPT) on both ends.	LG
4720-0701-2	Hose, Leader Jet, Black, 3,000 psi rated working pressure, 7,500 psi rated burst pressure, 25 feet length. (Note: Stock No. 4730-9152-8, Guide Hose Slipper, is used to protect this hose from damage.)	LG
4720-0703-8	Hose, pressure jet, blue, 3,000 psi rated working pressure, 7,500 psi rated burst pressure, 250 foot length, male pipe thread fitting on one end and female pipe thread fitting on the other end (MPT x FPT)	LG

#### POTABLE WATER (GARDEN) HOSE

(Note: See stock no. 4210-0110-8 for Potable Water Fire Hose)

4720-0801-0

Hose, Potable water, 3/4" (Garden Type)

#### HOSE SUCTION

4722-0220-9	Hose, Suction, with Gasket, 20' Length, 2" Dia.	LG
4722-0320-7	Hose, Suction, with Gasket, 20' Length, 3" Dia.	LG
4722-0420-5	Hose, Suction, with Gasket, 20' Length, 4" Dia.	LG

# *Washington Suburban Sanitary Commission*

## *MATERIALS CATALOG*

### FITTINGS AND SPECIALTIES: HOSE & TUBING

For use on Farm Machinery and Industrial Equipment

4730-0100-6	Grease Fitting, Straight, 1/8" Dia., Packaging: 100/box	EA
4730-0105-5	Grease Fitting, Straight, 1/4" Dia., Packaging: 100/box	EA
4730-0115-4	Grease Fitting, 90 Degrees, 1/8" Dia., Packaging: 100/box	EA
4730-0120-4	Grease Fitting, 90 Degrees, 1/4" Dia., Packaging: 100/box	EA
4730-0130-3	Grease Fitting, 45 Degrees, 1/8" Dia., Packaging: 100/box	EA
4730-0135-2	Grease Fitting, 45 Degrees, 1/4" Dia., Packaging: 100/box	EA
4730-9110-6	Air Hose End Coupling, 3/4", standard 2-lug universal air coupling head (quick-connect) x corrugated shank for insertion into hose, includes neoprene gasket, us with s/n 4730-9150-2 (clamp), plated malleable iron.	EA
4730-9112-2	Air Hose Female N.P.T. End, 1/2", Coupling, Two-Lug-Type Hose end, Quci-acting, Malleable Iron, Cadmium plated.	EA
4730-9114-8	Air Hose Coupling with FPT end, 3/4" standard 2-Lug universal air coupling head (quick-connect) x 3/4" female pipe thread (FPT), includes neoprene gasket, plated malleable iron	EA
4730-9116-3	Air Hose Male N.P.T. End, 1/2", Coupling, Two-Lug-Type Hose end, Quci-acting, Malleable Iron, Cadmium plated.	EA
4730-9118-9	Air Hose Coupling with MPT end, 3/4", standards 2-lug universal air coupling head (quick-connect) x 3/4" male pipe thread (MPT) includes neoprene gasket, plated malleable iron.	EA
4730-9150-2	Air Hose Clamp, 3/4" Cadmium plated and made of Malleable Iron.	EA
4730-9152-8	Guide Hose Slipper (use with S/N 4720-07012, Leader Jet Hose)	EA
4730-9175-9	Washer, for 3/4" Air Hose Fittings (Neoprene)	EA

### HOSE FITTINGS

4732-9001-3	Repair Kit for 3/4" Garden Hose (Includes all parts for replacing one female garden hose connector and one male garden hose connector), Includes the following: - One Shank X Male End Brass GH Connector, - One Shank X Female End Brass GH Connector, - One Hose Gasket - Two Stainless Steel Worm Gear Hose Clamps	EA
4732-9002-1	Adapter, 3/4" Male Garden Hose (MGHT or MNH) x Male Iron Pipe Thread (MPT)	EA
4732-9003-9	Clamp, Hose, 3/4" Dia., Packaging: 10/box	EA
4732-9004-7	Nozzle, Hose, 3/4" Dia.	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4732-9005-4 Adapter, 3/4" Male Garden Hose (MGHT or MNH) x Female Iron Pipe Thread (FPT), Brass EA

4732-9007-0 Coupling, Garden Hose, 3/4", Brass, Double Female Swivel EA

MECHANICAL JOINT GLANDS

4740-1600-3 Gland, Mechanical Joint, 16" Dia. (D) EA

4740-1800-9 Gland, Mechanical Joint, 18" Dia. EA

4740-2000-5 Gland, Mechanical Joint, 20" Dia. EA

4740-2400-7 Gland, Mechanical Joint, 24" Dia. EA

4740-3000-4 Gland, Mechanical Joint, 30" Dia. EA

4740-3600-1 Gland, Mechanical Joint, 36" Dia. EA

4740-4200-9 Gland, Mechanical Joint, Cast Iron, 42" EA

4740-4800-6 Gland, Mechanical Joint, Cast Iron, 48" EA

4740-5400-4 Gland, Mechanical Joint, Cast Iron, 54" EA

SPLIT REPAIR RINGS

Note that for certain sizes, this stock series consists of split restraining glands. Note also that kits containing gaskets, nuts, & bolts are available for the split mechanical joint rings as stock series 5382-7xxx-x. Split restrainer glands in this series are provided with all accessories included.

4741-0300-9 Gland Restrainer, Split, MJ, 3" Dia., accessories included SE

4741-0400-7 Ring, Split, for Standard Mechanical Joint, 4" Dia. EA

4741-0600-2 Ring, Split, for Standard Mechanical Joint, 6" Dia. EA

4741-0800-8 Ring, Split, for Standard Mechanical Joint, 8" Dia. EA

4741-1000-4 Ring, Split, for Standard Mechanical Joint, 10" Dia. EA

4741-1200-0 Ring, Split, for Standard Mechanical Joint, 12" Dia. EA

4741-1400-6 Gland Restrainer, Split, MJ, 14" Dia., accessories included SE

4741-1600-1 Gland Restrainer, Split, MJ, 16" Dia., accessories included SE

4741-2000-3 Gland Restrainer, Split, MJ, 20" Dia., accessories included SE

4741-2400-5 Gland Restrainer, Split, MJ, 24" Dia., accessories included SE

RESTRAINER GLAND, SPLIT, DUCTILE IRON, KIT (INCLUDES ALL ACCESSORIES)

(See also stock nos. 4741-0300-9, and 4741-1400-6 through 4741-2400-5 for 3" and 14" through 24" split restrainer gland kits)

4742-6000-7 Gland Restrainer, Split, MJ, 6" Dia. SE



**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

RESTRAINER GLAND, M.J., WEDGE ACTION, KIT  
(INCLUDES ALL ACCESSORIES)

(Includes Megalug, Uni-flange, Romagrip, OneLok, and Stargrip styles)

4744-0300-7	Gland, Restrainer, M.J., Wedge Action, 3"	EA
4744-0400-1	Gland, Restrainer, M.J., Wedge Action, 4"	EA
4744-0600-6	Gland, Restrainer, M.J., Wedge Action, 6"	EA
4744-0800-2	Gland, Restrainer, M.J., Wedge Action, 8"	EA
4744-1000-8	Gland, Restrainer, M.J., Wedge Action, 10"	EA
4744-1200-4	Gland, Restrainer, M.J., Wedge Action, 12"	EA
4744-1400-0	Gland, Restrainer, M.J., Wedge Action, 14"	EA
4744-1600-5	Gland, Restrainer, M.J., Wedge Action, 16"	EA
4744-2000-9	Gland, Restrainer, M.J., Wedge Action, 20"	EA
4744-2400-3	Gland, Restrainer, M. J., Wedge Action 24"	EA
4744-3000-6	Gland, Restrainer, M. J., Wedge Action 30"	SE
4744-3600-3	Gland, Restrainer, M. J., Wedge Action 36"	EA
4744-4200-1	Gland, Restrainer, M. J., Wedge Action 42"	SE
4744-4800-8	Gland, Restrainer, M. J., Wedge Action 48"	SE

TUBING POLYETHYLENE (ENCASEMENT FOR PROTECTING DUCTILE  
IRON PIPE FROM CORROSION)

4745-0010-5	Tape for polyethylene tubing (for use with s/n's 4745-0800-9 & 4745-0900-6)	RO
4745-0020-4	Tubing (Encasement), Polyethylene, V-BIO, for 4" through 8" Diameter Ductile Iron Pipe	RO
4745-0027-9	Tubing (Encasement), Polyethylene, V-BIO, for 10" through 12" Diameter Ductile Iron Pipe	RO
4745-0034-5	Tubing (Encasement), Polyethylene, V-BIO, for 14 through"-16" Diameter Ductile Iron Pipe	RO
4745-0041-0	Tubing (Encasement), Polyethylene, V-BIO, for 18" through 20" Diameter Ductile Iron Pipe	RO
4745-0054-3	Tubing (Encasement), Polyethylene, V-BIO, for 24" Diameter Ductile Iron Pipe	RO
4745-0067-5	Tubing (Encasement), Polyethylene, V-BIO, for 30 Diameter Ductile Iron Pipe "	RO
4745-0081-6	Tubing (Encasement), Polyethylene, V-BIO, for 36" through 42" Diameter Ductile Iron Pipe	RO
4745-0095-6	Tubing (Encasement), Polyethylene, V-BIO, for 48" Diameter Ductile Iron Pipe	RO

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4745-0108-7	Tubing (Encasement), Polyethylene, V-BIO, for 54" through 60" Diameter Ductile Iron Pipe	RO
4745-0800-9	Tubing (Encasement), Polyethylene, for 3" through 8" Diameter Ductile Iron Pipe (D)	RO
4745-0900-6	Tubing (Encasement), Polyethylene, for 10" through 14" Diameter Ductile Iron Pipe (D)	RO
4745-0924-7	Tubing (Encasement), Polyethylene, for 16" through 24" Diameter Ductile Iron Pipe, (D)	EA

**COPPER PIPE**

-Type K

4750-0600-3	Pipe, Copper, 3/4" Dia. (60' Roll)	FT
4750-1000-5	Pipe, Copper, 1" Dia. (60' Roll)	FT
4750-1200-1	Pipe, Copper, 1-1/4" Dia. (60' Roll)	FT
4750-1400-7	Pipe, Copper, 1-1/2" Dia. (20' Lengths)	FT
4750-1500-4	Pipe, Copper, 1 1/2" Dia. (60' Rolls)	FT
4750-2000-4	Pipe, Copper, 2" Dia. (20' Lengths)	FT

**BLACK STEEL PIPE**

Steel Standard Weight

4761-1400-4	Pipe, Black Steel, 1-1/2" Dia., 21' Length	FT
4761-2000-1	Pipe, Black Steel, 2" Dia., 21' Length, Note that when this pipe is used with the Trench Jack Screw End and the Trench Jack Butt End (S/N 5105-9910-2), comprising a Trench Jack assembly, use the Trench Jack Manufacturer's Tabulated Data listed for Schedule 40 pipe to determine the allowable load.	FT
4761-3000-0	Pipe, Black Steel, 3" Dia., 21' Length	FT

**MECHANICAL JOINT PIPE, CLASS 54, DUCTILE IRON**

Note: For M.J. Gaskets, select from 5381 (standard SBR)  
or 5391 (special application Nitrile) stock series

Note Also: For MJ Joint Kits see Stock Series 5382

For Restraining Gland MJ Joint Kit see series 4744

4770-0418-8	Pipe, Ductile, Mechanical Joint, 4" Dia., 18' Length	PC
4770-0618-3	Pipe, Ductile, Mechanical Joint, 6" Dia., 18' Length	PC
4770-0818-9	Pipe, Ductile, Mechanical Joint, 8" Dia., 18' Length	PC
4770-1018-5	Pipe, Ductile, Mechanical Joint, 10" Dia., 18' Length	PC
4770-1218-1	Pipe, Ductile, Mechanical Joint, 12" Dia., 18' Length	PC
4770-1418-7	Pipe, Ductile, Mechanical Joint, 14" Dia., 18' Length	PC
4770-1618-2	Pipe, Ductile, Mechanical Joint, 16" Dia., 18' Length	PC

***Washington Suburban Sanitary Commission***  
***MATERIALS CATALOG***

4770-1818-8	Pipe, Ductile, Mechanical Joint, 18" Dia., 18' Length	PC
4770-2018-4	Pipe, Ductile, Mechanical Joint, 20" Dia., 18' Length	PC
4770-2418-6	Pipe, Ductile, Mechanical Joint, 24" Dia., 18' Length	PC

## ***Washington Suburban Sanitary Commission*** ***MATERIALS CATALOG***

### PUSH-ON JOINT PIPE, CLASS 54, DUCTILE IRON

Note: All of the approved ductile iron pipe (DIP) manufacturers are now using the Tyton joint for their push-on pipe except for the American Pipe Company. Tyton gaskets should be used for all brands of push-on pipe except for American Pipe which should only be used with their Fastite gaskets. Where restrained joint gaskets are used on push-on pipe with diameters from 4” through 24”, FIELD LOK 350 gaskets should be used on United States Pipe, Sure Stop 350 should be used on McWane DIP, and Fast-Grip gaskets should be used on American DIP. Fast-Grip gaskets should never be used on US nor McWane Tyton joint pipe and FIELD LOK 350 and Sure-Stop 350 gaskets should never be used on American Fastite pipe.

Note also: For the different types of Push-On Gaskets see stock series: 5384 – Tyton Joint Gaskets,  
5386 – Fast Tite Gaskets,  
5341-9512-8 thru 5341-9536-7 – Restrained Tyton Gaskets (FieldLok, Sure Stop, & Talon Gaskets)  
5341-9551-2 thru 5341-9559-3 –Restrained Fast Tite Gaskets (Fast Grip) Gaskets

4789-0318-0	Pipe, Ductile Iron, Push-On Jt., 3" Dia., 18' Lg.	PC
4789-0418-8	Pipe, Ductile Iron, Push-On Jt., 4" Dia., 18' Lg.	PC
4789-0618-3	Pipe, Ductile Iron, Push-On Jt., 6" Dia., 18' Lg.	PC
4789-0818-9	Pipe, Ductile Iron, Push-On Jt., 8" Dia., 18' Lg.	PC
4789-1018-5	Pipe, Ductile Iron, Push-On Jt., 10" Dia., 18' Lg.	PC
4789-1218-1	Pipe, Ductile Iron, Push-On Jt., 12" Dia., 18' Lg.	PC
4789-1418-7	Pipe, Ductile Iron, Push-On Jt., 14" Dia., 18' Lg.	PC
4789-1618-2	Pipe, Ductile Iron, Push-On Jt., 16" Dia., 18' Lg.	PC
4789-2018-4	Pipe, Ductile Iron, Push-On Jt., 20" Dia., 18' Lg.	PC
4789-2418-6	Pipe, Ductile Iron, Push-On Jt., 24" Dia., 18' Lg.	PC
4789-3018-5	Pipe, Ductile Iron, Push-On Jt., 30" Dia., 18' Lg.	PC
4789-3618-8	Pipe, Ductile Iron, Push-On Jt., 36" Dia. , 18' Lg.	PC
4789-4220-4	Pipe, Ductile Iron, Push-On Jt., 42" Dia., 20' Lg.	PC
4789-4820-1	Pipe, Ductile Iron, Push-On Jt., 48" Dia., 20' Lg.	PC
4789-5420-9	Pipe, Ductile Iron, Push-On Jt., 54" Dia., 20' Lg.	PC

### PVC PIPE, SEWER

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4795-0004-3	Pipe, Sewer, PVC, 4" Dia., 14' Length (Nominal), SDR35, Push-on Joint.	FT
4795-0006-8	Pipe, Sewer, PVC, 6" Dia., 14' Length (Nominal), SDR35, Push-on Joint	FT
4795-0008-4	Pipe, Sewer, PVC, 8" Dia., 14' Length (Nominal), SDR35. Push-on Joint	FT
4795-0010-0	Pipe, Sewer, PVC, 10" Dia., 14' Length (Nominal), SDR35, Push-on Joint	FT
4795-2010-8	Pipe, PVC, Solvent Weld Joint, SDR21, 1-1/4" Dia., 20' Lg. (for Pressure Sewer)	FT
4795-2205-4	Pipe, PVC, Push-On Joint, SDR21, 1-1/2" Dia. 20' Lg. (for Pressure Sewer)	FT
4795-2210-4	Pipe, PVC, Push-On Joint, SDR21, 2" Dia. 20' Lg. (for Pressure Sewer)	FT
4795-2215-3	Pipe, PVC, Push-On Joint, SDR21, 2-1/2" Dia. 20' Lg. (for Pressure Sewer)	FT
4795-2220-3	Pipe, PVC, Push-On Joint, SDR21, 3" Dia. 20' Lg. (For Pressure Sewer)	FT
4795-2225-2	Pipe, PVC, Push-On Joint, SDR21, 4" Dia. 20' Lg. (For Pressure Sewer)	FT

8" DIAMETER PLASTIC PIPE TO BE USED FOR FROST CASING FOR  
ADAPTER TYPE (SCREW-IN) FIRE HYDRANTS

4795-2308-6	Pipe, 8" PVCO, Pressure Class 235, for use as Frost Casing for adapter type (screw-in) fire hydrants	PC
-------------	--	----

MECHANICAL JOINT VALVE

Requires 2 Joint Kits

4820-1600-3	Valve, Mechanical Joint, 16" Dia. (will be replaced with S/N 4833-1600-6, VALVE, FLANGE, HOR, DBL DISC, 16") (D)	EA
4820-2000-5	Valve, Mechanical Joint, Horizontal, 20" Dia., (will be replaced with s/n 4833-2000-8, VALVE, FLANGE, HOR, DBL DISC, 20") (D)	EA
4820-2010-4	Valve, Mechanical Joint, Vertical, 20" Dia., (will be replaced with S/N 4833-2000-8, VALVE, FLANGE, HOR, DBL DISC, 20") (D)	EA
4820-5002-8	Valve, Mechanical Joint, Vertical, Resilient Seat, Gate, 2" Dia.	EA
4820-5003-6	Valve, Mechanical Joint, Vertical, Resilient Seat, Gate, 3" Dia.	EA
4820-5004-4	Valve, Mechanical Joint, Vertical, Resilient Seat, Gate, 4" Dia.	EA
4820-5006-9	Valve, Mechanical Joint, Vertical, Resilient Seat, Gate, 6" Dia.	EA
4820-5008-5	Valve, Mechanical Joint, Vertical, Resilient Seat, Gate, 8" Dia.	EA
4820-5010-1	Valve, Mechanical Joint, Vertical, Resilient Seat, Gate, 10" Dia.	EA
4820-5012-7	Valve, Mechanical Joint, Vertical, Resilient Seat, Gate, 12" Dia.	EA
4820-5014-3	Valve, Mechanical Joint, Vertical, Resilient Seat, Gate, 14" Dia.	EA

AIR VALVES

For Use on Water Applications Only  
(Not Suitable nor Intended for Wastewater Applications)

4822-1000-2	Valve, Air, 1" Dia., Combination air/vacuum and air release, with stainless steel float, resilient seat, and FPT connection. Vents while filling line, prevents vacuum lock while draining, vents accumulated air while under operating pressure (for water applications only).	EA
-------------	---	----

## **Washington Suburban Sanitary Commission**

### **MATERIALS CATALOG**

4822-2000-1	Valve, Air, 2" Dia., Combination air/vacuum and air release, with stainless steel float, resilient seat, and FPT connection. Vents while filling line, prevents vacuum lock while draining, vents accumulated air while under operating pressure (for water applications only).	EA
-------------	---	----

#### BACKWATER VALVE

4823-0400-3	Valve, Backwater, 4" Dia., PVC, for horizontal line installation, Mfr/Model: Rectorseal/Model # 97034 (4" PVC Clean Check Extendable Backwater Valve w/ Adpter & Plug), Extendable, Assembly includes everything except 4" & 6" dia. PVC pipes for access to ground surface, for use with in-line applications in the lateral running from the house to the sewer main	EA
-------------	--	----

4823-0419-3	Valve, Backwater, for PVC Sewer Service, Mfr: Mainline Backflow Products, for use in mahole or in-building installations, use with accessory box, s/n 4823-0420-1 (D)	EA
-------------	---	----

4823-0420-1	Box, Accessory, for 4" Backwater Valve, Dimensions: 20" x 12.5" x 16", for use with backwater valve, s/n 4823-0419-3 for manhole or in-building installations (D)	EA
-------------	---	----

#### BALL VALVE, FOR PRESSURE SEWER (GRINDER PUMP)

##### PVC

4824-0125-4	Valve, PVC, 1-1/4" dia., Ball, for Pressure Sewer	EA
-------------	---	----

4824-0150-2	Valve, PVC, 1-1/2" dia., Ball, for Pressure Sewer	EA
-------------	---	----

4824-0200-5	Valve, PVC, 2" dia., Ball, for Pressure Sewer	EA
-------------	---	----

4824-0250-0	Valve, PVC, 2-1/2" dia., Ball, for Pressure Sewer	EA
-------------	---	----

4824-0300-3	Valve, PVC, 3" dia., Ball, for Pressure Sewer	EA
-------------	---	----

4824-0400-1	Valve, PVC, 4" dia., Ball, for Pressure Sewer	EA
-------------	---	----

#### BALL VALVES, 1/4 TURN, WITH HAND LEVER, OF NSF RATED BRONZE (NOTE: FOR 2" BRONZE BALL VALVE WITH CURB STOP TYPE OPERATING KEY, USE STOCK NUMBER 1061-5200-2)

4835-0750-1	Valve, Ball, 3/4" Dia. 1/4 turn, with hand lever, of nsf rated bronze	EA
-------------	---	----

4835-0010-4	Valve, Ball, 1" Dia. 1/4 turn, with hand lever, of nsf rated bronze	EA
-------------	---	----

4824-1200-4	Valve, Ball, 1-1/4" Dia. 1/4 turn, with hand lever, of nsf rated bronze	EA
-------------	---	----

4824-1400-0	Valve, Ball, 1-1/2" Dia. 1/4 turn, with hand lever, of nsf rated bronze	EA
-------------	---	----

4835-0020-3	Valve, Ball, 2" Dia. 1/4 turn, with hand lever, of nsf rated bronze	EA
-------------	---	----

#### FLANGED CHECK VALVE

Needs cap screws

4825-0300-0	Valve, Flanged Check, 3" Dia.	EA
-------------	-------------------------------	----

4825-0400-8	Valve, Flanged Check, 4" Dia.	EA
-------------	-------------------------------	----

4825-0600-3	Valve, Flanged Check, 6" Dia.	EA
-------------	-------------------------------	----

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4825-0800-9	Valve, Flanged Check, 8" Dia.	EA
4825-1000-5	Valve, Flanged Check, 10" Dia.	EA

HORIZONTAL CHECK VALVE, PVC

4826-3012-4	Valve, horizontal check, compression joint, 1-1/4", PVC gasketed compression joint ends.	EA
-------------	--	----

VERTICAL CHECK VALVE, OF NSF RATED BRONZE

4827-0600-9	Valve, Vertical Check, 3/4" Dia., with vertical lift, of nsf rated bronze	EA
4827-1000-1	Valve, Vertical Check, 1" Dia., with vertical lift, of nsf rated bronze	EA
4827-1200-7	Valve, Vertical Check, 1-1/4" Dia., with vertical lift, of nsf rated bronze	EA
4827-1400-3	Valve, Vertical Check, 1-1/2" Dia., with vertical lift, of nsf rated bronze	EA
4827-2000-0	Valve, Vertical Check, 2" Dia., with vertical lift, of nsf rated bronze	EA

FLANGED GATE VALVE

Note: Some of this Stock Series May Not Be Available and Will Only Be Ordered  
Upon Request (FF)

4828-0300-4	Valve, Mechanical Joint, Vertical, Resilient Seat, Gate, 3" Dia.	EA
4828-0400-2	Valve, Flanged Gate w/ Non-Rising Stem, 4" Dia.	EA
4828-0600-7	Valve, Flanged Gate w/ Non-Rising Stem, 6" Dia.	EA
4828-0800-3	Valve, Flanged Gate w/ Non-Rising Stem, 8" Dia.	EA
4828-1000-9	Valve, Flanged Gate w/ Non-Rising Stem, 10" Dia.	EA
4828-1200-5	Valve, Flanged Gate w/ Non-Rising Stem, 12" Dia.	EA
4828-1400-1	Valve, Flanged Gate w/ Non-Rising Stem, with handwheel, 14" Dia., note that this item is not normally kept in stock. It is ordered only upon request.	EA

THREADED GATE VALVE, OF NSF BRONZE

(Female X Female)

4831-0600-1	Valve, Threaded Gate, 3/4" Dia. , of nsf rated bronze	EA
4831-1000-3	Valve, Threaded Gate, 1" Dia. , of nsf rated bronze	EA
4831-1200-9	Valve, Threaded Gate, 1-1/4" Dia. , of nsf rated bronze	EA
4831-1400-5	Valve, Threaded Gate, 1-1/2" Dia. , of nsf rated bronze	EA
4831-2000-2	Valve, Threaded Gate, 2" Dia. , of nsf rated bronze	EA

THREADED GLOBE VALVE

4832-0200-8	Valve, Threaded Globe, 1/4" Dia.	EA
4832-0300-6	Valve, Threaded Globe, 3/8" Dia.	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4832-0400-4	Valve, Threaded Globe, 1/2" Dia.	EA
4832-0600-9	Valve, Threaded Globe, 3/4" Dia.	EA
4832-1000-1	Valve, Threaded Globe, 1" Dia.	EA
4832-1200-7	Valve, Threaded Globe, 1-1/4" Dia.	EA
4832-1400-3	Valve, Threaded Globe, 1-1/2" Dia.	EA
4832-2000-0	Valve, Threaded Globe, 2" Dia.	EA

FLANGED, HORIZONTAL, DOUBLE DISC OR ROLLING DISC VALVES,  
AWWA C500,  
RATED @ 250 PSI MAXIMUM (NOTE: THE MAXIMUM ANTICIPATED  
WORKING PRESSURE + SURGE PRESSURE +  
A FACTOR OF SAFETY SHALL NOT EXCEED THIS RATING, CONTACT  
THE TECHNICAL SERVICES GROUP FOR DETAILS)

4833-0016-6	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 16" Dia., Note that this item will be only ordered on request (it will not be kept in stock), 250 PSI (FF)	EA
4833-0020-8	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 20" Dia., Note that this item will be only ordered on request (it will not be kept in stock), 250 PSI (FF)	EA
4833-0024-0	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 24" Dia., Note that this item will be only ordered on request (it will not be kept in stock), 250 PSI (FF)	EA
4833-0030-7	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 30" Dia., Note that this item will be only ordered on request (it will not be kept in stock), 250 PSI (FF)	EA
4833-0036-4	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 36" Dia., Note that this item will be only ordered on request (it will not be kept in stock), 250 PSI (FF)	EA
4833-0042-2	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 42" Dia., Note that this item will be only ordered on request (it will not be kept in stock), 250 PSI (FF)	EA
4833-0048-9	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 48" Dia., Note that this item will be only ordered on request (it will not be kept in stock), 250 PSI (FF)	EA
4833-0054-7	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 54" Dia., Note that this item will be only ordered on request (it will not be kept in stock), 250 PSI (FF)	EA

FLANGED, HORIZONTAL, DOUBLE DISC OR ROLLING DISC VALVES,  
AWWA C500,  
RATED @ 150 PSI MAXIMUM (NOTE: THE MAXIMUM ANTICIPATED  
WORKING PRESSURE + SURGE PRESSURE +  
A FACTOR OF SAFETY SHALL NOT EXCEED THIS RATING, CONTACT  
THE TECHNICAL SERVICES GROUP FOR DETAILS)

4833-1600-6	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 16" Dia., Note that this item will be only ordered on request (it will not be kept in stock), 150 PSI (FF)	EA
4833-2000-8	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 20" Dia., Note that this item will be only ordered on request (it will not be kept in stock), 150 PSI (FF)	EA
4833-2400-0	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 24" Dia., Note that this item will be only ordered on request (it will not be kept in stock), 150 PSI (FF)	EA



**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4833-3000-7	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 30" Dia., Note that this item will be only ordered on request (it will not be kept in stock), 150 PSI (FF)	EA
4833-3600-9	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 36" Dia., Note that this item will be only ordered on request (it will not be kept in stock), 150 PSI (FF)	EA
4833-4200-2	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 42" Dia., Note that this item will be only ordered on request (it will not be kept in stock), 150 PSI (FF)	EA
4833-4800-9	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 48" Dia., Note that this item will be only ordered on request (it will not be kept in stock), 150 PSI (FF)	EA
4833-5400.7	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 54" Dia., Note that this item will be only ordered on request (it will not be kept in stock), 150 PSI (FF)	EA
TAPPING VALVE, MECHANICAL JOINT(accessories included) FOR USE WITH TAPPING SLEEVES, STOCK SERIES 1163		
4834-2010-5	Valve, Tapping, Mechanical Joint, 4" Dia.	EA
4834-2017-0	Valve, Tapping, Mechanical Joint, 6" Dia.	EA
4834-2022-0	Valve, Tapping, Mechanical Joint, 8" Dia.	EA
4834-2031-1	Valve, Tapping, Mechanical Joint, 10" Dia.	EA
4834-2036-0	Valve, Tapping, Mechanical Joint, 12" Dia.	EA
4834-2040-2	Valve, Tapping, Mechanical Joint, 14" Dia.	EA
BALL VALVES, 1/4 TURN, WITH HAND LEVER, OF NSF RATED BRONZE (NOTE: FOR 2" BRONZE BALL VALVE WITH CURB STOP TIE OPERATING KEY, USE STOCK NUMBER 1061-5200-2)		
4835-0750-1	Valve, Ball, 3/4" Dia. 1/4 turn, with hand lever, of nsf rated bronze	EA
4835-0010-4	Valve, Ball, 1" Dia. 1/4 turn, with hand lever, of nsf rated bronze	EA
4824-1200-4	Valve, Ball, 1-1/4" Dia. 1/4 turn, with hand lever, of nsf rated bronze	EA
4824-1400-0	Valve, Ball, 1-1/2" Dia. 1/4 turn, with hand lever, of nsf rated bronze	EA
4835-0020-3	Valve, Ball, 2" Dia. 1/4 turn, with hand lever, of nsf rated bronze	EA
FOOT VALVE, (with inside flap) (To be used with suction hose)		
4838-0200-5	Valve, Foot, 2" Dia.	EA
4838-0300-3	Valve, Foot, 3" Dia.	EA
VALVE PARTS		
4840-0001-3	Extension Stem, for Gate Valve, 4' Length	EA
4840-0003-9	Extension Stem, for Gate Valve, 6' Length	EA
4840-0005-4	Extension Stem, for Gate Valve, 8' Length	EA
4840-0007-0	Extension Stem, for Gate Valve, 10' Length	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4840-0010-4 Nut, Operating, for Gate Valves & Valve Key Extension EA

CURB BOX & PARTS

4880-9000-2 Bolt, Curb Box, 3" Length for use with Curb Box Riser EA  
 4880-9001-0 Bolt, Curb Box, 1 3/16" Length EA  
 4880-9002-8 Bottom Section, Curb Box EA  
 4880-9003-6 Cover, Curb Box EA  
 4880-9004-4 Extension, Curb Box, 12" Length EA  
 4880-9005-1 Extension, Curb Box, 18" Length EA  
 4880-9006-9 Top Section, Curb Box EA  
 4880-9007-7 Foot Piece, Curb Box EA  
 4880-9008-5 Enlarged Base, Curb Box EA  
 4880-9010-1 Rod, Curb Box Stationary, with Welded-on Guide Ring EA  
 4880-9011-9 Guide Ring, Curb Box EA  
 4880-9012-7 Pin for securing rod to curb box. EA  
 4880-9015-3 Curb Box, Complete Assembly (A) AY  
 Includes the following parts: 4880-9001-0, 4880-9002-8, 4880-9003-6, 4880-9006-9, 4880-9010-1, 4880-9011-9 and 4880-9012-7  
 4880-9025-9 Riser, Curb Box, 1" Height EA  
 4880-9030-9 Lid, Curb Box Repair, w/ standard pentagonal head brass screw EA  
 4880-9035-8 Lid, Curb Box Repair, for Paved Areas Only EA

VALVE BOX & PARTS

4881-9001-8 Bottom Section, Valve Box EA  
 4881-9002-6 Cover, Valve Box, "Water" EA  
 4881-9003-4 Extension, Valve Box EA  
 4881-9005-9 Top Section, Valve Box EA  
 4881-9006-7 Cover, "Sewer", for Valve Box and 4" Clean-out Frame (4" Clean-out Cover was previously S/N 5681-4001-6 which was deleted when found to be identical to this item, 4" Clean-out Frame is S/N 5681-4002-4) EA  
 4881-9007-5 Valve Box Bottom Section with 4-1/2" X 6" Cut-Out for 1-1/4" - 2" Curb Stops EA  
 4881-9010-9 Valve Box Top And Bottom Section SE  
 4881-9012-8 Top Section, Roadway Box EA  
 4881-9013-4 Locking Cover, Roadway Box EA  
 4881-9110-7 Adjusting Ring, Valve Box, 1" EA  
 4881-9115-2 Adjusting Ring, Valve Box, 1-1/2" EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

4881-9120-6	Adjusting Ring, Valve Box, 2"	EA
4881-9130-5	Adjusting Ring, Valve Box, 3"	EA
4881-9500-9	Debris Cap for Valve Boxes, Blue Handle for Non-Locking	EA
4881-9510-8	Debris Cap for Valve Boxes, Red Handle for Locking, Note: Stock No. 7520-9024-1, TAG, "LOCKOUT/TAGOUT BY WSSC", should be used when the debris cap is locked as it provides a means of identifying WSSC contact personnel knowledgeable of the status/reason for the locking of the cap	EA
4881-9515-7	Key, for Use With Barrel Lock Which is Used on Lockable (Red Handled) Debris Cap (S/N 4881-9510-8, above), The Lock These Keys are to be Used With are Controlled by and are Only Available From Customer Care Unit Coordinators	EA

MAINTENANCE AND FUEL DISPENSING EQUIPMENT

4930-0100-2	Grease Gun, Lever Operated, Heavy Duty	EA
4930-0101-0	Grease Gun Hose, for Item 4930-0100-2	EA
4930-0102-8	Grease Gun Hose Coupling	EA

NON-POWERED CONSTRUCTION HAND TOOLS

5105-9050-8	Shovel, 10' Poly Handle, Excavating	EA
5105-9051-0	Clamshell, Small, (Cleanout Tool), Length: 5 Foot, Weight: 9 Lbs, Uses Include Cleaning Dirt And Debris From Valve Boxes, Meter Pits, Etc.	EA
5105-9052-0	Clamshell, Large, (Cleanout Tool), Length: 5 Foot, Weight: 9 Lbs, Uses Include Cleaning Dirt And Debris From Valve Boxes, Meter Pits, Etc.	EA
5105-9053-0	Duckbill, (Cleanout Tool), Length: 5 Foot, Weight: 9 Lbs, Custom Manufactured For Wssc With The Strongest Spring Offered, Uses Include Cleaning Dirt And Debris From Curb Boxes, Valve Boxes, Meter Pits, Etc.	EA
5105-9100-1	Shovel, Round Point, "D" handle	EA
5105-9101-9	Shovel, Round Point, w/rolled shoulders and shock band	EA
5105-9103-5	Shovel, Square Point, w/ Wooden Handle	EA
5105-9105-0	Shovel, Scoop, with Wooden Handle	EA
5105-9107-6	Pusher, Snow, Curved Blade, 16 Gauge Steel	EA
5105-9205-8	Rake, Grass	EA
5105-9207-4	Rake, Garden, Road or Stone, Heavy Duty, 14 Teeth	EA
5105-9301-5	Hoe, Mortar, Two-Hole Shank Patter	EA
5105-9303-1	Hoe, Garden, Socket Pattern	EA
5105-9305-6	Hoe, Potato, Four-Tine Regular, Broad Oval Tines	EA
5105-9401-3	Pick, Railroad, w/o handle (requires handle 5110-9801-4)	EA
5105-9403-9	Mattock	EA
5105-9501-0	Pitchfork, Long-Handled, Manure Fork, Four Tines	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5105-9603-4	Tamper, Square, w/ Wooden Handle	EA
5105-9701-6	Trowel, Cement, Finishing, Tempered Spring Steel w/ Wooden Handle	EA
5105-9703-2	Trowel, Pointing (Small)	EA
5105-9705-7	Trowel, Bricklayer's (Large), made of Hardened and Tempered Steel w/ Wooden Handle	EA

TRENCH JACK SCREW END AND BUTT END TO BE USED WITH 2" DIAMETER SCHEDULE 40 STEEL PIPE (S/N 4761-2000-1) TO COMPRISE A TRENCH JACK ASSEMBLY. SEE NOTE UNDER S/N 4761-2000-1 REGARDING DETERMINATION OF ALLOWABLE LOAD FROM MANUFACTURER'S TABULATED DATA FOR THIS ASSEMBLY

5105-9910-2	Jack, Trench, Screw End (with Wing Nut) & Butt End , 2" Dia.	SE
-------------	--	----

DYNAMIC CONE PENEROMETER (DCP) TEST APPARATUS NOTE: THE DCP TEST IS USED TO EVALUATE THE MECHANICAL PROPERTIES OF COMPACTED SUBGRADE SOIL

5105-9990-5	Hammer, Sleeve Drive	EA
5105-9992-1	Drive Point with 1 Ft Aapter Rod (Cone Penetrometer), 45 Degree, Heat Treated	EA
5105-9994-7	Drill Rod Extension, "E", 2.5 Ft	EA

NON-EDGED, NON-POWERED HAND TOOLS

5110-9003-7	Caulking Iron #3, (1" X 1/4")	EA
5110-9007-8	Caulking Iron #7, (1" X 1/2")	EA
5110-9008-6	Caulking Iron #8, (1" X 5/8")	EA
5110-9020-1	Chisel, Cold, 1/2" Width Blade	EA
5110-9030-0	Chisel, Cold, 5/8" Width Blade	EA
5110-9032-6	Chisel, Cold, 3/4" Width Blade	EA
5110-9033-4	Chisel, Cold, 1" Width Blade	EA
5110-9049-0	Juting Iron, (1/8" Width of Point), for packing Jute into pipe joints.	EA
5110-9051-6	Juting Iron, (1/4" Width of Point), for packing Jute into pipe joints.	EA
5110-9060-7	Digging Bar, for prying and digging, with one pointed and one beveled chisel end	EA
5110-9061-5	Feeling Rod (Probe), 4' Long, (for locating underground pipe)	EA
5110-9063-1	Feeling Rod (Probe), 6' Long, (for locating underground pipe)	EA
5110-9064-7	Feeling Rod (Probe), 8' Long x 5/8" Thick (Note: for thinner rod see S/N 5110-9068-0), (for locating underground pipe)	EA
5110-9065-3	Feeling Rod (Probe), 10' Long x 7/16" Thick (Note: for thicker rod see S/N 5110-9067-2), (for locating underground pipe)	EA
5110-9065-6	Manhole Cover Hook,	EA

***Washington Suburban Sanitary Commission***  
***MATERIALS CATALOG***

5110-9066-4	Wrecking Bar, 30" Length (Crow Bar), Goose Neck pattern	EA
5110-9067-2	Feeling Rod (Probe), 10' Long x 5/8" Thick, (for locating underground pipe)	EA
5110-9067-8	Feeling Rod (Probe), 12' Long x 7/16" Thick, (for locating underground pipe)	EA
5110-9068-0	Feeling Rod (Probe), 8' Long x 7/16" Thick (Note: for thicker rod see S/N 5110-9064-7), (for locating underground pipe)	EA
5110-9073-0	T-Handle Probe Chisel/Blunt, 3' long	EA
5110-9077-1	T-Handle Probe both ends Blunt, 3' long	EA
5110-9103-5	File, Slim, Taper, 10" Length,	EA
5110-9107-6	File, Flat, Smooth, 10" Length	EA
5110-9108-4	File, Flat, Smooth, 12" Length	EA
5110-9116-7	File, Flat, Second Cut, 12" Length	EA
5110-9124-1	File, Flat, Great American Crosscut, 10" Length	EA
5110-9131-6	File, Knife Edge, 10" Length, (Smooth Cut, Double cut on sides and single cut on sharp edge, w/ blunt end, supplied with safe back)	EA
5110-9139-9	File, Round, Second Cut, 6" Length	EA
5110-9201-7	Cutter, Cold, 1-1/4" Blade (Cold Cut Hammer), w/ wooden handle attached	EA
5110-9202-5	Cutter, Cold, 1-1/2" Blade (Cold Cut Hammer), w/ wooden handle attached	EA
5110-9220-7	Cutter, Tubing	EA
5110-9230-6	Wheel, Tubing, Cutting (for rigid tubing cutter no. 20)	EA
5110-9250-4	Wheel, Pipe Cutting, Reed Cutter #2-3, (1/8"-2" Dia.)	EA
5110-9251-2	Wheel, Pipe Cutting, Reed Cutter #3-3, (1"-3" Dia.)	EA
5110-9252-0	Wheel, Pipe Cutting, Reed Cutter #H4, (2"-4" Dia.)	EA
5110-9253-8	Wheel, Pipe Cutting, Reed Cutter #H6-H12, (4"-12" Dia.)	EA
5110-9254-6	Wheel, Pipe Cutting, Reed Cutter #RC16-RC24, (16"-24" Dia.)	EA
5110-9301-5	Hacksaw, Frame, Open or Closed Pistol Grip to accommodate 10" thru 12" blades.	EA
5110-9302-3	Blade, Hacksaw, (18-Tooth/inch), for heavy duty cutting	EA
5110-9303-1	Blade, Hacksaw, (24-Tooth/inch), for heavy duty cutting	EA
5110-9304-9	Blade, Hacksaw, (32-Tooth/inch), for heavy duty cutting	EA
5110-9330-4	Handsaw, 8-Point, Hardwood Handle, Weatherproof Finish	EA
5110-9401-3	Axe, Bush, Single Edge, Blood's Pattern w/ hickory handle	EA
5110-9402-1	Axe, Single Bit, Dayton Pattern, w/ wooden handle	EA
5110-9450-0	Hatchet, w/ hickory handle	EA
5110-9470-8	Sickle, Grass, Scythe Steel Blade, w/ wooden handle and offset shank	EA
5110-9503-6	Wire Stripper for 16-26 AWG wire	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5110-9505-1	Wire Stripper for 8-18 AWG wire	EA
5110-9801-4	Handle, Pick,	EA
5110-9901-2	Snips, Tin, 12" Length	EA
5110-9905-3	Snips, Tin, 14" Length	EA
5110-9950-0	Gun, Caulking, 10 Ounce, Heavy Duty, Ratchet Rod With Cradle Body Style, Wide Ladder Hook, Seal Punch, And Spout Cutter	EA
5110-9960-8	Putty Knife, Flexible Blade	EA
5110-9964-0	Putty Knife, Stiff Blade, Square Point	EA
5110-9970-0	Knife, Utility, Folding, Quick Blade Change Feature With An Ergonomic Handle And A Belt Clip, Blade Folds Into The Handle For Safe Storage And Handling, Includes A 10-Pack Of Blades	EA
5110-9970-1	Blades, Utility, Standard, For Utility Knife, 2-3/8" X 0.025" Thick, High Carbon Steel, 10 Count	PK

NON-EDGED, NON-POWERED HAND TOOLS

5120-9101-8	Hammer, Bricklayer's, Plain eye pattern black finished forge steel with hickory handle.	EA
5120-9116-6	Hammer, Soft-Face, Brass Head	EA
512091109	Hammer, Caulking (Drilling), 3 Lb.	EA
5120-9120-8	Hammer, Claw, Nail, Curved Claw, 16 oz. w/ full octagonal seasoned hickory handle.	EA
5120-9130-7	Hammer, Machinist (Ball Peen), 1 Lb., Wooden handles to be secured in place by one or more metal wedges.	EA
5120-9132-3	Hammer, Machinist 2 Lb., Wooden handles to be secured in place by one or more metal wedges.	EA
5120-9150-5	Hammer, Sledge, 8 Lb., Double faced with polished edgers, w/ oak or hickory handle attached.	EA
5120-9152-1	Hammer, Sledge, 12 Lb., Double faced with polished edgers, w/ oak or hickory handle attached.	EA
5120-9154-7	Hammer, Sledge, 16 Lb., Double faced with polished edgers, w/ oak or hickory handle attached.	EA
5120-9203-2	Screwdriver, Slotted, 3" Length, Plastic Handle	EA
5120-9204-0	Screwdriver, Slotted, 4" Length, Plastic Handle	EA
5120-9206-5	Screwdriver, Slotted, 6" Length, Plastic Handle	EA
5120-9208-1	Screwdriver, Slotted, 8" Length, Plastic Handle	EA
5120-9210-7	Screwdriver, Slotted, 10" Length, Plastic Handle	EA
5120-9212-3	Screwdriver, Slotted, 12" Length, Slotted	EA
5120-9251-0	Screwdriver, Phillips, #1 PT., w/ 3/16" round shank	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5120-9255-4	Screwdriver, Phillips, #2 PT., w/ 1/4" round shank	EA
5120-9258-7	Screwdriver, Phillips, #3 PT., w/ 5/16" round shank	EA
5120-9306-3	Pliers, Needle-Nose, Straight, 6" Length (Regular Pliers)	EA
5120-9320-4	Pliers, Combination, 6" (Regular Pliers), w/ knurled handles and milled teeth for gripping.	EA
5120-9324-6	Pliers, Combination, 10", w/ knurled handle and milled teeth for gripping.	EA
5120-9330-3	Pliers, Rib Joint, Interlocking, 12"	EA
5120-9331-1	Crimping Tool, hand, for 3m Scotchlok UY2 Wire Connectors, for meter wiring connections	EA
5120-9340-2	Pliers, Diagonal Cutting, Electrician's w/ Plastic Handles, 6"	EA
5120-9350-1	Pliers, Side-Cutting, 7" or 8-5/8"	EA
5120-9404-6	Wrench, Crescent, 4" (Adjustable), Black or Chrome finish	EA
5120-9406-1	Wrench, Crescent, 6" (Adjustable), Black or Chrome finish	EA
5120-9408-7	Wrench, Crescent, 8" (Adjustable), Black or Chrome finish	EA
5120-9412-9	Wrench, Crescent, 12" (Adjustable), Black or Chrome finish	EA
5120-9415-2	Wrench, Crescent, 15" (Adjustable), Black or Chrome finish	EA
5120-9418-6	Wrench, Crescent, 18" (Adjustable), Black or Chrome finish	EA
5120-9430-1	Clean-out Cover Tool, Model 4PW	EA
5120-9450-9	Wrench, Pipe, 6" Length	EA
5120-9452-5	Wrench, Pipe, 8" Length	EA
5120-9454-1	Wrench, Pipe, 10" Length	EA
5120-9456-6	Wrench, Pipe, 12" Length	EA
5120-9458-2	Wrench, Pipe, 14" Length	EA
5120-9460-8	Wrench, Pipe, 18" Length	EA
5120-9464-0	Wrench, Pipe, 24" Length	EA
5120-9468-1	Wrench, Pipe, 36" Length	EA
5120-9470-7	Wrench, Tapping, to 1/4" Tap	EA
5120-9472-3	Wrench, Tapping, to 1/2" Tap	EA
5120-9478-0	Wrench Set, Set of 3 Double Sided Ratchet Wrenches with Carrying Case, The Wrenches Included are the same as those under stock numbers 5120-9480-6, 5120-9482-2, and 5120-9484-8 below, i.e., 3/4"X7/8", 1-5/16"X1-1/8", & 1-1/16"X1-1/4"	SE
5120-9480-6	Wrench, Ratchet, 2-Sided, 15/16" x 1-1/8"	EA
5120-9482-2	Wrench, Ratchet, 2-Sided, 1-1/16" x 1-1/4"	EA
5120-9483-0	Wrench, Adjustable (with wing nut) Ratchet, 2-Sided, 1-1/16" x 1-1/4"	EA
5120-9484-8	Wrench, Ratchet, 2-Sided, 3/4" x 7/8"	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5120-9490-5	Wrench, Meter (Spanner Wrench)	EA
5120-9495-4	Breaker Bar, ½" drive, 10" long (hinged socket handle, also called Strong Arm or Flex Handle), Note: for 18" Breaker Bar see stock number 5137-9225-9.	EA
5120-9497-0	Wrench, T-Handle, for Removing Manhole Bolts (See 5137-9100-4 for 1/2" Socket)	EA
5120-9504-3	C-Clamp, 4" Opening	EA
5120-9506-8	C-Clamp, 8" Opening	EA
5120-9508-4	C-Clamp, 10" Opening	EA
5120-9610-8	Scratch Awl, 3/16" (Stanley part no. 69-122)	EA
5120-9901-1	Cutter, Glass	EA
5120-9905-2	Funnel	EA
5120-9920-1	Plunger, Large, 6" Dia.	EA
5120-9950-8	Flaring and Rerounding Tool with rubber flap for protection of hand ("Knuckle Saver"), for Use with ¾" Dia. Copper Pipe (Swedging)	EA
5120-9951-6	Flaring and Rerounding Tool with rubber flap for protection of hand ("Knuckle Saver"), for Use with 1" Dia. Copper Pipe (Swedging)	EA
5120-9952-4	Flaring Tool, for Use with 1-¼" Dia. Copper Pipe (Swedging)	EA
5120-9953-2	Flaring and Rerounding Tool with rubber flap for protection of hand ("Knuckle Saver"), for Use with 1-½" Dia. Copper Pipe (Swedging)	EA
5120-9954-0	Flaring and Rerounding Tool with rubber flap for protection of hand ("Knuckle Saver"), for Use with 2" Dia. Copper Pipe (Swedging)	EA
5120-9960-7	Flaring Tool, ¾" CTS	EA
5120-9961-5	Flaring Tool, 1" CTS	EA
5120-9963-1	Flaring Tool, 1-½" CTS	EA
5120-9964-9	Flaring Tool, 2" CTS	EA
DRILL BITS, COUNTERBORES & COUNTERSINKS: MACHINE & HAND		
5133-9002-1	Bit, Drill, High Speed Twist, 1/32"	EA
5133-9003-9	Bit, Drill, High Speed Twist, 3/64"	EA
5133-9004-7	Bit, Drill, High Speed Twist, 1/16"	EA
5133-9005-4	Bit, Drill, High Speed Twist, 5/64"	EA
5133-9006-2	Bit, Drill, High Speed Twist, 3/32"	EA
5133-9007-0	Bit, Drill, High Speed Twist, 7/64"	EA
5133-9008-8	Bit, Drill, High Speed Twist, 1/8"	EA
5133-9009-6	Bit, Drill, High Speed Twist, 9/64"	EA
5133-9010-4	Bit, Drill, High Speed Twist, 5/32"	EA



**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5133-9011-2	Bit, Drill, High Speed Twist, 11/64"	EA
5133-9012-0	Bit, Drill, High Speed Twist, 3/16"	EA
5133-9013-8	Bit, Drill, High Speed Twist, 13/64"	EA
5133-9014-6	Bit, Drill, High Speed Twist, 7/32"	EA
5133-9015-3	Bit, Drill, High Speed Twist, 15/64"	EA
5133-9016-1	Bit, Drill, High Speed Twist, 1/4"	EA
5133-9017-9	Bit, Drill, High Speed Twist, 17/64"	EA
5133-9018-7	Bit, Drill, High Speed Twist, 9/32"	EA
5133-9019-5	Bit, Drill, High Speed Twist, 19/64"	EA
5133-9020-3	Bit, Drill, High Speed Twist, 5/16"	EA
5133-9021-1	Bit, Drill, High Speed Twist, 21/64"	EA
5133-9022-9	Bit, Drill, High Speed Twist, 11/32"	EA
5133-9023-7	Bit, Drill, High Speed Twist, 23/64"	EA
5133-9024-5	Bit, Drill, High Speed Twist, 3/8"	EA
5133-9025-2	Bit, Drill, High Speed Twist, 25/64"	EA
5133-9026-0	Bit, Drill, High Speed Twist, 13/32"	EA
5133-9027-8	Bit, Drill, High Speed Twist, 27/64"	EA
5133-9028-6	Bit, Drill, High Speed Twist, 7/16"	EA
5133-9029-4	Bit, Drill, High Speed Twist, 29/64"	EA
5133-9030-2	Bit, Drill, High Speed Twist, 15/32"	EA
5133-9031-0	Bit, Drill, High Speed Twist, 31/64"	EA
5133-9032-8	Bit, Drill, High Speed Twist, 1/2"	EA
5133-9033-6	Bit, Drill, High Speed Twist, 33/64"	EA
5133-9034-4	Bit, Drill, High Speed Twist, 17/32"	EA
5133-9035-1	Bit, Drill, High Speed Twist, 35/64"	EA
5133-9036-9	Bit, Drill, High Speed Twist, 9/16"	EA
5133-9038-5	Bit, Drill, High Speed Twist, 19/32"	EA
5133-9039-3	Bit, Drill, High Speed Twist, 39/64"	EA
5133-9040-1	Bit, Drill, High Speed Twist, 5/8"	EA
5133-9041-9	Bit, Drill, High Speed Twist, 11/16"	EA
5133-9042-7	Bit, Drill, High Speed Twist, 3/4"	EA
5133-9043-5	Bit, Drill, High Speed Twist, 7/8"	EA
5133-9044-3	Bit, Drill, High Speed Twist, 15/16"	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5133-9045-0	Bit, Drill, High Speed Twist, 1"	EA
5133-9101-1	Bit, Drill, Masonry, 3/16"	EA
5133-9102-9	Bit, Drill, Masonry, 1/4"	EA
5133-9201-9	Easy-Out #1, For Bolt Diameters of 3/16"-1/4"	EA
5133-9202-7	Easy-Out #2, For Bolt Diameters of 1/4"-5/16"	EA
5133-9203-5	Easy-Out #3, For Bolt Diameters of 5/16"-7/16"	EA
5133-9204-3	Easy-Out #4, For Bolt Diameters of 7/16"-9/16"	EA
5133-9205-0	Easy-Out #5, For Bolt Diameters of 9/16"-3/4"	EA
5133-9206-8	Easy-Out #6, For Bolt Diameters of 3/4"-1"	EA
5133-9207-6	Easy Out #7, For Bolt Diameters of 1"-1-3/8"	EA
5133-9208-4	Easy-Out #8, For Bolt Diameters of 1-3/8"-1-3/4"	EA
5133-9209-2	Easy-Out #9, For Bolt Diameters of 1-3/4"-2-1/8"	EA
5133-9210-0	Easy-Out #10, For Bolt Diameters of 2-1/8"-2-1/2"	EA

DRILLING AND TAPPING BITS, FOR B-101 AND D-5 MUELLER  
DRILLING AND TAPPING MACHINES

5135-9505-8	Bit, Drill, for D-5 Mueller Tapping Machine, 1" Dia.	EA
5135-9510-8	Bit, Drilling and Tapping, for B-101 Mueller Drilling/Tapping Machine, 1" Corporation Stop Thread	EA

HAND TAPS, VARIOUS SIZES AND THREAD TYPES

5136-0010-6	Tap, Taper, 1/4" Dia. By 20 Thread (Coarse)	EA
5136-0015-5	Tap, Taper, 1/4" Dia. By 28 Thread (Fine)	EA
5136-0020-5	Tap, Taper, 5/16" Dia. By 18 Thread (Coarse)	EA
5136-0025-4	Tap, Taper, 5/16" Dia. By 24 Thread (Fine)	EA
5136-0030-4	Tap, Taper, 3/8" Dia. By 16 Thread (Course)	EA
5136-0035-3	Tap, Taper, 3/8" Dia. By 24 Thread (Fine)	EA
5136-0040-3	Tap, Taper, 7/16" Dia. By 14 Thread (Coarse)	EA
5136-0045-2	Tap, Taper, 7/16" Dia. By 20 Thread (Fine)	EA
5136-0050-2	Tap, Taper, 1/2" Dia. By 13 Thread (Coarse)	EA
5136-0055-1	Tap, Taper, 1/2" Dia. By 20 Thread (Fine)	EA
5136-0060-1	Tap, Taper, #8 Dia. by 32 Thread (Coarse)	EA
5136-0065-0	Tap, Taper, #10 Dia. by 24 Thread (Coarse)	EA
5136-0070-0	Tap, Taper, #10 Dia. by 32 Thread (Fine)	EA
5136-0110-4	Tap, Plug, 1/4" Dia. by 20 Thread (Coarse)	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5136-0115-3	Tap, Plug, 1/4" Dia. by 28 Thread (Fine)	EA
5136-0120-3	Tap, Plug, 5/16" Dia. by 18 Thread (Coarse)	EA
5136-0125-2	Tap, Plug, 5/16" Dia. by 24 Thread (Fine)	EA
5136-0130-2	Tap, Plug, 3/8" Dia. by 16 Thread (Coarse)	EA
5136-0135-1	Tap, Plug, 3/8" Dia. by 24 Thread (Fine)	EA
5136-0140-1	Tap, Plug, 7/16" Dia. by 14 Thread (Coarse)	EA
5136-0145-0	Tap, Plug, 7/16" Dia. by 20 Thread (Fine)	EA
5136-0150-0	Tap, Plug, 1/2" Dia. by 13 Thread (Course)	EA
5136-0155-9	Tap, Plug, 1/2" Dia. by 20 Thread (Fine)	EA
5136-0160-9	Tap, Plug, #8 Dia. by 32 Thread (Coarse)	EA
5136-0165-8	Tap, Plug, #10 Dia. by 24 Thread (Coarse)	EA
5136-0170-8	Tap, Plug, #10 Dia. by 32 Thread (Fine)	EA
5136-0210-2	Tap, Bottoming, 1/4" Dia. by 20 Thread (Coarse)	EA
5136-0215-1	Tap, Bottoming, 1/4" Dia. by 28 Thread (Fine)	EA
5136-0220-1	Tap, Bottoming, 5/16" Dia. by 18 Thread (Coarse)	EA
5136-0225-0	Tap, Bottoming, 5/16" Dia. by 24 Thread (Fine)	EA
5136-0230-0	Tap, Bottoming, 3/8" Dia. by 16 Thread (Coarse)	EA
5136-0235-9	Tap, Bottoming, 3/8" Dia. by 24 Thread (Fine)	EA
5136-0240-9	Tap, Bottoming, 7/16" Dia. by 14 Thread (Coarse)	EA
5136-0245-8	Tap, Bottoming, 7/16" Dia. by 20 Thread (Fine)	EA
5136-0250-8	Tap, Bottoming, 1/2" Dia. by 13 Thread (Coarse)	EA
5136-0255-7	Tap, Bottoming, 1/2" Dia. by 20 Thread (Coarse)	EA
5136-0260-7	Tap, Bottoming, #8 Dia. by 32 Thread (Coarse)	EA
5136-0265-6	Tap, Bottoming, #10 Dia. by 24 Thread (Coarse)	EA
5136-0270-6	Tap, Bottoming, #10 Dia. by 32 Thread (Fine)	EA
5136-5001-0	Tap, Pipe, NPT Thread, Tapered, 1/8" Dia. X 27 Thread	EA
5136-5003-6	Tap, Pipe, NPT Thread, Tapered, 1/4" Dia. X 18 Thread	EA
5136-5005-1	Tap, Pipe, NPT Thread, Tapered, 3/8" Dia. X 18 Thread	EA
5136-5007-7	Tap, Pipe, NPT Thread, Tapered, 1/2" Dia. X 14 Thread	EA
5136-5009-3	Tap, Pipe, NPT Thread, Tapered, 3/4" Dia. X 14 Thread	EA
5136-5011-9	Tap, Pipe, NPT Thread, Tapered, 1" Dia. X 11 1/2 Thread	EA

DRILL AND TAP BITS FOR MUELLER B-101 DRILLING AND TAPPING  
MACHINE

## ***Washington Suburban Sanitary Commission*** ***MATERIALS CATALOG***

5136-9202-0	Bit, Tapping Machine, for Cast Iron Pipe, 1" Dia., Mueller # 680480	EA
5136-9205-3	Bit, Tapping Machine, for Cast Iron Pipe, 2" Dia., Mueller # 681489	EA

### SOCKETS FOR MANHOLE WRENCH, REPAIR CLAMPS, ETC.

5137-9100-4	Socket, 1/2" Drive (for Bolt-Down Manhole Cover which uses a pentagonal, 5 sided, bolt measuring approximately 7/8" from point to flat). (Also see stock number 5120-9497-0 for complete T-handle manhole bolt wrench).	EA
5137-9210-1	Socket, Extra Deep, 1/2" Drive, 3/4" Dia., Suitable for tightening Repair Clamps, etc.	EA
5137-9220-0	Socket, Extra Deep, 1/2" Drive, 7/8" Dia., Suitable for tightening Repair Clamps, etc.	EA
5137-9221-8	Socket, Extra Deep, 1/2" Drive, 15/16" Dia., Suitable for tightening Repair Clamps, etc.	EA
5137-9222-6	Socket, Extra Deep, 1/2" Drive, 1-1/4" Dia., Suitable for tightening Repair Clamps, etc.	EA
5137-9223-4	Socket, Extra Deep, 1/2" Drive, 1-1/16" Dia., Suitable for tightening Repair Clamps, etc.	EA
5137-9224-2	Socket, Extra Deep, 1/2" Drive, 1-1/8" Dia., Suitable for tightening Repair Clamps, etc.	EA

### RATCHET AND BREAKER BAR

5137-9225-9	Breaker Bar, 1/2" Drive, 18" Long (hinged socket handle, also called Strong Arm or Flex Handle), Note: for 10" Breaker Bar see stock number 5120-9495-4.	EA
5137-9226-7	Ratchet, 1/2" Drive	EA

### BANDING TOOLS & ACCESSORIES

5140-9001-8	Tool, Banding	EA
5140-9002-6	Band, Banding, 3/4" Wide	EA
5140-9003-4	Buckle, Banding, 3/4" Wide	EA

### WATER METER, VALVE & SHUT-OFF KEYS

5145-9001-7	Key, Water Meter (Small 3-sides)	EA
5145-9002-5	Key, Rod / Angle Valve, 30" Long (Fits Bolt, Angle Valves, and Curb Stop Extension Rods)	EA
5145-9003-3	Key, Curb Box (Fits Bolt, Curb Stop, & Stem)	EA
5145-9004-1	Key, Stand-up Meter (For removing pentagonal bolts from service box covers and activating angle valves).	EA
5145-9005-8	Key, Rod, for Service Box Cover, Adjust. Handle, 5' Length	EA
5145-9006-6	Key, Shut Off, 4' Length, for 3/4" & 1" Curb Cock	EA
5145-9007-4	Key, Shut Off, 5' Length, for 3/4" & 1" Curb Cock	EA
5145-9008-2	Key, Shut Off, 5' Length, for 1-1/4" & 2" Curb Cock	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5145-9015-7 Key, Curb Stop, ¾" – 1", w/Rod EA

GATE VALVE KEYS

5147-9009-6 Key, Gate Valve, 6' Length, 2" Square EA

5147-9010-4 Key, Gate Valve, 8' Length, 2" Square EA

CRAFTSMEN MEASURING TOOLS

5210-9012-6 Level, Line (For use with twine cotton) EA

5210-9015-9 Level, Aluminum, 24" Length EA

5210-9016-7 Level, Aluminum, 48" Length EA

5210-9020-9 Bob, Plumb EA

5210-9030-8 Rule, Carpenter's, 6' Length (In 1/16" Increments) EA

5210-9031-6 Rule, Engineer's, 6' Length (In 1/16" & 1/100' Increments) EA

5210-9045-6 Measuring Tape 25' with Magnetic Tip, Auto-Return EA

5210-9050-6 Tape Measure, Engineers, 50' Length in Feet And Tenths EA

5210-9060-5 Tape Measure, Engineers, 100' Length in Feet And Tenths EA

5210-9061-3 Refill, Tape Measure, for Item #5210-9060-5 EA

SCREWS

5305-6064-8 Wood Screw, Phillips, 8 X 1, Packaging: 100/box EA

5305-7005-8 Tapping Screw, Hex, 10-16 X 1, Packaging: 100/box EA

5305-7007-9 Tapping Screw, Hex, 1/4-14 X 3/4, Packaging: 100/box EA

5305-7058-2 Tapping Screw, Phillips, 10-16 X 1, Packaging: 100/box EA

5305-7101-9 Tapping Screw, Gimlet, Phillips, 10 X 1-1/2, Packaging: 100/box EA

5305-7103-5 Tapping Screw, Gimlet, Phillips, 6 X 3/4,  
Packaging: 100/box EA

5305-7503-8 Screw, Drywall, 8 X 2-1/2, Packaging: 100/box EA

5305-7504-6 Screw, Drywall, 8 X 2-3/4, Packaging: 100/box EA

5305-7801-4 Screw, Masonry, 1/4D X 1-1/4L, Packaging: 100/box EA

5305-8002-1 Machine Screw, Slotted, 6/32D X 1/2L,  
Packaging: 100/box EA

5305-8204-6 Machine Screw, Phillips, 10/32D X 1-1/2L,  
Packaging: 100/box EA

5305-8207-0 Machine Screw, Phillips, 10/32 X 1/2, Packaging: 100/box EA

5305-9103-1 Screw, Cap, 1/4" Dia. X 1" Length, Packaging: 100/box EA

5305-9104-9 Screw, Cap, 1/4" Dia. X 1-1/2" Length, Packaging: 100/box EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5305-9105-6	Screw, Cap, 1/4" Dia. X 2" Length, Packaging: 100/box	EA
5305-9106-4	Screw, Cap, 1/4" Dia. X 2-1/2" Length, Packaging: 200/box	EA
5305-9107-2	Screw, Cap, 1/4" Dia. X 3" Length, Packaging: 100/box	EA
5305-9108-0	Screw, Cap, 1/4" Dia. X 3-1/2" Length, Packaging: 50/box	EA
5305-9109-8	Screw, Cap, 1/4" Dia. X 4" Length, Packaging: 50/box	EA
5305-9110-6	Screw, Cap, 1/4" Dia. X 4-1/2" Length, Packaging: 100/box	EA
5305-9113-0	Screw, Cap, 5/16" Dia. X 1" Length, Packaging: 100/box	EA
5305-9114-8	Screw, Cap, 5/16" Dia. X 1-1/2" Length, Packaging: 100/box	EA
5305-9115-5	Screw, Cap, 5/16" Dia. X 2" Length, Packaging: 100/box	EA
5305-9116-3	Screw, Cap, 5/16" Dia. X 2-1/2" Length, Packaging: 100/box	EA
5305-9117-1	Screw, Cap, 5/16" Dia. X 3" Length, Packaging: 100/box	EA
5305-9118-9	Screw, Cap, 5/16" Dia. X 3-1/2" Length, Packaging: 50/box	EA
5305-9119-7	Screw, Cap, 5/16" Dia. X 4" Length, Packaging: 50/box	EA
5305-9123-9	Screw, Cap, 3/8" Dia. X 1" Length, Packaging: 100/box	EA
5305-9124-7	Screw, Cap, 3/8" Dia. X 1-1/2" Length, Packaging: 100/box	EA
5305-9125-4	Screw, Cap, 3/8" Dia. X 2" Length, Packaging: 100/box	EA
5305-9127-0	Screw, Cap, 3/8" Dia. X 2-1/2" Length, Packaging: 100/box	EA
5305-9128-8	Screw, Cap, 3/8" Dia. X 3" Length, Packaging: 100/box	EA
5305-9129-6	Screw, Cap, 3/8" Dia. X 3-1/2" Length, Packaging: 50/box	EA
5305-9130-4	Screw, Cap, 3/8" Dia. X 4" Length, Packaging: 50/box	EA
5305-9134-6	Screw, Cap, 7/16" Dia. X 1" Length, Packaging: 200/box	EA
5305-9136-1	Screw, Cap, 7/16" Dia. X 2" Length, Packaging: 50/box	EA
5305-9137-9	Screw, Cap, 7/16" Dia. X 2-1/2" Length, Packaging: 50/box	EA
5305-9138-7	Screw, Cap, 7/16" Dia. X 3" Length, Packaging: 50/box	EA
5305-9139-5	Screw, Cap, 7/16" Dia. X 3-1/2" Length, Packaging: 25/box	EA
5305-9140-3	Screw, Cap, 7/16" Dia. X 4" Length, Packaging: 25/box	EA
5305-9145-2	Screw, Cap, 1/2" Dia. X 1" Length, Packaging: 50/box	EA
5305-9146-0	Screw, Cap, 1/2" Dia. X 1-1/2" Length, Packaging: 50/box	EA
5305-9148-6	Screw, Cap, 1/2" Dia. X 2" Length, Packaging: 50/box	EA
5305-9149-4	Screw, Cap, 1/2" Dia. X 2-1/2" Length, Packaging: 50/box	EA
5305-9151-0	Screw, Cap, 1/2" Dia. X 3" Length, Packaging: 50/box	EA
5305-9152-8	Screw, Cap, 1/2" Dia. X 3-1/2" Length, Packaging: 25/box	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5305-9153-6	Screw, Cap, 1/2" Dia. X 4" Length, Packaging: 25/box	EA
5305-9154-4	Screw, Cap, 1/2" Dia. X 4-1/2" Length, Packaging: 25/box	EA
5305-9156-9	Screw, Cap, 9/16" Dia. X 1" Length, Packaging: 25/box	EA
5305-9157-7	Screw, Cap, 9/16" Dia. X 1-1/2" Length, Packaging: 25/box	EA
5305-9158-5	Screw, Cap, 9/16" Dia. X 2" Length, Packaging: 50/box	EA
5305-9159-3	Screw, Cap, 9/16" Dia. X 2-1/2" Length, Packaging: 25/box	EA
5305-9160-1	Screw, Cap, 9/16" Dia. X 3" Length, Packaging: 25/box	EA
5305-9161-9	Screw, Cap, 9/16" Dia. X 3-1/2" Length, Packaging: 25/box	EA
5305-9162-7	Screw, Cap, 9/16" Dia. X 4" Length, Packaging: 25/box	EA
5305-9165-0	Screw, Cap, 5/8" Dia. X 1" Length, Packaging: 25/box	EA
5305-9167-6	Screw, Cap, 5/8" Dia. X 1-1/2" Length, Packaging: 25/box	EA
5305-9168-4	Screw, Cap, 5/8" Dia. X 2" Length, Packaging: 25/box	EA
5305-9169-2	Screw, Cap, 5/8" Dia. X 2-1/2" Length, Packaging: 25/box	EA
5305-9170-0	Screw, Cap, 5/8" Dia. X 3" Length, Packaging: 25/box	EA
5305-9171-8	Screw, Cap, 5/8" Dia. X 3-1/2" Length, Packaging: 25/box	EA
5305-9172-6	Screw, Cap, 5/8" Dia. X 4" Length, Packaging: 25/box	EA
5305-9173-4	Screw, Cap, 5/8" Dia. X 4-1/2" Length, Packaging: 25/box	EA
5305-9176-7	Screw, Cap, 3/4" Dia. X 1-1/2" Length, Packaging: 25/box	EA
5305-9177-5	Screw, Cap, 3/4" Dia. X 2" Length, Packaging: 25/box	EA
5305-9178-3	Screw, Cap, 3/4" Dia. X 2-1/2" Length, Packaging: 25/box	EA
5305-9179-1	Screw, Cap, 3/4" Dia. X 3" Length, Packaging: 25/box	EA
5305-9180-9	Screw, Cap, 3/4" Dia. X 3-1/2" Length, Packaging: 100/box	EA
5305-9181-7	Screw, Cap, 3/4" Dia. X 4" Length, Packaging: 25/box	EA
5305-9182-5	Screw, Cap, 3/4" Dia. X 4-1/2" Length, Packaging: 10/box	EA
5305-9193-2	Screw, Cap, 3/4" Dia. X 5" Length, Packaging: 25/box	EA
5305-9262-5	Screw, Cap, 5/8" Dia. -11 x 2.5" Length, Silicon Bronze. Note that these bolts are higher strength than standard bronze bolts, are corrosion resistant, and are easy to disassemble. Use in combination with stainless steel (A194) nut, s/n 5310-9162-7 as flange bolting for two-bolt flanges for 1-1/2" flanged positive displacement meters, s/n 6681-2110-6.	EA
5305-9273-2	Screw, Cap, 3/4" Dia -10 x 3" Length, Silicon Bronze. Note that these bolts are higher strength than standard bronze bolts, are corrosion resistant, and are easy to disassemble. Use in combination with stainless steel (A194) nut, s/n 5310-9173-4 as flange bolting for two-bolt flanges for 2" flanged positive displacement meters, s/n 6681-2130-4.	EA
5305-9310-2	Screw, Sheet Metal, #8 x 1" L	BX
5305-9312-8	Screw, Sheet Metal, #8 x 1- 3/4" L	BX

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5306-0104-0	Toggle Bolt, 1/4 X 4, Spring-Wing, national Standard Thread, Rustproofed, Round Head, Packaging: 25/box	EA
TEE HEAD BOLTS, (MECHANICAL JOINT)		
5306-9800-0	Bolt, Tee Head, 5/8" Dia. X 2-1/2" Length, Packaging: 400/box	EA
5306-9801-8	Bolt, Tee Head, 5/8" Dia. X 3" Length Packaging 375/box	EA
5306-9802-6	Bolt, Tee Head, 3/4" Dia. X 3-1/2" Length Packaging: 275/box	EA
5306-9803-4	Bolt, Tee Head, 3/4" Dia. X 4" Length Packaging: 200/box	EA
5306-9804-2	Bolt, Tee Head, 3/4" Dia. X 4-1/2" Length Packaging: 175/box	EA
5306-9805-9	Bolt, Tee Head, 3/4" Dia. X 5" Length Packaging: 160/box	EA
5306-9806-7	Bolt, Tee Head, 1" Dia. X 6" Length Packaging: 140/box	EA
5306-9807-5	Bolt, Tee Head, 1-1/4" Dia. X 6 1/2" Length Packaging: 140/box	EA



**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

BOLTS & NUTS FOR 54" THROUGH 96" PCCP REPAIR KIT  
ASSMBLIES (S/N'S 1022-6200-3 THROUGH 1022-6700-2)

5307-1000-3	BOLT&NUT,FOR54-96"PCCP REP.KIT	EA
	NUTS	
5310-1004-9	Keq Nut, for 1/4-20 Threads, Packaging: 100/box	EA
5310-9100-7	Nut, Hex, Grade 8, 1/4" Dia., Packaging: 100/box	EA
5310-9101-5	Nut, Hex, Grade 8, 5/16" Dia., Packaging: 100/box	EA
5310-9102-3	Nut, Hex, Grade 8, 3/8" Dia., Packaging: 100/box	EA
5310-9103-1	Nut, Hex, Grade 8, 7/16" Dia., Packaging: 100/box	EA
5310-9104-9	Nut, Hex, Grade 8, 1/2" Dia., Packaging: 100/box	EA
5310-9105-6	Nut, Hex, Grade 8, 9/16" Dia, Packaging: 50/box	EA
5310-9106-4	Nut, Hex, Grade 8, 5/8" Dia, Packaging: 50/box	EA
5310-9107-2	Nut, Hex, Grade 8, 3/4" Dia, Can be used for anchoring manholes Packaging: 50/box	EA
5310-9109-8	Nut, Hex, Grade 8, 1" Dia., Packaging: 50/box	EA
5310-9162-7	Nut, Hex, 5/8" Dia -11, Stainless Steel (A194), use in combination with Silicon Bronze Cap Screws s/n 5305-9262-5 as flange bolting for two-bolt flanges for 1 1/2" flanged positive displacement meters, s/n 6681-2110-6.	EA
5310-9173-4	Nut, Hex, 3/4" Dia – 10, Stainless Steel (A194), use in combination with Silicon Bronze Cap Screws, s/n 5305-9273-2 as flange bolting for two-bolt flanges for 2" flanged positive displacement meters, s/n 6681-2130-4.	EA
<del>5310-9200-5</del>	Nut, Hex, 3/4" Dia. for Use with 4"-24" Joint Restrainers, (Material: High Strength Low Alloy Steel), Replaced by Stock No. 5310-917-4 (D)	EA
	WASHERS	
5310-9400-1	Washer, Flat, for Anchoring Manhole Frame, Packaging: 100/box	EA
5310-9460-5	Washer, Flat, Grade 8, 1/4" I.D., Packaging: 100/box	EA
5310-9461-3	Washer, Flat, Grade 8, 5/16" I.D., Packaging: 100/box	EA
5310-9462-1	Washer, Flat, Grade 8, 3/8" I.D., Packaging: 100/box	EA
5310-9463-9	Washer, Flat, Grade 8, 7/16" I.D., Packaging: 100/box	EA
5310-9464-7	Washer, Flat, Grade 8, 1/2" I.D., Packaging: 100/box	EA
5310-9465-4	Washer, Flat, Grade 8, 9/16" I.D., Packaging: 50/box	EA
5310-9466-2	Washer, Flat, Grade 8, 5/8" I.D., Packaging: 50/box	EA
5310-9467-0	Washer, Flat, Grade 8, 3/4" I.D., Packaging: 50/box	EA
5310-9490-2	Washer, Flat, 3/4" Dia. for Use with 4"-24" Jt. Restrainers Packaging: 100/box	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5310-9601-4	Washers, Lock, Grade 8, 1/4" I.D., Packaging: 100/box	EA
5310-9602-2	Washers, Lock, Grade 8, 5/16" I.D., Packaging: 100/box	EA
5310-9603-0	Washers, Lock, Grade 8, 3/8" I.D., Packaging: 100/box	EA
5310-9604-8	Washers, Lock, Grade 8, 7/16" I.D., Packaging: 100/box	EA
5310-9605-5	Washers, Lock, Grade 8, 1/2" I.D., Packaging: 100/box	EA
5310-9607-1	Washers, Lock, Grade 8, 5/8" I.D., Packaging: 100/box	EA

NAILS AND SPIKES

5315-9304-4	Nail, Common Wire, 12 D, Packaging: 50 lbs./box	LB
5315-9305-1	Nail, Common Wire, 16 D, Packaging: 50 lbs./box	LB
5315-9620-3	Spike, Dome Head Drive 3/4" Dia. X 8" Length, Threaded (Steel Plate Pins)	EA

ANCHORS

5326-2003-5	Anchor, Nylon for Mounting to Gypsum Wallboard, Removable Packaging: 25/box	EA
-------------	--	----

PACKING

5330-9102-1	Packing Victorite, 1/32" Thickness (Brown paper style)	LB
5330-9103-9	Packing, Victorite, 1/16" Thickness (Brown paper style)	LB
5330-9201-1	Packing, Rainbow, 1/16" Thickness (Red or green) Packaging: Approx. 30 ft./roll	LB
5330-9202-9	Packing, Rainbow, 1/8" Thickness (Red or green) Packaging: Approx. 16 ft./roll	LB
5330-9203-7	Packing, Rainbow, 3/16" Thickness (Red or green) Packaging: Approx. 10 ft./roll	LB
5330-9204-5	Packing, Rainbow, 1/4" Thickness (Red or green) Packaging: Approx. 8 ft./roll	LB
5330-9401-7	Packing, Durable, 1/16" Thickness (Gray) Packaging: Approx. 30 ft./roll	LB
5330-9501-4	Wool, Lead (Note: The original unit of issue was set up as one pound, but subsequently it was only made available in 5 LB Bags, the requested quantities should be the number of pounds needed and they should only be requested in 5 pound increments. The weight of the 5 pound bags provided at the point of issue will be equal to the number of pounds requested.) (Note also that per the training provided by the Utility Services Training and Development Division, and per regulatory requirements, the lead should not be used in contact with the potable water. The sealant/packing should be inserted into leaking joints first and the lead wool is only intended to hold this sealant in place.) Packaging: 5 lb./package	LB

# *Washington Suburban Sanitary Commission*

## **MATERIALS CATALOG**

### FLEXIBLE JOINT SEALANT

5332-9500-0	Sealant, Butyl, Cartridge, 11 Oz, ASTM C900, Press Seal Part Number 270.6042 (Ez-Stik Number 3 Trowelable Caulk Tubes, 11oz) For Sealing High Density Polyethylene Manhole Grade Rings From Infiltration	CA
5332-9501-2	Sealer, Flexible, Pavement	GL
5332-9602-6	Joint Sealant, Flexible, 14-1/2' Roll X 3/4" (RAM-Neck style) Packaging: 10 rolls/box	RL

### SEALING DEVICES TO MAKE METERS TAMPER RESISTANT

5340-0010-4	Wire, Seal, 12" Long, Copper, Used with Blue Seal Insert (S/N 5430-0016-7) for Making Fire Hydrant Meters Tamper Resistant	EA
5340-0016-7	Seal Insert, Blue, Used with Seal Wire (S/N 5430-0010-4) for Making Fire Hydrant Meters Tamper Resistant	EA
5340-00530-5	Seal Cable, 48", Used to Make Bypass Line of Large Meters Tamper Resistant, Consecutively Numbered, Laser Etched: "WSSC"	EA

### MISCELLANEOUS HARDWARE

5340-9050-1	Padlock, Provided with & Keyed to Unique Keys	EA
5340-9070-9	Padlock, Short Shank, Mfr: American Lock, Fits Key No. 54635 (not included)	EA
5340-9080-8	Padlock, Long Shank (3"), Mfr: American Lock, Fits Key No. 54635 (not included)	EA
5340-9101-2	Hasp, 3-1/2" Length	EA
5340-9102-0	Hasp, 4-1/2" Length	EA
5340-9201-0	Hinge, Strap, 4" Width	EA
5340-9204-4	Hinge, "T", 4" Width	EA
5340-9205-1	Hinge, "T", 6" Width	EA

### JOINT RESTRAINERS

5341-9401-4	Duc-Lug Packaging: 50/box	EA
5341-9410-5	Joint Restrainer, (Tie bolts) for 4" - 12" Mech. Jts. (Replaces Duc-Lugs), (D)	EA
5341-9415-4	Joint Restrainer, (Tie bolts) for 14" - 24" Mech. Jts. (Replaces Duc-Lugs), (D)	EA

## ***Washington Suburban Sanitary Commission*** ***MATERIALS CATALOG***

RESTRAINING GASKETS (Field Lok and Surestop for Sizes 4"-24", Talon for Sizes 4"-16")

SBR (VULCANIZED STYRENE BUTADIENE RUBBER)

For use with push-on, Tyton Joint, ductile iron pipe manufactured by Atlantic States, Clow, Griffin, McWane, Pacific States, and U.S. Pipe Co. (Do not use with American Cast Iron Pipe Co. pipe)

5341-9512-8	Gasket, Field Lok/Sure Stop/Talon, 4" for Tyton joint pipe	EA
5341-9515-1	Gasket, Field Lok/Sure Stop/Talon, 6" for Tyton joint pipe	EA
5341-9518-5	Gasket, Field Lok/Sure Stop/Talon, 8" for Tyton joint pipe	EA
5341-9521-9	Gasket, Field Lok/Sure Stop/Talon, 10" for Tyton joint pipe	EA
5341-9524-3	Gasket, Field Lok/Sure Stop/Talon, 12" for Tyton joint pipe	EA
5341-9527-6	Gasket, Field Lok/Sure Stop/Talon, 14" for Tyton joint pipe, Not Available, Ordered only Upon Request (FF)	EA
5341-9530-0	Gasket, Field Lok/Sure Stop/Talon, 16" for Tyton joint pipe, Not Available, Ordered only Upon Request (FF)	EA
5341-9533-4	Gasket, Field Lok/Sure Stop, 20" for Tyton joint pipe, Not Available, Ordered only Upon Request (FF)	EA
5341-9536-7	Gasket, Field Lok/Sure Stop, 24" for Tyton joint pipe, Not Available, Ordered only Upon Request (FF)	EA

RESTRAINING GASKETS (Fast Grip) sizes 4"-12"

SBR (VULCANIZED STYRENE BUTADIENE RUBBER)

For use with Push-on, Fast Tite Joint, ductile iron pipe manufactured by American Cast Iron Pipe Co.

(Do not use with pipe manufactured by Atlantic States, Clow, Griffin, McWane, Pacific States, or U.S. Pipe Co.)

5341-9551-2	Gasket, Fast Grip, SBR, 4" Dia. for Fastite joint pipe	EA
5341-9553-7	Gasket, Fast Grip, SBR, 6" Dia. for Fastite joint pipe	EA
5341-9555-6	Gasket, Fast Grip, SBR, 8" Dia. for Fastite joint pipe	EA
5341-9557-0	Gasket, Fast Grip, SBR, 10" Dia. for Fastite joint pipe	EA
5341-9559-3	Gasket, Fast Grip, SBR, 12" Dia. for Fastite joint pipe	EA

DISKS, STONES, AND BLADES

5345-9001-3	Wheel, Grinding, Fine	EA
5345-9002-1	Wheel, Grinding, Coarse	EA
5345-9003-9	Whetstone	EA
5345-9004-7	Blade, Abrasive, Cutting, Combination Silicon Carbide and Aluminum Oxide for cutting ductile and cast iron pipe, etc., 12" Dia., 20 mm arbor, (For Hand-Held Cut-Off Saws)	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5345-9006-2	Blade, Abrasive, Cutting, Combination Silicon Carbide and Aluminum Oxide for cutting ductile and cast iron pipe, etc., 14" Dia., 20 mm arbor, (For Hand-Held Cut-Off Saws)	EA
5345-9012-0	Blade, Diamond, Cut Off, 12" (includes 1" x 20 mm Knockout to fit either size cut-off saw arbor), Intended Application: For use in cutting asphalt, green Concrete, block, concrete, hard concrete, pavers, brick, clay Pavers, hard brick, refractory brick, filed stone, marble, granite, etc. (do not use this blade for cutting iron, use s/n 5345-9120-1). Note that this item will be only ordered on request (it will not be kept in stock), (For Hand-Held Cut-Off Saws) (FF)	EA
5345-9014-6	Blade, Diamond, Cut Off, 14" (includes 1" x 20 mm Knockout to fit either size cut-off saw arbor), Intended Application: For use in cutting asphalt, green Concrete, block, concrete, hard concrete, pavers, brick, clay Pavers, hard brick, refractory brick, filed stone, marble, granite, etc. (do not use this blade for cutting iron, sue s/n 5345-9140-9). Note that this item will be only ordered on request (it will not be kept in stock), (For Hand-Held Cut-Off Saws) (FF)	EA
5345-9120-1	Blade, Diamond, Cut Off, 12" (includes 1" x 20 mm Knockout to fit either size cut-off saw arbor), Intended Application: For use in cutting ductile iron (may not be safe for other usage), (For Hand-Held Cut-Off Saws)	EA
5345-9140-9	Blade, Diamond, Cut Off, 14" (includes 1" x 20 mm Knockout to fit either size cut-off saw arbor), Intended Application: For use in cutting ductile iron (may not be safe for other usage), (For Hand-Held Cut-Off Saws)	EA
5345-9141-0	Blade, Diamond, Stihl Model SB80, 14", 20 mm Arbor, Intended Application: For Use In Cutting Various Materials (For Use with Stihl Model TS-440 Hand-Held Cut-Off Saws, The Saw Which Should Always be Used if Cutting Inside of Closed Areas Such as Underground Vaults)	EA
5345-9141-2	Blade, Diamond, Stihl Model D-G80, 14", Intended Application: For Use In Cutting Ductile Iron Pipe, 20 mm Arbor, (For Use with Stihl Model TS-440 Hand-Held Cut-Off Saws, The Saw Which Should Always be Used if Cutting Inside of Closed Areas Such as Underground Vaults)	EA

ABRASIVE MATERIAL

5350-9102-9	Cloth, Crocus, 240 Grit (9" X 11" Sheet)	SH
5350-9201-9	Cloth, Emery, Fine (9" X 11" Sheet) 120 Grit	SH
5350-9202-7	Cloth, Abrasive, Medium (9" X 11" Sheet) 80 Grit	SH
5350-9302-5	Cloth, Abrasive, 80 Grit (1-1/2" X 50 Yds. = RO.)	RO
5350-9303-3	Cloth, Abrasive, 100 Grit (1-1/2" X 50 Yds. = RO.)	RO
5350-9304-1	Cloth, Abrasive, 150 Grit (1-1/2" X 50 Yds. = RO.)	RO
5350-9306-6	Cloth, Abrasive, 180 Grit (1-1/2" X 50 Yds. = RO.)	RO

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5350-9401-5	Sandpaper, Fine (9" X 10" Sheet) 120 Grit	SH
5350-9402-3	Sandpaper, Medium (9" X 10" Sheet) 100 Grit	SH
<p>PRESTRESSED CONCRETE CYLINDER PIPE GASKETS</p> <p>Packaging: In bags with same size and labeled to show quantity and size</p> <p>NOTE: SEE THE BEGINNING OF THE PCCP SECTION (at the beginning of the Materials Catalog) FOR A COMPLETE LIST OF THE CONTENTS OF THE PCCP REPAIR KIT ASSMBLIES</p>		
5380-1600-7	Gasket, 21/32" cord Dia., for LCP PCCP or adaptor, nominal 16" pipe Dia.	EA
5380-2000-9	Gasket, 21/32" cord Dia., for LCP PCCP or adaptor, nominal 20" pipe Dia.	EA
5380-2400-1	Gasket, 21/32" cord Dia., for LCP PCCP or adaptor, nominal 24" pipe Dia.	EA
5380-3000-8	Gasket, 21/32" cord Dia., for LCP PCCP or adaptor, nominal 30" pipe Dia.	EA
5380-3600-5	Gasket, 21/32" cord Dia., for LCP PCCP or adaptor, nominal 36" pipe Dia.	EA
5380-4200-3	Gasket, 21/32" cord Dia., for LCP PCCP or adapters, nominal 42" pipe Dia.	EA
5380-4205-6	Gasket, 25/32" cord. Dia., for older LCP PCCP or adaptor, nominal 42" pipe Dia.	EA
5380-4800-0	Gasket, 21/32" cord Dia., for LCP PCCP or adapters, nominal 48" pipe Dia.	EA
5380-4805-2	Gasket, 25/32" cord. Dia., for older LCP PCCP or adaptor, nominal 48" pipe Dia.	EA
5380-5024-6	Gasket, 21/32" cord Dia., for embedded PCCP or adaptor, nominal 24" pipe Dia.	EA
5380-5030-4	Gasket, 21/32" cord Dia., for embedded PCCP or adaptor, nominal 30" pipe Dia.	EA
5380-5036-7	Gasket, 21/32" cord Dia., for embedded PCCP or adaptor, nominal 36" pipe Dia.	EA
5380-5400-8	Gasket, 25/32" cord Dia., for embedded PCCP or adaptor, nominal 54" pipe Dia., REPLACED BY S/N 5380-6208-4 (D)	EA
5380-5402-4	Gasket, 21/32" cord Dia., for embedded PCCP or adapter, nominal 54" pipe Dia., REPLACED BY S/N 5380-6207-6 (D)	EA
5380-5405-3	Gasket, Special, for use on mechanical joint bell side of 54" Hanson PCCP / ductile iron pipe adapters (these adapters do not utilize standard mechanical joint gaskets). REPLACED BY S/N 5380-6210-0 (D)	EA
5380-6207-6	Gasket, PCCP, 54" Laying, 21/32" dia.. for Repair Kit	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5380-6208-4	Gasket, PCCP, 54" Laying, 25/32" dia., for Repair Kit	EA
5380-6210-0	Gasket, PCCP, 54" Dual Purpose: Closure for Repair Kit & for use on the ductile iron pipe side of Hanson PCCP / Bell mechanical joint ductile iron pipe adapters, NOTE: THIS JOINT DOES NOT UTILIZE A STANDARD MECHANICAL JOINT GASKET	EA
5380-6307-4	Gasket, PCCP, 60" Laying, 21/32" dia.. for Repair Kit	EA
5380-6308-2	Gasket, PCCP, 60" Laying, 25/32" dia., for Repair Kit	EA
5380-6310-8	Gasket, PCCP, 60" Closure for Repair Kit	EA
5380-6407-2	Gasket, PCCP, 66" Laying, 21/32" dia., for Repair Kit	EA
5380-6408-0	Gasket, PCCP, 66" Laying, 25/32" dia., for Repair Kit	EA
5380-6410-6	Gasket, PCCP, 66" Closure for Repair Kit	EA
5380-6507-9	Gasket, PCCP, 72" Laying, 21/32" dia., for Repair Kit	EA
5380-6508-7	Gasket, PCCP, 72" Laying, 25/32" dia., for Repair Kit	EA
5380-6510-3	Gasket, PCCP, 72" Closure for Repair Kit	EA
5380-6608-5	Gasket, PCCP, 84" Laying for Repair Kit	EA
5380-6610-1	Gasket, PCCP, 84" Closure for Repair Kit	EA
5380-9605-8	Gasket, PCCP, 96" Laying for Repair Kit	EA
5380-9612-4	Gasket, PCCP, 96" Closure for Repair Kit	EA

STANDARD SBR (VULCANIZED STYRENE BUTADIENE RUBBER) MECHANICAL JOINT GASKETS

Note: For special use in petroleum contaminated soil, use Nitrile MJ gaskets (see 5391 stock series)

Note Also: For SBR MJ Joint Kits see Stock Series 5382  
For SBR Restraining Gland MJ Joint Kit see Stock Series 4774

5381-0200-5	GASKET, MJ., SBR, 2" DIA.	EA
5381-0300-3	GASKET, MJ., SBR, 3" DIA.	EA
5381-0400-1	GASKET, MJ., SBR, 4" DIA.	EA
5381-0600-6	GASKET, MJ., SBR, 6" DIA.	EA
5381-0800-2	GASKET, MJ., SBR, 8" DIA.	EA
5381-1000-8	GASKET, MJ., SBR, 10" DIA.	EA
5381-1200-4	GASKET, MJ., SBR, 12" DIA.	EA
5381-1400-0	GASKET, MJ., SBR, 14" DIA.	EA
5381-1600-5	GASKET, MJ., SBR, 16" DIA.	EA
5381-1800-1	GASKET, MJ., SBR, 18" DIA.	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5381-2000-7	GASKET, MJ., SBR, 20" DIA.	EA
5381-2400-9	GASKET, MJ., SBR, 24" DIA.	EA
5381-3000-6	GASKET, MJ., SBR, 30" DIA.	EA
5381-3600-3	GASKET, MJ., SBR, 36" DIA.	EA
5381-4200-1	GASKET, MJ., SBR, 42" DIA.	EA
5381-4800-8	GASKET, MJ., SBR, 48" DIA.	EA
5381-5400-6	GASKET, MJ., SBR, 54" DIA.	EA

MECHANICAL JOINT, JOINT KIT

5382-0300-1	Joint Kit, MJ, 3" Dia. w/1 Gasket, 1 Ring, 4 T.H. Bolts & Nuts. Packaging: one set/box	SE
5382-0400-9	Joint Kit, MJ, 4" Dia. w/1 Gasket, 1 Ring, 4 T.H. Bolts & Nuts. Packaging: one set/box	SE
5382-0600-4	Joint Kit, MJ, 6" Dia. w/1 Gasket, 1 Ring, 6 T.H. Bolts & Nuts. Packaging: one set/box	SE
5382-0800-0	Joint Kit, MJ, 8" Dia. w/1 Gasket, 1 Ring, 6 T.H. Bolts & Nuts. Packaging: one set/box	SE
5382-1000-6	Joint Kit, MJ, 10" Dia. w/Gasket, 1 Ring, 8 T.H. Bolts & Nuts. Packaging: one set/box	SE
5382-1200-2	Joint Kit, MJ, 12" Dia. w/1 Gasket, 1 Ring, 8 T.H. Bolts & Nuts Packaging: one set/box	SE
5382-1400-8	Joint Kit, MJ, 14" Dia., w/1 Gasket, 1 Ring 10 T.H. Bolts & Nuts. Packaging: one set/box	SE
5382-1600-3	Joint Kit, MJ, 16" Dia., w/1 Gasket, 1 Ring 12 T.H. Bolts & Nuts. Packaging: one set/box	SE
5382-2000-5	Joint Kit, MJ, 20" Dia., w/1 Gasket, 1 Ring 14 T.H. Bolts & Nuts. Packaging: one set/box	SE
5382-2400-7	Joint Kit, MJ, 24" Dia., w/1 Gasket, 1 Ring 16 T.H. Bolts & Nuts. Packaging: one set/box	SE
5382-2430-4	Joint Kit, MJ, 30" Dia., w/1 Gasket, 1 Ring 20 T.H. Bolts & Nuts. Packaging: one set/box	SE
5382-2436-1	Joint Kit, MJ, 36" Dia., w/1 Gasket, 1 Ring 24 T.H. Bolts & Nuts. Packaging: one set/box	SE
5382-2442-9	Joint Kit, MJ, 42" Dia., w/1 Gasket, 1 Ring 28 T.H. Bolts & Nuts. Packaging: one set/box	SE
5382-2448-6	Joint Kit, MJ, 48" Dia., w/1 Gasket, 1 Ring 32 T.H. Bolts & Nuts. Packaging: one set/box	SE
5382-2454-4	Joint Kit, MJ, 54" Dia., w/1 Gasket, 1 Ring 36 T.H. Bolts & Nuts. Packaging: one set/box	SE



# **Washington Suburban Sanitary Commission**

## **MATERIALS CATALOG**

### ACCESSORY KITS FOR FLANGED JOINTS

(Includes Stainless Steel Bolts and Nuts and Full Face Turoseal Gasket)

5382-7503-3	FLANGE ACCESSORIES KIT, 3"	SE
5382-7504-1	FLANGE ACCESSORIES KIT, 4"	SE
5382-7506-6	FLANGE ACCESSORIES KIT, 6"	SE
5382-7508-2	FLANGE ACCESSORIES KIT, 8"	SE
5382-7510-8	FLANGE ACCESSORIES KIT, 10"	SE
5382-7512-4	FLANGE ACCESSORIES KIT, 12"	SE
5382-7514-0	FLANGE ACCESSORIES KIT, 14"	SE
5382-7516-5	FLANGE ACCESSORIES KIT, 16"	SE
5382-7520-7	FLANGE ACCESSORIES KIT, 20"	SE
5382-7524-9	FLANGE ACCESSORIES KIT, 24"	SE
5382-7530-6	FLANGE ACCESSORIES KIT, 30"	SE
5382-7536-3	FLANGE ACCESSORIES KIT, 36"	SE
5382-7542-1	FLANGE ACCESSORIES KIT, 42"	SE
5382-7548-8	FLANGE ACCESSORIES KIT, 48"	SE
5382-7554-6	FLANGE ACCESSORIES KIT, 54"	SE

### INSULATING FLANGE ACCESSORY KIT

(Used to Isolate Cathodically Protected Pipe from Non-Protected Pipe)

5382-7636-1	Insulating Flang Accessory Kit, 36", Includes Flange Bolts, Bnolt Sleeves, Washers, Nuts, and Insulating Gasket	EA
-------------	---	----

### Accessory Kits for PCCP

(Includes all items used with PCCP Adapters stored inside the WSSC Warehouse except non-standard lay gaskets for adapters of diameters of 42" through 72", Does not include adapters)

NOTE: SEE THE BEGINNING OF THE PCCP SECTION (at the beginning of the Materials Catalog) FOR A COMPLETE LIST OF THE CONTENTS OF THE PCCP REPAIR KIT ASSMBLIES

5382-8017-3	JOINT KIT,PCCP-16"LCP,WH ITEMS	SE
5382-8021-5	JOINT KIT,PCCP-20"LCP,WH ITEMS	SE
5382-8025-6	JOINT KT,24"PCCP(ADPT)WH ACCES	SE
5382-8031-4	JOINT KT,30"PCCP(ADPT)WH ACCES	SE
5382-8037-1	JOINT KT,36"PCCP(ADPT)WH ACCES	SE
5382-8043-9	JOINT KT,42"PCCP(ADPT)WH ACCES	SE
5382-8049-6	JOINT KT,48"PCCP(ADPT)WH ACCES	SE

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5382-8055-3	JOINT KT,54"PCCP(ADPT)WH ACCES  TAPPING SLEEVE OUTLET FLANGE GASKET (Ford Ultra-Seal)  For Use between Tapping Sleeve Outlet Flange and Flange on Tapping Valve	SE
5383-0040-1	Gasket, Flange, 4" Diameter, (Inside Dia. = 5-1/16", Bolt Hole Dia. = 0.81")	EA
5383-0060-9	Gasket, Flange, 6" Diameter, (Inside Dia. = 7-1/16", Bolt Hole Dia. = 0.94")	EA
5383-0080-7	Gasket, Flange, 8" Diameter, (Inside Dia. = 9-1/16", Bolt Hole Dia. = 0.94")	EA
5383-0100-3	Gasket, Flange, 10" Diameter, (Inside Dia. = 11-1/16", Bolt Hole Dia. = 1.06")	EA
5383-0120-1	Gasket, Flange, 12" Diameter, (Inside Dia. = 13-1/16", Bolt Hole Dia. = 1.06")	EA
 SUPER BELL JOINT GASKET (PUSH-ON) For Ductile Iron Pipe as manufactured by Griffin Pipe		
5383-0400-7	Gasket, Super Bell Joint, 4" Dia.	EA
5383-0600-2	Gasket, Super Bell Joint, 6" Dia.	EA
5383-0800-8	Gasket, Super Bell Joint, 8" Dia.	EA
5383-1000-4	Gasket, Super Bell Joint, 10" Dia.	EA
5383-1400-6	Gasket, Super Bell Joint, 14" Dia.	EA
5383-1600-1	Gasket, Super Bell Joint, 16" Dia.	EA
5383-2000-3	Gasket, Super Bell Joint, 20" Dia.	EA
5383-2400-5	Gasket, Super Bell Joint, 24" Dia.	EA
 TYTON GASKET (PUSH-ON) SBR (VULCANIZED STYRENE BUTADIENE RUBBER) Sizes 3"-24": for use with ductile iron pipe manufactured by Atlantic States, Clow, Griffin, McWane, Pacific States, and U.S. Pipe Co. (do not use with pipe manufactured by American Cast Iron Pipe Co.) Sizes 30"-54": for use with ductile iron pipe manufactured by U.S. Pipe Co. (Do not use the pipe manufactured by American Cast Iron Pipe Co., Atlantic States, Clow, Griffin, McWane, or Pacific States)		
5384-0300-7	GASKET, TYTON, SBR, 3" DIA.	EA
5384-0400-5	GASKET, TYTON, SBR, 4" DIA.	EA
5384-0600-0	GASKET, TYTON, SBR, 6" DIA.	EA
5384-0800-6	GASKET, TYTON, SBR, 8" DIA.	EA
5384-1000-2	GASKET, TYTON, SBR, 10" DIA.	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5384-1200-8	GASKET, TYTON, SBR, 12" DIA.	EA
5384-1400-4	GASKET, TYTON, SBR, 14" DIA.	EA
5384-1600-9	GASKET, TYTON, SBR, 16" DIA.	EA
5384-2000-1	GASKET, TYTON, SBR, 20" DIA.	EA
5384-2400-3	GASKET, TYTON, SBR, 24" DIA.	EA
5384-3000-6	GASKET, TYTON, SBR, 30" DIA.	EA
5384-3600-2	GASKET, TYTON, SBR, 36" DIA.	EA
5384-4200-7	GASKET, TYTON, SBR, 42" DIA.	EA
5384-4800-5	GASKET, TYTON, SBR, 48" DIA.	EA
5384-5400-0	GASKET, TYTON, SBR, 54" DIA.	EA

FASTITE GASKET (PUSH-ON)

SBR (VULCANIZED STYRENE BUTADIENE RUBBER)

Sizes 3"-24": for use with ductile iron pipe manufactured by American Cast Iron Pipe Co. (do not use with pipe manufactured by Atlantic States, Clow, Griffin, McWane, Pacific States, or U.S. Pipe Co.)

Sizes 30"-54": for use with ductile iron pipe manufactured by American Cast Iron Pipe Co., Atlantic States, Clow, Griffin, McWane and Pacific States. (Do not use with ductile iron pipe manufactured by U.S. Pipe Co.)

5386-0300-0	GASKET,FAST TITE, SBR, 3" DIA.	EA
5386-0400-9	GASKET,FAST TITE, SBR, 4" DIA.	EA
5386-0600-6	GASKET,FAST TITE, SBR, 6" DIA.	EA
5386-0800-2	GASKET,FAST TITE, SBR, 8" DIA.	EA
5386-1000-7	GASKET,FAST TITE, SBR, 10" DIA	EA
5386-1200-4	GASKET,FAST TITE, SBR, 12" DIA	EA
5386-1400-1	GASKET,FAST TITE, SBR, 14" DIA	EA
5386-1600-8	GASKET,FAST TITE, SBR, 16" DIA	EA
5386-2000-0	GASKET,FAST TITE, SBR, 20" DIA	EA
5386-2400-3	GASKET,FAST TITE, SBR, 24" DIA	EA
5386-300-9	GASKET,FAST TITE, SBR, 30" DIA	EA
5386-3600-4	GASKET,FAST TITE, SBR, 36" DIA	EA
5386-4200-3	GASKET,FAST TITE, SBR, 42" DIA	EA
5386-4800-8	GASKET,FAST TITE, SBR, 48" DIA	EA
5386-5400-5	GASKET,FAST TITE, SBR, 54" DIA	EA

CAST IRON SOIL PIPE GASKET

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5387-0400-8	Gasket, for Use with Cast Iron Soil Pipe 4" Dia.	EA
-------------	--	----

NBR (NITRILE) MECHANICAL JOINT GASKETS

(For use in petroleum contaminated soil)

Note: for standard (SBR) MJ gaskets, see 5381 stock series)

5391-0201-3	GASKET, M.J., NITRILE, 2" DIA.	EA
5391-0301-1	GASKET, M.J., NITRILE, 3" DIA.	EA
5391-0401-9	GASKET, M.J., NITRILE, 4" DIA.	EA
5391-0601-4	GASKET, M.J., NITRILE, 6" DIA.	EA
5391-0801-0	GASKET, M.J., NITRILE, 8" DIA.	EA
5391-1001-6	GASKET, M.J., NITRILE, 10"DIA.	EA
5391-1201-2	GASKET, M.J., NITRILE, 12"DIA.	EA
5391-1401-8	GASKET, M.J., NITRILE, 14"DIA.	EA
5391-1601-3	GASKET, M.J., NITRILE, 16"DIA.	EA
5391-1801-9	GASKET, M.J., NITRILE, 18"DIA.	EA
5391-2001-5	GASKET, M.J., NITRILE, 20"DIA.	EA
5391-240-17	GASKET, M.J., NITRILE, 24"DIA.	EA
5391-3001-4	GASKET, M.J., NITRILE, 30"DIA.	EA
5391-3601-1	GASKET, M.J., NITRILE, 36"DIA.	EA
5391-4201-9	GASKET, M.J., NITRILE, 42"DIA.	EA
5391-4801-6	GASKET, M.J., NITRILE, 48"DIA.	EA
5391-5401-4	GASKET, M.J., NITRILE, 54"DIA.	EA

TRANSITION GASKET

5392-0400-8	Gasket, Transition, Steel/Cast Iron, 4" Dia.	EA
-------------	--	----

PRECAST MANHOLE GASKET

5395-8000-1	Gasket, 48" Dia. for Precast Manhole, "O-Ring" Type (for Americast Manholes)	EA
-------------	--	----

5395-9000-0	Gasket, 48" Dia. for Precast Manhole, "D-Lock" Type ( for Atlantic Manholes)	EA
-------------	--	----

SUCTION HOSE GASKET

5397-0010-4	Gasket, for Suction Hose, 2" Dia., (Replacement)	EA
-------------	--	----

5397-0015-3	Gasket, for Suction Hose, 3" Dia., (Replacement)	EA
-------------	--	----

5397-0020-3	Gasket, for Suction Hose, 4" Dia., (Replacement)	EA
-------------	--	----

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

BEVELED GASKETS & METER GASKETS

5399-0101-7	Clamps, For Mounting ¼" Meter Wire to Wall or Ceiling (100 PER PACK)	BX
5399-7065-7	Gasket, Drop-In, for flanged, 1 ½" Meter	EA
5399-7070-7	Gasket, Drop-In, for flanged, 2" Meter	EA
5399-7107-8	Gasket, Flat, Outside 5/8", #GT-112	PK
5399-7109-5	Gasket, Inside, 5/8", #GT-108	PK
5399-7111-2	Gasket, Inside, 3/4", #GT-114	PK
5399-7113-9	Gasket, Inside, 1", #GT-120	PK
5399-7115-0	Gasket, 3/4", Outside, #GT-118	PK
5399-7117-4	Gasket, Flat, 1", Outside, #GT-123	PK

LUMBER

5511-0000-1	Lumber, Shoring, 2" X 6" X 8', Note that this item will be only ordered on request (it will not be kept in stock), (FF)	PC
5511-0001-9	Lumber, Shoring, 2" X 6" X 10', Note that this item will be only ordered on request (it will not be kept in stock), (FF)	PC
5511-0003-9	Lumber, Excavation, 2" X 8" X 12'	PC
5511-0007-0	Lumber, Excavation, 4" X 4" X 12'	PC
5511-0012-6	Lumber, Shoring, 2" X 6" - 8 X 16'	PC
5511-0014-5	Lumber, Shoring, 12" X 12" 16'	PC

WOOD STAKE, FLAG STAKE, WOODEN BLOCK

5512-1000-8	Wood Stake, 1-3/4" X 9"	EA
5512-1005-7	Wood Stake, 1-3/4" X 18" Packaging: 50/bundle and palletized	EA
5512-1010-7	Wood Stake, 1-3/4" X 24" Packaging: 50/bundle and palletized	EA
5512-1020-6	Flag Stake, 1" X 1" X 30" with 6" Flag Packaging: 50/bundle and palletized	EA
5512-1025-5	Wood Stake, Marker, 1" X 2" X 5' (snow and safety fence stake)	EA
5512-1040-7	Blocks, Wooden, 2" X 12" X 12"	EA
5512-1042-4	Blocks, Wooden, 2" X 12" X 24"	EA

WOOD CHOCK

5513-1000-6	Chock, Wooden/Eye Bolt to attach Chain or Rope	EA
-------------	--	----

# *Washington Suburban Sanitary Commission*

## **MATERIALS CATALOG**

### BULK MATERIAL

5610-7020-2	Top Soil	TN
5610-7030-1	Gravel Bank, for Backfilling Excavations (D)	TN
5610-7040-0	Gravel, Washed, 3/4" (D)	TN
5610-7050-9	Gravel, Washed, 1 1/2" (D)	TN
5610-7055-8	Graded Aggregate Base	TN
5610-7060-8	Crusher Run CR-6, Graded Aggregate (Crushed Stone/CR6)	TN
5610-7065-7	No. 57 Graded Aggregate	TN
5610-7070-7	Sand, Concrete (D)	TN
5610-7080-6	Sand, Mortar (also for use with calcium chloride)	TN
5610-7090-8	Cold-Mix Asphalt	TN

### CEMENTITIOUS MATERIALS

5610-9010-1	Cement, Portland, 94 Lbs. (H), (D) Packaging: 30 bags/palletized	BG
5610-9015-0	Mortar / Concrete Repair Material, Quick Setting, 20-lb. Pails (Octocrete Type) (H)	PL
5610-9020-0	Mortar / Concrete Repair Material, Quick Setting, 50-lb. Bags (Octocrete Type) (H)	BG
5610-9030-9	Concrete, Pre-Mixed, 40-Lb. (Sakrete Type), (D)	BG
5610-9060-6	Mortar, Pre-Mixed, 80-lb., Type M (H), (D)	BG

### BENTONITE

5615-9010-0	Bentonite, for Grouting Pipe to Manholes (H), (FF)	BG
-------------	--	----

### BRICK

5620-9001-9	Brick, Sewer	EA
-------------	--------------	----

### FENCE & EROSION CONTROL

5660-9100-5	Fence, for Erosion Control and Sediment, with Posts, 30" wide X 100' length	RO
5660-9101-3	Geotextile, MD SHA Approved (Class SE for Separation, For use in maintaining separation between No. 57 Stone and GAB in Backfill, 500 FT <sup>2</sup> )	RO
5660-9102-1	Sediment Filter for Storm Drain Inlet (Gutterbuddy), 14 ft length, 9" diameter	EA
5660-9103-9	Sediment Filter Bag (Sediment Saver), Fillable Bag (17" W x 5"D x27"L) for Filtering Sediment at Storm Sewers, etc.	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5660-9105-2	Fence, Safety, Heavy Duty, Orange, Polyethylene, 4' Height x 100' Long	RO
5660-9110-4	Sediment Filter Bag for sump pump discharge, 4' x 16", (D)	EA
5660-9120-3	Sediment Filter Bag for sump pump discharge, 8' x 16", (D)	EA
5660-9130-2	Sediment Filter Bag for sump pump discharge, 4' X 6', Approved by Maryland Department of Environment (MDE)	EA
5660-9135-1	Sediment Filter Bag for sump pump discharge, 18" X 15'	EA

PRECAST MANHOLE PARTS

5670-9100-4	Riser, Manhole, Concrete, 1' Height (48" Dia)	EA
5670-9102-0	Riser, Manhole, Concrete, 2' Height, (48" Dia)	EA
5670-9103-8	Riser, Manhole, Concrete, 3' Height, (48" Dia)	EA
5670-9104-6	Riser, Manhole, Concrete, 4' Height, (48" Dia)	EA
5670-9175-6	Base, Manhole, Concrete, 48" Dia. (Bottom Section)	EA
5670-9180-6	Cone, Manhole, Concrete, 24" Dia. (Top Section)	EA
5670-9185-5	Flat Top, Manhole, Concrete, 48" Dia. with 30" Dia. eccentric opening.	EA
5670-9190-5	Grade Ring, Concrete, Solid, 2" Height, 24" Dia.	EA
5670-9195-4	Grade Ring, Concrete, Solid, 3" Height, 24" Dia.	EA
5670-9199-6	Lift Pins, for use with Precast Manhole Sections	EA

HIGH DENSITY POLYETHYLENE GRADE RINGS

5672-0000-1	Grade Ring, 24" Manhole, High Density Polyethylene, 1/4" Adjustment Height, Ladtech System Item Number SP224FS-025	EA
5672-0000-2	Grade Ring, 24" Manhole, High Density Polyethylene, Tapered 3/4" To 1-1/2" Adjustment Height, Ladtech System Item Number 24S150	EA
5672-0000-3	Grade Ring, 24" Manhole, High Density Polyethylene, 1-1/4" Adjustment Height, Ladtech System Item Number 24R125	EA
5672-0000-4	Grade Ring, 24" Manhole, High Density Polyethylene, 1-1/2" Adjustment Height, Ladtech System Item Number 24R150	EA
5672-0000-5	Grade Ring, 24" Manhole, High Density Polyethylene, 2" Adjustment Height, Ladtech System Item Number 24R200	EA
5672-0000-6	Grade Ring, 24" Manhole, High Density Polyethylene, 4" Adjustment Height, Ladtech System Item Number 24R400	EA

MANHOLE FRAME, COVER & PARTS

5680-8001-4	Adjusting Ring, Manhole, 2" Height, Watertight, (use w/22" Dia. Bolt Down Frame, WSSC Stock No. 5680-9028-6 and Sewer Cover, WSSC Stock No. 5680-9025-2).	EA
-------------	---	----

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5680-8056-8	Assembly for S/N 5680-8001-4 (Adjusting Ring, Manhole, 2" Height, Watertight) and a quantity of 3 of S/N 5680-9220-9 (Bolts)	SET
5680-9001-3	Adjusting Ring, Manhole, 1-1/2" Height, Non-watertight, (use w/22" Dia. Heavy Frame, WSSC Stock No. 5680-9020-3 and Sewer Cover, WSSC Stock No. 5680-9004-7).	EA
5680-9002-1	Adjusting Ring, Manhole, 2" Height, Non-watertight, (use w/22" Dia. Heavy Frame, WSSC Stock No. 5680-9020-3 and Sewer Cover, WSSC Stock No. 5680-9004-7).	EA
5680-9003-9	Adjusting Ring, Manhole, 3" Height , Non-watertight, (use w/22" Dia. Heavy Frame, WSSC Stock No. 5980-9020-3 and Heavy Cover, WSSC Stock No. 5680-9009-6 for Sewer and 5680-9010-4 for Water).	EA
5680-9004-7	Cover, for 1-1/2" (WSSC Stock No. 5680-9001-3) and 2" (WSSC Stock No. 5680-9002-1) Adjusting Ring, Non-watertight, Manhole (Sewer), Estimated Weight = 150 Lbs.	EA
5680-9005-4	Adjusting Ring, Manhole 1" Height (use w/22" Dia., Non-watertight, Heavy Frame, WSSC Stock No. 5680-9020-3 and Sewer Cover, WSSC Stock No. 5680-9007-0).	EA
5680-9007-0	Cover, Manhole (Sewer), (Fits 1" Adjusting Ring, Non-watertight, WSSC Stock No. 5680-9005-4), Estimated Weight = 150 Lbs.	EA
5680-9009-6	Cover, Manhole (Sewer), (Fits 22" Dia., Heavy, Non-watertight, Frame, WSSC Stock No. 5680-9020-3) , Estimated Weight = 145 Lbs.	EA
5680-9010-4	Cover, Manhole (Water), (Fits 22" Dia., Heavy, Non-watertight, Frame, WSSC Stock No. 5680-9020-3) , Estimated Weight = 145 Lbs.	EA
5680-9011-2	Cover, Manhole, Sewer, Traffic Rated (Fits Light, Non-watertight, 22" Dia., Frame, WSSC Stock No. 5680-9021-1), Estimated Weight = 65 Lbs.	EA
5680-9012-0	Cover, Manhole, Water, Traffic Rated (Fits Light, Non-watertight, 22" Dia., Frame, WSSC Stock No. 5680-9021-1), Estimated Weight = 120 Lbs.	EA
5680-9020-3	Frame, Manhole, (Water & Sewer, or Storm Drain), 22" Dia., Heavy, Non-watertight, Fits Covers 5680-9009-6(S) & 5680-9010-4(W).	EA
5680-9021-1	Frame, Manhole, (Water & Sewer), 22" Dia., Light (Traffic), Non-watertight, Fits Covers 5680-9011-2(S) & 5680-9012-0(W).	EA
5680-9025-2	Cover, Manhole, Sewer, (Fits Bolt-Down, Watertight, 22" Dia., Frame, WSSC Stock No. 5680-9028-6. Also Included in Stock No. 5680-9055-9 (F&C)) , Estimated Weight = 125 Lbs.	EA
5680-9026-0	Cover, Manhole, Sewer, (Fits Bolt-Down, Watertight, 30" Dia., Frame, WSSC Stock No. 5680-9029-4. Also Included in Stock No. 5680-9060-9 (F&C)), Estimated Weight = 310 Lbs.	EA
5680-9027-8	Cover, Manhole, Sewer, (Fits Bolt-Down, Watertight, 36" Dia., Frame, WSSC Stock No. 5680-9030-2. Also Included in Stock No. 5680-9065-8 (F&C)) , Estimated Weight = 410 Lbs.	EA



**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5680-9028-6	Frame, Manhole, (Water & Sewer), 22" Dia., Bolt-Down, Watertight, Fits Covers 5680-9025-2(S) & 5680-9050-0(W). Also Included in Stock No. 5680-9055-9 (F&C).	EA
5680-9029-4	Frame, Manhole, (Water & Sewer), 30" Dia., Bolt-Down, Watertight, Fits Covers 5680-9026-0(S) & 5680-9051-8(W). Also Included in Stock No. 5680-9060-9 (F&C).	EA
5680-9030-2	Frame, Manhole, (Water & Sewer), 36" Dia., Bolt-Down, Watertight, Fits Covers 5680-9027-8(S) & 5680-9052-6(W). Also Included in Stock No. 5680-9065-8 (F&C).	EA
5680-9050-0	Cover, Manhole, Water, (Fits Bolt-Down, Watertight, 22" Dia., Frame, WSSC Stock No. 5680-9028-6), Estimated Weight = 125 Lbs.	EA
5680-9051-8	Cover, Manhole, Water, (Fits Bolt-Down, Watertight, 30" Dia., Frame, WSSC Stock No. 5680-9029-4), Estimated Weight = 310 Lbs.	EA
5680-9052-6	Cover, Manhole, Water, (Fits Bolt-Down, Watertight, 36" Dia., Frame, WSSC Stock No. 5680-9030-2), Estimated Weight = 410 Lbs.	EA
5680-9055-9	Frame and Cover, Complete, Manhole, Sewer, Bolt-down, 22", Watertight, Includes Frame (Also Available as Stock No. 5680-9028-6) and Cover (Also Available as Stock No.5680-9025-2). Frame Also Fits Water Cover (Stock No. 5680-9050-0).	SE
5680-9060-9	Frame and Cover, Complete, Manhole, Sewer, Bolt-down, 30", Watertight, Includes Frame (Also Available as Stock No. 5680-9026-0) and Cover (Also Available as Stock No.5680-9025-2). Frame Also Fits Water Cover (Stock No. 5680-9051-8).	SE
5680-9065-8	Frame and Cover, Complete, Manhole, Sewer, Bolt-down, 36", Watertight, Includes Frame (Also Available as Stock No. 5680-9030-2) and Cover (Also Available as Stock No.5680-9027-8). Frame Also Fits Water Cover (Stock No. 5680-9052-6).	SE
5680-9150-8	Step, Manhole, for concrete walls, 8" Deep X 12" Wide	EA
5680-9152-5	Manhole Step, Masonry, for Brick and Block Walls	EA
5680-9210-0	Bolt, Locking, for Bolt-Down Manhole Cover	EA
5680-9220-9	Bolt, Locking, for Bolt-Down 2" Adjusting Ring (S/N 5680-8001-4)	EA
LAMPHOLE FRAME & COVER (FOR CLEAN-OUTS) [for use with clean-out expansion plugs, 1124-0440-5 (4") & 1124-0460-3 (6")]		
5681-4002-4	Frame, Clean-out, for 4" pipe, Use with cover S/N 4881-9006-7 (Cover, Sewer, for Valve Box and 4" Clean-out Frame)	EA
5681-9001-1	Cover, Lamphole, (Clean-out for 6" pipe)	EA
5681-9002-9	Frame, Lamphole, (Clean-out for 6" pipe)	EA
PIPE TO MANHOLE SLEEVE (For Manhole Tap)		
5682-9502-6	Insert, Field Repair, 6" Dia.	EA

## **Washington Suburban Sanitary Commission MATERIALS CATALOG**

5682-9503-4	Insert, Field Repair, 8" Dia.	EA
5682-9504-2	Insert, Field Repair, 10" Dia.	EA
5682-9505-9	Insert, Field Repair, 12" Dia,	EA

### REINFORCEMENT STEEL

Supplied in 20' lengths, may be cut to order

5685-0300-7	Steel, Reinforcement, number 3, 3/8" Dia.	FT
5685-0400-5	Steel, Reinforcement, number 4, 1/2" Dia.	FT
5685-0500-2	Steel, Reinforcement, number 5, 5/8" Dia.	FT
5685-0600-0	Steel, Reinforcement, number 6, 3/4" Dia.	FT

RODS, ALL-THREAD (Note: As of June 1, 2017 none of the below rod is stainless steel but as current stock of each is depleted, each will be replaced by stainless steel, this rod must be coated as per WSSC specifications when used in buried applications until stainless steel is available)

5686-9100-0	Rod, All-Thread, 3/4" Dia. X 6' Lgth. (5686-9800-5 Cplg.) Packaging: 10/package	LG
5686-9200-8	Rod, All-Thread, 3/4" Dia. X 12' Lgth. (5686-9800-5 Cplg.) Packaging: 5/package	LG
5686-9300-6	Rod, All-Thread, 3/4" Dia. X 25" Lgth. (5686-9800-5 Cplg.) Packaging: 10/package	EA
5686-9400-4	Rod, Threaded, 10' Lg., 3/4" Dia. for 4"- 24" Jt. Restrainer Packaging: 10/package	EA
5686-9800-5	Coupling, Rod, 3/4" Dia.	EA

### CIRCUIT BREAKERS

5925-0020-1	Circuit Breaker, Plug-In, One Pole, 120/240V, 20A, Square D	EA
-------------	---	----

### SWITCHES

5930-0200-9	Switch, Single Pole, Toggle 120/277V AC, 20 AMPS, Brown	EA
-------------	---	----

### ELECTRICAL CONNECTORS

5935-0010-1	Duplex Receptacle, 3-Wire Grounding 125V, 20 AMPS, Brown	EA
5935-0020-0	Connector Body, 3-Wire Grounding 125V, 20 AMPS	EA
5935-0030-9	Cap, 3-Wire Grounding 125V, 20 AMPS	EA

### TERMINAL LUGS AND TERMINAL STRIPS

5940-0010-1	Wire Connector (Wire Nut), #71B Packaging: 100/box	BX
-------------	---	----

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5940-0011-9	Wire Connector (Wire Nut), #72B Packaging: 100/box	BX
5940-0012-7	Wire Connector (Wire Nut), #73B Packaging: 100/box	BX
5940-0013-5	Wire Connector (Wire Nut), #74B Packaging: 100/box	BX
5940-0014-3	Wire Connector (Wire Nut), #76B Packaging: 100/box	BX
5940-0015-0	Wire Connector (Wire Nut), #78B Packaging: 50/box	BX
5940-0025-9	Wire Connector, for joining 2 strand 22AWG Meter wiring (solid or stranded), contains gelcap for waterproof connection, scotchlok UY2 (Mfd by 3M) or equal, packaging 100/box	BX
5940-0056-4	Terminal, Fork Tongue, Insulated, #20-16 Wire & #8 Screw Packaging: 100/box	BX
5940-0057-2	Terminal, Fork Tongue, Insulated, #18-14 Wire & #10 Screw. Packaging: 100/box	BX
5940-0058-0	Terminal, Fork Tongue, Insulated, #12-10 Wire & #6 Screw Packaging: 50/box	BX
5940-0059-8	Terminal, Fork Tongue, Insulated, #12-10 Wire & #8 Screw Packaging: 50/box	BX
5940-0060-6	Terminal, Fork Tongue, Insulated, #12-10 Wire & #10 Screw Packaging: 50/box	BX
5940-0061-4	Terminal, Fork Tongue, Insulated, #12-10 Wire & Dia. Screw Packaging: 50/box	BX
5940-0066-3	Terminal, Ring Tongue, for #18-14 Wire Packaging: 50/box	BX
5940-0067-1	Terminal, Ring Tongue, for #12-10 Wire Packaging: 50/box	BX

RELAYS AND SOLENOIDS

5945-0010-0	Relay, Potter & Brumfield, 120VAC, 8-Pin, Dbl. Pole	EA
5945-0015-9	Relay, Potter & Brumfield, 120VAC, 11-Pin, Dbl. Pole	EA

ELECTRICAL INSULATORS AND INSULATING MATERIAL

5970-0001-7	Coating, for Protecting Electrical Connections, Clear (H)	CN
-------------	---	----

ELECTRICAL SUPPLIES AND HARDWARE

5975-0011-5	Ell, Corner Pulling, 3/4" Dia.	EA
5975-0012-3	Ell, Corner Pulling, 1" Dia.	EA
5975-0075-0	Box, Weatherproof, Aluminum, Universal with Mounting Lugs	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5975-0356-4	Conduit Union, 3/4" Dia.	EA
5975-0411-7	Conduit Bushing, Regular, 3/4" Dia.	EA
5975-0511-4	Conduit Lock Nut, 3/4" Dia.	EA
5975-0810-0	Reducing Bushing, 3/4" to 1/2"	EA
5975-0875-3	Connector, for Flexible Conduit, 90 Degree, 1/2" Dia.	EA
5975-0878-7	Connector, for Flexible Conduit, Straight, 1/2" Dia.	EA
5975-0880-3	Connector, for Flexible Conduit, 90 Degree, 3/4" Dia.	EA
5975-0883-7	Connector, for Flexible Conduit, Straight, 3/4" Dia.	EA

RIGID STEEL CONDUIT

5977-1026-8	Conduit, Rigid Steel, 3/4" Dia., 10' Length	LG
5977-1027-6	Conduit, Rigid Steel, 1" Dia., 10' Length	LG

FLEXIBLE CONDUIT, WATERTIGHT

5979-1040-5	Conduit, Watertight, Flexible, 1/2" Dia. (100'/Coil)	CL
-------------	--	----

ELECTRICAL WALL AND COVER PLATES

5981-2153-1	Wall Plate, for One Toggle Switch	EA
5981-2155-6	Wall Plate, for One Duplex Receptacle	EA
5981-2159-8	Cover Plate, Weatherproof, for Duplex Receptacle	EA

MISC. ELECTRICAL AND ELECTRONIC COMPONENTS

5999-0251-7	Clamp Back, 3/4" Dia.	EA
5999-0255-8	Pipe Strap, for Rigid Steel Conduit, 1/2" Dia.	EA
5999-0256-6	Pipe Strap, for Rigid Steel Conduit, 3/4" Dia.	EA
5999-0259-0	Cable Tie, Self-Locking, Nylon, 1/16" - 1-1/8" Range (100/PK)	PK
5999-0261-6	Cable Tie, Self-Locking, Nylon, 1/16" - 1-3/4" Range (100/PK) - TY524MX. Packaging: 100 tiers/box	PK
5999-0262-4	Cable Tie, Self-Locking, Nylon, 1/16" - 3" Range (100/PK) - TY526MX. Packaging: 100 tiers/box	PK
5999-0263-2	Cable Tie, Self-Locking, Nylon, 3/16" - 3-3/4" Range (50/Pack) - TY527MX. Packaging: 50 tiers/box	PK
5999-0264-0	Cable Tie, Self-Locking, Nylon, 1/16" - 4" Range (50/PK) - TY528MX. Packaging: 50 tiers/box	PK
5999-0265-7	Cable Tie, Self-Locking, Nylon, 3/16" - 9" Range (50/PK) - TY529MX. Packaging: 50 tiers/box	PK

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

BATTERIES

6135-9101-5	Battery, Small Lantern, 6 Volts (for use with lantern previously listed as Stock No. 6225-9105-5)	EA
6135-9105-6	Battery, Alkaline, Size "AA", 1.5 Volts	EA
6135-9106-4	Battery, Alkaline, "AAA", 1.5	EA
6135-9107-2	Battery, Alkaline, Size "C", 1.5 Volts Packaging: Varies	EA
6135-9100-7	Battery Alkaline, Size "D", 1.5V	EA
6135-9109-8	Battery, Large Lantern, 6 Volts, (Lantern not stocked).	EA
6135-9111-3	Battery, Large Lantern, 7.5 Volts for use with 7.5 Volt Lantern (Which Is No Longer Stocked)	EA
6135-9113-7	Battery, 9 Volt	PK

PORTABLE ELECTRICAL CORD, TYPE SJO

6143-0400-4	Cord, Portable Electrical, #12/3, Type SJO, 250' Spool Packaging: 250-foot spools	SL
-------------	--	----

ELECTRICAL WIRE AND CABLE

6145-1001-4	Wire, THHN, Copper, #10, Stranded, 600V, 500' Spool, White. Packaging: 500-foot spools	SL
6145-1201-0	Wire, THHN, Copper, #12, Stranded, 600V, 500' Spool, White. Packaging: 500-foot spools	SL
6145-1202-8	Wire, THHN, Copper, #12, Stranded, 600V, 500' Spool, Black. Packaging: 500-foot spools	SL
6145-1203-6	Wire, THHN, Copper, #12, Stranded, 600V, 500' Spool, Red Packaging: 500-foot spools	SL
6145-1204-4	Wire, THNN, Copper, #12, Stranded, 600V, 500' Spool, Orange. Packaging: 500-foot spools	SL
6145-1205-1	Wire, THHN, Copper, #12, Stranded, 600V, 500' Spool, Green. Packaging: 500-foot spools	SL
6145-1206-9	Wire, THHN, Copper, #12, Stranded, 600V, 500' Spool, Brown. Packaging: 500-foot spools	SL
6145-1207-7	Wire, THHN, Copper, #12, Stranded, 600V, 500' Spool, Yellow. Packaging: 500-foot spools	SL
6145-1401-6	Wire, THHN, Copper, #14, Stranded, 600V, 500' Spool, White. Packaging: 500-foot spools	SL
6145-1402-4	Wire, THHN, Copper, #14, Stranded, 600V, 500' Spool, Black	SL
6145-1403-2	Wire, THHN, Copper, #14, Stranded, 600V, 500' Spool, Red Packaging: 500-foot spools	SL

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6145-1405-7	Wire, THHN, Copper, #14, Stranded, 600V, 500' Spool, Green. Packaging: 500-foot spools	SL
6145-1408-1	Wire, THHN, Copper, #14, Stranded, 600V, 500' Spool, Blue Packaging: 500-foot spools	SL
6145-1608-6	Wire, TFFN, Copper, #16, Stranded, 600V, 500' Spool, Blue Packaging: 500-foot spools	SL
6145-7011-7	Wire, 20-3 AWG., 30V, 3 AMP (Meter Wire) Packaging: 500-foot spools	SL

EXTENSION CORDS

6150-9010-7	Cord, Extension, 6' Length, (Indoor Only)	EA
6150-9020-6	Cord, Extension, 50' Length (Indoor/Outdoor)	EA
6150-9030-5	Cord, Extension, 100' Length (Indoor/Outdoor)	EA

FLASHLIGHTS AND LANTERNS

6225-9100-6	Flashlight, LED, 2 D-Cell, Intrinsically Safe, Impact Resistant and Waterproof to One Meter, 80 Lumens (uses Two S/N 6135-9100-7 batteries)	EA
6225-9102-0	Flashlight, LED, Right Angle, Uses 6 AA-Cell, Intrinsically Safe, Impact Resistant and Waterproof to One Meter, 220 Lumens (Uses 6 S/N 6135-9105-6 batteries)	EA
6225-9103-0	Flashlight, Compact, LED, Combo, Uses 3 AA-Cell, Intrinsically Safe, Impact Resistant and Waterproof to One Meter, 325 Lumens On High Mode, Uses 3 AA (S/N 6135-9105-6) Batteries, Note: A holster is available for this flashlight, SN 6225-9104-8. A Wand is Also Available, SN 6230-9110-7, meets UL Class 1, Div. 1 and ATEX/IECEX FOR ZONE 0 Requirements	EA
6225-9104-8	Holster for Safety Rated LED Flashlight, s/n 6225-9103-0	EA
6225-9105-5	Lantern, 6 Volt, Hand (uses S/N 6135-9101-5 battery, S/N 6240-9106-9 Bulb) (D)	EA
6225-9110-5	Lantern, 6 Volt, LED, Uses 4 D-Cell, Intrinsically Safe, Impact Resistant and Waterproof to One Meter, 90 Lumens (Uses 4 S/N 6135-9100-7 batteries)	EA
6225-9115-4	Headlamp, LED, Safety Rated, Water Resistant, Uses 3 AAA Batteries, Impact Resistant to One Meter, 185 Lumens, 6.75-140 Hour Battery Life, High/Low Switch (Uses 3 S/N 6135-9106-4 batteries)	EA
6230-9110-5	Wand, Flashlight, Yellow, For Kohler 2-D Cell Flashlight (SN 6225-9100-6), (D)	EA
6230-9110-7	Wand, Flashlight, Yellow, For Kohler 3 AA Cell Flashlight (SN 6225-9103-0)	EA

ELECTRIC LAMPS

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6240-0010-5	Lamp, Clear Indicator, 3 Watts, 130 Volts, S-6, Cand. Base	EA
6240-0020-4	Lamp, 60 Watts, 130 Volts, Inside Frosted, A-19, Med. Base Packaging: 120/case	EA
6240-0025-3	Lamp, 75 Watts, 130 Volts, Inside Frosted, A-19, Med. Base Packaging: 120/case	EA
6240-0030-3	Lamp, 100 Watts, 130 Volts, Inside Frosted, A-19, Med. Base Packaging: 120/case	EA
6240-0035-2	Lamp, 150 Watts, 130 Volts, Inside Frosted, A-21, Med. Base Packaging: 120/case	EA
6240-0040-2	Lamp, 200 Watts, 130 Volts, Inside Frosted, A-23, Med. Base Packaging: 48/case	EA
6240-0067-9	Lamp, Compact Fluorescent, 15 Watts T-4, Med. Base Packaging: 6/case	EA
6240-0071-1	Lamp, Compact Fluorescent, 23 Watts T-4, Med. Base Packaging: 6/case	EA
6240-0073-6	Lamp, Fluorescent, 17 Watts, T-8 Med. Bipin Base, Packaging: 25/case	EA
6240-0074-1	Lamp, Fluorescent, Small U-T, Packaging: 25/case	EA
6240-0075-3	Lamp, Fluorescent, 32 Watts, T-8 Med. Bipin, 4 Foot Length, Packaging 36/case	EA
6240-0076-9	Lamp, Fluorescent, U-Tube, 32 Watts, T-8 Med Bipin Base, Packaging: 16/case	EA
6240-0077-1	Lamp, Fluorescent, 59 Watts, T-8 Med. Single Pin Base, Packaging: 24/case	EA
6240-0105-3	Lamp, Flood, 150 Watts, (or equivalent) 125-130V, PAR-38, Med. Skirt, Prong Base. Packaging: 12/case	EA
6240-0110-3	Lamp, Wide flood, 300 Watts, (or equivalent) 125-130V, PAR-56, Med. Skirt, Prong Base. Packaging: 12/case	EA
6240-0120-2	Lamp, Clear Traffic Signal, 69 Watts, 130 Volts, A-21, Med. Base. Packaging: 120/case	EA
6240-0125-1	Lamp, Clear Traffic Signal, 116 Watts, 130 Volts, A-21, Med. Base. Packaging: 120/case	EA
6240-9100-5	Bulb, for 2 D-Cell Flashlight (S/N 6225-9100-6)	EA
6240-9105-4	Bulb, Lantern, PR-3 (D) Packaging: 50/case	EA
6240-9106-9	Bulb, for 6 Volt Lantern (S/N 6225-9105-5)	EA

LAMPHOLDER AND STARTER BALLASTS

6250-0007-2	Ballast, Electronic, for 36", 48" and U-Tube T-8 Fluorescent Lamp, 60 Cycles, 120 Volts Packaging: 10 or 20/box	EA
-------------	--	----

# *Washington Suburban Sanitary Commission*

## **MATERIALS CATALOG**

### ENDUROSCOPE

6650-1002-1	Enduroscope (Underwater meter reading device), 36" long	EA
-------------	---	----

### CALIBRATION GAS CYLINDERS

6665-1005-2	Gas, Calibration, cylinder, MSA part #10045035, for use in calibrating MSA model Altair 5 personal portable gas detectors (H)	CY
-------------	---	----

### WATER METERS, ACCESSORIES,

### AND PARTS

6680-0000-5	<p>Transmitter (ME Type), for automatic meter reading (AMR), Upgradeable to an Orion Fixed Network Endpoint through a software license, Provided with factory potting (connection) of 8” of wire, with a female Nicor connector at the end, to be used for all AMR installations (inside and vault installations), Manufacturer: Badger Meter, Model: Orion Water Migratable Endpoint</p> <p>(Use WSSC S/N 6680-0003-7 for mounting to inside of building and vault walls)</p> <p>(Use WSSC S/N 6680-0000-8 for remote cover outside wall installation kit)</p>	EA
-------------	---	----

6680-0000-8	Cover (Remote Outside Wall Cover Installation Kit) for outside Badger Orion transmitters (CE or ME, stock numbers 6680-0000-4 and 6680-0000-5), Badger Part # 64394-032	EA
-------------	---	----

6680-0001-1	REG., MVR 1300, HERSEY #27122	EA
-------------	-------------------------------	----

6680-0002-9	<p><b>BRACKET FOR MOUNTING AMR TRANSMITTER (WSSC S/N 6680-0000-4) TO WALL OF VAULT, NICOR SIDEWALL BRACKET -2, NICOR PART NO. SWB-2</b></p> <p><b>MUST USE WITH S/N 6680-0005-2 (D)</b></p>	EA
-------------	---	----

6680-0003-7	<p>BRACKET (INSTALLATION KIT) FOR MOUNTING AMR TRANSMITTER (WSSC S/N 6680-0000-5) TO INSIDE BUILDING WALLS (WITHOUT THE USE OF THE NICOR BRACKET), (NOTE: FOR WATERTIGHT WIRING CONNECTIONS WHEN USING THIS BRACKET, USE S/N 6680-0006-0), BADGER PART #69394-008</p>	EA
-------------	---	----

6680-0004-5	REPEATER, for Orion Transmitter	EA
-------------	---------------------------------	----

6680-0005-2	<p><b>Installation Kit for use exclusively where mounting AMR transmitters (WSSC s/n 6680-0000-4) inside of vaults using a NICOR bracket (WSSC s/n 6680-0002-9). Note that without this kit the transmitter cannot be property installed into the NICOR bracket. Also note that this kit includes a watertight wiring connector. Badger part no. 64394-006 “Pit, Thru Lid, Install Kit” (D)</b></p>	EA
-------------	---	----

6680-0006-0	<p>(Wiring) Field Splice Kit for providing watertight wiring connections. Intended primarily for use with AMR transmitter (s/n 6680-0000-4) and bracket for mounting to inside building walls (s/n 6680-0003-7). Badger Meter part No. 62084-001, “Field Splice Kit”</p>	
-------------	--	--



**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-0006-1	Connector, "Nicor" Series III Male, With 12" Pigtail Wire, Geospace Part # CA-1284-010-2-30 (AMR III Male 1 Foot, Black)	EA
6680-0006-2	Latch, Tamper Resistant, "Nicor", For Use With Nicor Series III Connectors, Geospace Part # 120-01326	EA
6680-0006-3	Connector, "Nicor" Series III Female, With 12" Pigtail Wire, Geospace Part # CA-1285-010-2-07 (AMR III Female 1 Foot, Black)	EA
6680-0011-0	LID PIN, HERS. #9034P068	EA
6680-0020-1	METER 10", Rockwell Turbine	EA
6680-0044-1	TOP CASE SCREW, HER #90180	EA
6680-0050-8	BONNET, Large HERSEY # 11264 (d)	EA
6680-0052-4	BONNET, Large, HERSEY # 12101	EA
6680-0054-0	WHEEL, 2" FM, HERSEY # 44663	EA
6680-0055-7	INLET HUB SCREWS, HERS # 98409	EA
6680-0056-5	Register, Gal., HERSEY, # 28141 (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-0058-1	GLASS, REG, HERSEY # 19304	EA
6680-0062-3	RING, 5 STAGE, HERSEY # 59062	EA
6680-0064-9	RING, GLASS HERSEY # 19305	EA
6680-0066-4	RING, LDA, HERSEY # 50139	EA
6680-0068-0	RING, 3 Stage, HERSEY # 191106	EA
6680-0074-8	SCREW, Register, HERSEY # 19901	EA
6680-0076-3	SCREW, Register, HERSEY # 19902	EA
6680-0084-7	VENT SCREW, HERSEY # 59024	EA
6680-0088-8	Washer, Vent HERSEY # 59073	EA
6680-0092-0	Drive, Mag., 2-12, HER., # 33148	EA
6680-0094-6	VALVE CHECK, 3/4" HER. #54385	EA
6680-0096-1	TRIM Valve, 2" - 3" HER. #53850	EA
6680-0100-1	REGISTER, HERSEY #28143 (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-0102-7	REGISTER, 100 GAL LG HER # 28151 (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-0104-3	REGISTER, HERSEY # 28159 (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-0106-8	REGISTER, HERSEY # 28153 (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-0108-4	TRAIN 5- STAGE, HERSEY # 33100	EA
6680-0110-0	TRAIN 3- STAGE, HERSEY # 31300	EA
6680-0182-9	Gear, 10A, HERSEY, # 29210 (D)	EA
6680-0183-7	Gear, 11A, HERSEY, # 29211 (D)	EA
6680-0184-5	Gear, 12A, HERSEY, # 29212 (D)	EA
6680-0186-0	Gear, 13B, HERSEY, # 29223 (D)	EA
6680-0188-6	Gear, 15B, HERSEY, # 29225 (D)	EA
6680-0189-4	Gear, 16B, HERSEY, # 29226 (D)	EA
6680-0197-7	Gear, 17H, HERSEY, # 29267 (D)	EA
6680-0198-5	Gear, 18H, HERSEY, # 29268 (D)	EA
6680-0199-3	Gear, 19H, HERSEY, # 29269 (D)	EA
6680-0200-9	Gear, 20H, HERSEY, #29271 (D)	EA
6680-0201-7	Gear, 21H, HERSEY, # 29271 (D)	EA
6680-0202-5	Gear, 22H, HERSEY, # 29272 (D)	EA
6680-02033	Gear, 23H, HERSEY, # 29283 (D)	EA
6680-0204-1	Gear, 19J, HERSEY, # 29279 (D)	EA
6680-0205-8	Gear, 20J, HERSEY, # 29280 (D)	EA
6680-0206-6	Gear, 21J, HERSEY, # 29281 (D)	EA
6680-0207-4	Gear, 22J, HERSEY, # 29282 (D)	EA
6680-02080	Gear, 24J HERSEY, # 29283(D)	EA
6680-0209-0	Gear, 23J, HERSEY, # 29284(D)	EA
6680-0210-8	Gear, 25J, HERSEY, # 29285 (D)	EA
6680-0211-6	Gear, 26J, HERSEY, # 29286 (D)	EA
6680-0220-7	Gear, 22L, HERSEY, # 29302 (D)	EA
6680-0021-5	Gear, 23L, HERSEY, # 29303 (D)	EA
6680-0222-3	Gear, 24L, HERSEY, # 29304 (D)	EA
6680-0223-1	Gear, 25L, HERSEY, # 29305 (D)	EA
6680-0224-9	Gear, 26L, HERSEY, # 29306 (D)	EA
6680-0225-6	Gear, 27L, HERSEY, # 29307 (D)	EA
6680-0226-4	Gear, 28L HERSEY, # 29308 (D)	EA
6680-0227-2	Gear, 29L, HERSEY, # 29309 (D)	EA
6680-0228-0	Gear, 30L, HERSEY, # 29310 (D)	EA
6680-0328-8	Gear, 51Y, HERSEY, # 29451 (D)	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-0329-6	Gear, 52L, HERSEY, # 29452 (D)	EA
6680-0330-4	Gear, 53Y, HERSEY, # 29453 (D)	EA
6680-0331-2	Gear, 54Y, HERSEY, # 29454 (D)	EA
6680-0332-0	Gear, 55Y, HERSEY, # 29455 (D)	EA
66800333-8	Gear, 56Y, HERSEY, # 29456 (D)	EA
6680-0334-6	Gear, 57Y, HERSEY, # 29457 (D)	EA
6680-0335-3	Gear, 44Z, HERSEY, # 29464 (D)	EA
6680-0336-1	Gear, 45Z, HERSEY, # 29465 (D)	EA
6680-0337-9	Gear, 46Z, HERSEY, # 29466 (D)	EA
6680-0338-7	Gear, 47Z, HERSEY, # 29467 (D)	EA
6680-0339-5	Gear, 48Z, HERSEY, # 29468 (D)	EA
6680-0340-3	Gear, 49Z, HERSEY, # 29469 (D)	EA
6680-0341-1	Gear, 50Z, HERSEY, # 29470 (D)	EA
6680-0342-9	Gear, 51Z, HERSEY, # 29471 (D)	EA
6680-0343-7	Gear, 52Z, HERSEY, # 29472 (D)	EA
6680-0344-5	Gear, 53Z, HERSEY, # 29473 (D)	EA
6680-0345-2	Gear, 54Z, HERSEY, # 29474 (D)	EA
6680-0346-0	Gear, 55Z HERSEY, # 29475 (D)	EA
6680-0347-8	Gear, 56Z, HERSEY, # 29476 (D)	EA
6680-0348-6	Gear, 57Z, HERSEY, # 29477 (D)	EA
6680-0349-4	Gear, 58Z, HERSEY, # 29448 (D)	EA
6680-0350-2	Gear, 59Z HERSEY, # 29449 (D)	EA
6680-0351-0	Gear, 60Z, HERSEY, # 29450 (D)	EA
6680-0352-8	Gear, 61Z, HERSEY, # 29451 (D)	EA
6680-0353-6	Gear, 62Z, HERSEY, # 29452 (D)	EA
668090367-6	Weight, 2" CT, HERSEY, # 53833 (D)	EA
6680-0368-4	S/A Assembly, 2", HERSEY, # 53322 (D)	EA
6680-0369-2	"O" Ring, 2" CT, HERSEY, # 53893 (D)	EA
6680-0370-0	Swing Arm, 2", HERSEY, # 53841 (D)	EA
6680-0371-8	S/A Assembly, 3" HERSEY, # 54322	EA
6680-0372-6	S/A Assembly, 4", HERSEY, # 55322	EA
6680-0373-4	S/A Assembly, 6", HERSEY, # 56322	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-0402-1	Train Cap, HERSEY, # 59061	EA
6680-0405-4	Weight, 2", W/O, HERSEY, # 53832 (D)	EA
6680-0406-2	Gasket, Train, HERSEY, # 59046	EA
6680-0408-8	Gear Train, HERSEY, # 33245	EA
6680-0413-8	Gasket, 6", HERSEY, # 58563	EA
6680-0414-6	Gasket, 10", HERSEY # 58559	EA
6680-0415-3	Gasket, 10", HERSEY, # 58427	EA
6680-0416-1	Gasket 6", HERSEY, # 56346	EA
6680-0419-5	Wheel, 2", HERSEY, # 44662 (D)	EA
6680-0420-3	Gasket, 5/8", HD, HERSEY, # 50202 (D)	EA
6680-0421-1	Gasket, 2", CT, HERSEY, # 53846 (D)	EA
6680-0422-9	Gasket, 4" FM, HERSEY, # 53846	EA
6680-0423-7	Gasket, 2" CV, HERSEY, # 54563 (D)	EA
6680-0424-5	Gasket, Dome 4", HERSEY, # 55727	EA
6680-0425-2	Gasket, 3", MVR HERSEY, # 95350	EA
6680-0426-0	Gasket, 4", MVR HERSEY, # 95351	EA
6680-0427-8	Gasket, 8", MVR HERSEY, # 95352	EA
6680-0428-6	Weight, 4" CT, HERSEY, # 55332	EA
6680-0430-2	Weight 4", HERSEY, # 55333	EA
6680-0432-8	Adapter Ring, HERSEY, # 56511	EA
6680-0438-5	Spindle, 2", HERSEY, # 44681 (D)	EA
6680-0441-9	Torrent, FM, HERSET, # 44676	EA
6680-0044-3	S/A, 3" HERSEY, # 54344	EA
6680-0449-2	BUSHING, 2" HERSEY, # 53825 (D)	EA
6680-0453-4	Drive, 5/8", HERSEY, # 31148 (D)	EA
6680-0478-1	Test Plug, 2", HERSEY, # 59008 (D)	EA
6680-0480-7	Top Case, 5/8", HERSEY, # 50260 (D)	EA
6680-0482-3	Disc. 5/8", HERSEY, # 40269 (D)	EA
66800484-9	Train Assy, 5/8" HERSEY, # 31245 (D)	EA
6680-0487-2	Gasket, 6", HERSEY, # 56527	EA
6680-0489-8	Gasket, 3/8", HERSEY, # 51209	EA
6680-0501-0	Gasket, Ring 6", HERSEY, # 56556	EA
6680-0502-8	Gasket, 3", CV, HERSEY, # 56563	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-0503-6	Gasket, 3", CT, HERSEY, # 54346	EA
6680-0504-4	Clap Rubber, 3", HERSEY, # 54316	EA
6680-506-9	Clap Rubber, 3", HERSEY, # 54366	EA
6680-0508-5	Strain, TORR, INT.3", HERSEY, # 44704	EA
6680-0512-7	Weight, 3", HERSEY, # 54333	EA
6680-0514-3	Top Case, 3/4", HERSEY, # 51231	EA
6680-0515-0	TORR Wheel, 4", HERSEY # 44812	EA
6680-0518-4	TORR Wheel, 3", HERSEY, # 44715	EA
6680-0520-0	TORR Wheel, 3", HERSEY, # 447711	EA
6680-0522-6	TORR Spindle, 3", HERSEY, # 44793	EA
6680-0524-2	Clap Bolt, 3" CT HERSEY, # 53418	EA
6680-0526-7	Nut, Clap 3", HERSEY< # 54319	EA
6680-0528-3	Disc, 3", HERSEY, # 54367	EA
6680-0529-1	Screw, 4", CT HERSEY, # 98192	EA
6680-0530-9	Pin, S/Arm, 3" HERSEY, # 54338	EA
6680-0532-5	Roller, 3", HERSEY, # 54337	EA
6680-0538-2	Strainer, 3/4", HERSEY, # 51136	EA
6680-0540-8	Pin, 3", HERSEY, # 56569	EA
6680-0542-4	CHAM Pin, 3/4", HERSEY, # 51115	EA
6680-0544-0	Cotter Pin, HERSEY, # 54320	EA
6680-0546-5	Clip, Pin, 3", CT HERSEY, # 54324	EA
6680-0552-3	Drive 3/4, HERSEY, # 31158	EA
6680-0554-9	Bushing, 3", HERSEY, # 54325	EA
6680-0556-4	Pin, Hinge, 3", HERSEY, # 54379	EA
6680-0558-0	Bushing, 3", CT, HERSEY # 54309	EA
6680-0560-6	Bushing, 3", HERSEY, # 54307	EA
6680-0562-2	Plug, Spindle, 3/8", HERSEY, # 59011	EA
6680-0566-3	Washer, 3" CT, HERSEY, # 54323	EA
6680-0567-1	"O" Ring, 3", HERSEY, # 54396	EA
6680-0570-5	Bushing, 6" CT, HERSEY, # 56325	EA
6680-0572-1	Bushing, 6" FM, HERSEY, # 56507	EA
6680-0574-7	'O' Ring, 4", HERSEY, # 55396	EA
6680-0576-2	"O" Ring, 6", HERSEY, # 56396	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-0578-8	“O”, Ring, 8”, HERSEY, # 57396	EA
6680-0580-4	“O” Ring, 10, HERSEY, # 58396	EA
6680-0582-0	Nut, Bolt, 6”, HERSEY, # 56319	EA
6680-0584-6	Clip Pin, 10”, HERSEY, # 58324	EA
6680-0586-1	Nut, Bolt, 10”, HERSEY, # 58319 (D)	EA
6680-0588-7	Cotter, Pin, 10”, HERSEY, # 58320	EA
6680-0590-3	TORRENT, 3”, HERSEY, # 44743	EA
6680-0591-1	WEIGHT, 3”, CT HERSER, # 54332	EA
6680-0594-5	DISC., ¾”. 3” CT HERSEY, # 41277	EA
6680-0596-0	Gear Train, 3” CT HERSEY, # 57427	EA
6680-0599-4	Gasket, 8” FM, HERSEY, # 57556	EA
6680-0600-0	TORRENT, 4” CT, HERSEY, # 44848	EA
6680-0602-6	Gasket, 4”, CT HERSEY, # 55346	EA
6680-0604-2	TORRENT, Wheel , 4”, HERSEY, # 44811	EA
6680-0606-7	Swing Arm, 4”, HERSEY, # 55339	EA
6680-0608-3	Clapper, 4” hersey # 55365 (D)	EA
6680-0609-1	Disc. 1”, Mech., HERSEY, # 41718	EA
6680-0610-9	TRIM VALVE, 4”, HERSEY, # 55350	EA
6680-0611-7	Top Case, 4”, HERSEY, # 51631	EA
6680-0612-5	Valve, 1”, HERSEY, # 55385	EA
6680-0614-1	Clap Rubber, 4”, HERSEY, # 55316	EA
6680-0616-6	Clap Rubber, 4”, HERSEY, # 55366	EA
6680-0620-8	Low Drive 1”, HERSEY, # 31168	EA
6680-0621-6	Screw, Vent, HERSEY, # 59003	EA
6680-0622-4	Strainer, 1”, HERSEY, # 51536	EA
6680-0624-0	CHAM Pin, 4”, HERSEY, # 51515	EA
6680-0625-7	Bearing, 1/8” x 1/32”, HERSEY, # 98392	EA
6680-0626-5	Screw, Slot, 4”, HERSEY, # 99801	EA
6680-0628-1	Clip, Pin, 4”, HERSEY, # 55324	EA
6680-0630-7	Bolt, 4”, HERSEY, # 55318	EA
6680-0632-3	Nut, Bolt, 4”, HERSEY, 55319	EA
6680-0636-0	Disc, 4”, HERSEY, # 55367	EA
6680-0638-0	Roller, 4”, CT HERSEY, # 55362	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-0640-5	Bushing, S/A 4", HERSEY, # 55325	EA
6680-0644-8	Pin, S/A 4", HERSEY, # 55379	EA
6680-0646-3	Bushing, 4", HERSEY, # 55320	EA
6680-0648-9	Bushing, 4", HERSEY, # 55707	Ea
6680-0650-5	Pin S/Arm, 4", HERSEY, # 55345	EA
6680-0652-1	Washer, 4", HERSEY, # 55323	EA
6680-0656-2	Bushing, 8", HERSEY, # 57325	EA
6680-0658-8	Washer, 8", HERSEY, # 57325	EA
6680-0660-4	Bushing, 8", FM, HERSEY, # 57307	EA
6680-0662-0	Hinge, Spin, 4", HERSEY, # 57552	EA
6680-0664-6	Pin, 8", HERSEY, # 57379	EA
6680-0666-1	Clap, Bolt, 8", HERSEY, #57318	EA
6680-0668-1	Nut, Clap, 8", HERSEY, # 57319	EA
6680-0670-3	Pin, S/A, 8", HERSEY, # 57384	EA
6680-0672-9	Roller, S/A, 8", HERSEY, # 57362	EA
6680-0675-2	Test Plug, 3-4", HERSEY, # 59010 (D)	EA
6680-0676-0	Clap Rubber, 8", HERSEY, # 57316	EA
6680-0679-4	Cover, 4" FM, HERSEY, # 54532	EA
6680-0684- 4	Spindle 4", HERSEY, # 44893	EA
6680-0685-1	Weight, 4", HERSEY, # 55327	EA
6680-0688-5	Train, 1", HERSEY, # 31645	Ea
6680-0700-8	TORRENT Wheel , 6", HERSEY, # 44911	EA
6680-0702-4	Trim Valve, 6", HERSEY, # 56350	EA
6680-0704-0	Clap Rubber, 6", HERSEY, # 56316	EA
6680-0706-5	Gasket, Seat, 6", HERSEY, # 56312	EA
6680-0716-4	Clip, S/Arm, 6", HERSEY, # 56324	EA
6680-0718-0	Roller, 6", S/A HERSEY, # 56362	EA
6680-0720-6	Bushing, 6", HERSEY, # 56338	EA
6680-0721-4	Bushing, 4", HERSEY, # 55307	EA
6680-0722-2	Bushing, 6", HERSEY, # 56307	EA
6680-0724-8	Pin, S/A 6", HERSEY, # 56379	EA
6680-0726-3	Control, 1-1 ½", HERSEY, # 31175	EA
6680-0730-5	Strainer, 1-1 ½, HERSEY, #52312 (D)	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-0732-1	Washer, S/A 6", HERSEY, # 56323	EA
6680-0734-7	CHAM Pin, 1-1/4", HERSEY, # 52010	EA
6680-0736-2	Cotter Pin, 8", HERSEY, # 57320	EA
6680-0738-8	Cotter Pin, 6", HERSEY, # 56320	EA
6680-0740-4	Clip, Pin, 8",HERSEY, # 57324	EA
6680-0748-7	Washer, S/A 10", HERSEY, # 58323	EA
6680-0750-3	Pin, S/A 10", HERSEY, # 58384	EA
6680-0754-5	Bushing, 10" FM, HERSEY, # 58307	EA
6680-0755-2	Bushing, 4" FM, HERSEY, # 54538	EA
6680-0756-0	Clapper Bolt, 6", HERSEY, # 56318	EA
6680-0760-2	Pin, S/A, 10" FM, HERSEY, # 58379	EA
6680-0762-8	Bushing, S/A 10", HERSEY, # 58325	EA
6680-0773-5	Adapter, 8" FM, HERSEY, # 57512	EA
6680-0774-3	Lower Drive, 1 1/2", HERSEY # 31178	EA
6680-0775-0	Valve Check, 6", HERSEY, # 56332	EA
6680-0778-4	Weight, Weighted, 6", HERSEY, # 56332	EA
6680-0779-2	Weight, Un-weighted, 6", HERSEY # 56333	EA
6680-0783-4	Torrent, INT., 2", HERSEY, # 44671	EA
6680-0784-2	Clapper Disc, 6", HERSEY # 56317	EA
6680-0789-1	Swing Arm, 6", HERSEY, # 56335	EA
6680-0792-5	Adapter, 10", HERSEY, # 58511	EA
6680-0794-1	Clap Rubber, 10" HERSEY, # 58316	EA
6680-0796-6	Gear Train, 1 1/2" HERSEY, # 31845	EA
6680-0798-2	Torrent Spindle, 6", HERSEY, # 44920	EA
6680-0800-6	Disc, 1 1/2", HERSEY, # 42673	EA
6680-0802-2	Clapper, 6", HERSEY, # 56315	EA
6680-0804-8	Cover, B.P. , 8", HERSEY, # 57532	EA
6680-0806-3	Cover, 6", FM, HERSEY, # 56532	EA
6680-0809-7	Piece, STD., 3/4" HERSEY, # 95034	EA
6680-0810-5	Nut, Connect, 3/4", HERSEY, # 95033	EA
6680-0811-3	Connect, Assembly, 1", HERSEY, # 95066	EA
6680-0825-3	Chamber Pin, 6", HERSEY # 52308	EA
6680-0826-1	Bushing, 6" FM, HERSEY, # 54507	EA



**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-0827-9	Hinge, Spin, 10" FM, HERSEY, # 58575	EA
6680-0828-7	Bolt, Clap 10" , HERSEY, # 58313	EA
6680-0830-3	Plug, 1 ½ " HERSEY, # 59009	EA
6680-0832-9	Plug, 6", HERSEY, # 59007	EA
6680-0836-0	Plug, 2", HERSEY, # 59014	EA
6680-0840-2	Plug, 1", HERSEY, # 59012	EA
6680-0842-8	Gasket, 4" C.V., HERSEY, # 57563	EA
6680-0843-6	Gasket, 1" HD, HERSEY # 51609	EA
6680-0844-4	Roller, S/Arm , 10", HERSEY, # 58362	EA
6680-0847-7	Disc Mech., 3", HERSEY, # 41249	EA
6680-0850-1	Con Kit, 8", HERSEY, # 57522	EA
6680-0860-0	Torrent Int., 6", HERSEY, # 44946	EA
6680-0863-4	Cover, 10" FM, HERSEY, # 58532	EA
6680-0950-9	Chamber BADGER, # 33334-01600	EA
6680-0956-6	Coupling, Straight Meter, 1-1/2" Meter Swivel Nut X Male Pipe Thread (MPT), (allows for a slight misalignment in installation of 1-1/2" positive displacement meters with male thread ends)	EA
6680-0957-0	Adapter Kit, For Installing 1-1/2" Positive Displacement Meters, 1-1/2" Meter Flange X 1-1/2" Female Iron Pipe Thread Bronze Adapter, Qty=2, 1-1/2" Gaskets, NSF, Qty=2, Bolting: Stainless Steel, Qty= 4 Nuts & 4 Bolts	KT
6680-0957-1	Adapter Kit, For Installing 2" Positive Displacement Meters, 2" Meter Flange X 2" Female Iron Pipe Thread Bronze Adapter, Qty=2, 2" Gaskets, NSF, Qty=2, Bolting: Stainless Steel, Qty= 4 Nuts & 4 Bolts	KT
6680-0974-9	Gasket, 1- ½" BADGER, # 1311-00000	EA
6680-1041-6	Reg. 120, BADGER # 33626-01100	EA
6680-1042-4	Cover, Reg., BADGER, # 34551-00100	EA
6680-1043-2	Chamber, BADGER # 33334-01700	EA
6680-1047-3	Seal 129 BADGER, # 55300-26100	EA
6680-1097-8	Bolt, 120, BADGER # 25585-00100	EA
6680-1120-8	Chamber, BADGER # 58670-00100	EA
6680-1132-3	Screw, 2", BADGER # 55049-27600	EA
6680-1140-6	Screw, Cup, BADGER # 22582-00400	EA
6680-1145-5	Screw, 2-6", BADGER # 55049-19700	EA
6680-1147-1	Washer, 2-6", BADGER # 60062-00200	EA
6680-1148-9	Screw, 6", # 55049-00200	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-1149-7	Screw, BADGER, # 26205-00100	EA
6680-1150-5	Clamp, BADGER, # 55002-03500	EA
6680-1151-3	Ring, BADGER, # 58111-00100	EA
6680-1153-9	Strap, BADGER, # 561-00100	EA
6680-1154-7	Bronze Bolt, BADGER, # 55027-17300	EA
6680-1158-8	Register, 100GAL, BAD #64085-003 (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-1161-2	Measuring Element Assembly, Complete, for 3" Badger Fire Hydrant Meter (WSSC S/N 6681-8603-2)	EA
<del>6680-1173-7</del>	<del>Adapter, 2" MPT x 2-1/2" male NST, adapts 2" ball valve to fire hose</del> This item has been replaced by stock number 1051-0507-6	EA
6680-1174-5	Valve, Check, 2", Male Pipe Thread Ends (MPT), for use the 3" fire hydrant meter, s/n 6681-8603-2, Note: this valve is only needed to replace failed valves on Badger model fire hydrant meter assemblies as the Sensus model has a built-in check valve.	EA
6680-1181-0	Chamber, Complete, for 1-1/2" Badger Model 120 Meter, Badger Part No. 33334-017	EA
6680-1182-8	Chamber, Complete, for 2" Badger Model 170 Meter, Badger Part No. 33334-028	EA
6680-1183-6	Gasket, Maincase, for 1-1/2" Badger Model 120 Meter, Badger Part No. 6217-001	EA
6680-1184-4	Gasket, Maincase, for 2" Badger Model 170 Meter, Badger Part No. 59722-001	EA
6680-1185-1	Strainer Screen, for 1-1/2" Badger Model 120 Meter, Badger Part No. 62173-001	EA
6680-1186-9	Strainer Screen, for 2" Badger Model 170 Meter, Badger Part No. 69720-001	EA
6680-1188-5	Bolts for Top Case of 1-1/2" Badger Model 120 Meter, Badger Part No. 55029-089	EA
6680-1199-2	Register, MVR 350, HERSEY, # B79973 (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-1200-8	Register, MVR 650, HERSEY, # 25855 (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-1205-7	Top Case, MVR 350, HERSEY, # 50981	EA
6680-1206-5	Top case, MVR 650, HERSEY, # 51181	EA
6680-1207-3	Rotor MVR 350, HERSEY # 50984	EA
6680-1208-1	Rotor MVR 650, HERSEY, # 51184	EA
6680-1209-9	HUB., MVR 350, HERSEY, # 50987	EA
6680-1211-5	HUB., MVR 650, HERSEY, # 351187	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-1228-9	“O” Ring, MVR 350, HERSEY, # 98361	EA
6680-1229-7	“O” Ring, MVR 650, HERSEY, # 98362	EA
6680-1230-5	Strainer, MVR 350, HERSEY, # 50985	EA
6680-1231-3	Strainer, MVR 650, HERSEY, # 51185	EA
6680-1232-1	Register Box, MVR HERSEY, # 50986	EA
6680-1233-9	Register Lid, MVR HERSEY, # 19401	EA
6680-1238-8	Rotor Assembly, HERSEY, # 51384	EA
6680-1323-8	Screen, Rock Ill., # 63-125-W	EA
6680-1425-1	Spindle, 6”, MHR, HERSEY, # 56909	EA
6680-1426-9	Bolt, “6, MHR, HERSEY, # 90650	EA
6680-1427-7	Gear, 5”, MHR, HERSEY, # 56908	EA
6680-1428-5	Bushing, 6”, MHR, HERSEY, # 56915	EA
6680-1429-3	Spacer, 6” MHR, HERSEY # 56914	EA
6680-1430-1	Pin Lug Reducer (Adapter), 2-1/2” FNST x 1” FPT, for connecting 3/4” Fire Hydrant Meter (with 1” MPT) to Fire Hydrant Hose Nozzle	EA
6680-1431-9	Coupling, Swivel, 2-1/2" Female NST (FITS FH NOZZLE) X 3" MIP Thread (fits 3" FH Meter)	EA
6680-1432-7	Gasket, Swivel Coupling (S/N 6680-1431-9), (Replacement)	EA
6680-1459-0	Chamber, Complete, for 1 1/2" Neptune T10 Positive Displacement Meter, Neptune Part No. 9098-500	EA
6680-1463-2	Chamber, Complete, for 2" Neptune T10 Positive Displacement Meter, Neptune Part No. 9098-510	EA
6680-1469-9	Gasket, Maincase, for 1-1/2” Neptune T10 Positive Displacement Meter, Neptune Part No. 9083-001	EA
6680-1470-7	Register, Pro-Read for 1-1/2", UI1203, Neptune T10 Positive Displacement Meter, Also fits low side of 6" Neptune Protectus FM meter, 8 Digit Electronic Read, Pre-Potted to a Nicor Series III Connector (Male End) with 25 Feet of Wire, Neptune Part No. RPH2G41S2505 (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-1471-5	Strainer Screen, for 1 1/2" Neptune T10 Positive Displacement Meter, Neptune Part No. 9084-001	EA
6680-1473-1	Strainer Screen, for 2" Neptune T10 Positive Displacement Meter, Neptune Part No. 9084-002	EA
6680-1475-6	Bolts for Top Case of 1-1/2” Neptune T10 Positive Displacement Meter, Neptune Part No. 8307-051	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-1477-2	Register, Pro-Read for 2", UI1203, Neptune T10 Positive Displacement Meter, Also fits low side of 8" and 10" Neptune Protectus FM meter, 8 Digit Electronic Read, Pre-Potted to a Nicor Series III Connector (Male End) with 25 Feet of Wire, Neptune Part No. RPH2G51S2505 (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-1479-7	Gasket, Maincase. For 2" Neptune T10 Positive Displacement Meter, Neptune Part No. 9083-002	EA
6680-1480-0	Chamber, for 3" Neptune T10 Tru Flow (Compound) Meter, Neptune Part No. 9400-600	EA
6680-1480-2	Gasket, Maincase. For 3" Neptune Tru Flow (Compound) Meter, Neptune Part No. 8341-312	EA
6680-1480-4	Gasket Kit, Maincase. For 3" Neptune Tru Flow (Compound) Meter, Neptune Part No. 9685-001	EA
6680-1480-5	Strainer, for 3" Neptune T10 Tru Flow (Compound) Meter, Neptune Part No. 9399-002	EA
6680-1481-4	Register, Proread for 3" Neptune Compound Meter (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-1482-0	Chamber, for 4" Neptune T10 Tru Flow (Compound) Meter, Neptune Part No. 9826-200	EA
6680-1482-1	Gasket, Maincase. For 4" Neptune Tru Flow (Compound) Meter, Neptune Part No. 8341-313	EA
6680-1482-4	Gasket Kit, Maincase. For 4" Neptune Tru Flow (Compound) Meter, Neptune Part No. 9685-002	EA
6680-1482-6	Strainer, for 4" Neptune T10 Tru Flow (Compound) Meter, Neptune Part No. 9831-001	EA
6680-1483-0	Register, Proread, for 4" Neptune Compound Meter (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-1485-5	Register, Proread, for 6" Neptune Compound Meter (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-1487-0	Register, Proread, for 8" Neptune Fire Meter (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-1489-7	Register, 4", Neptune ProRead, for HPT (for HPT side of meter) FM (Fire Service Meter), Neptune Part # R75G32, Programmed to transmit 6 wheels, Provided with 2 foot long "pigtail" wire (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-1491-3	Register, 6", Neptune ProRead, for HPT (HPT side of meter) FM (Fire Service Meter), Neptune Part # R75G42, Programmed to transmit 6 wheels, Provided with 2 foot long "pigtail" wire (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-1493-9	Register, Pro-Read for 5/8", UI1203, Neptune T10 Positive Displacement Meter, Also fits low side of 3" Neptune Tru/Flo Compound meter, 8 Digit Electronic Read, Pre-Potted to a Nicor Series III Connector (Male End) with 25 Feet of Wire, Neptune Part No. RPH2G11S2505 (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-1495-4	Register, Pro-Read for 3/4", UI1203, Neptune T10 Positive Displacement Meter, Also fits low side of 4" Neptune Tru/Flo Compound meter, 8 Digit Electronic Read, Pre-Potted to a Nicor Series III Connector (Male End) with 25 Feet of Wire, Neptune Part No. RPH2G21S2505 (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-1497-0	Register, Pro-Read for 1", UI1203, Neptune T10 Positive Displacement Meter, Also fits low side of 6" Neptune Tru/Flo Compound meter and low side of 6" Neptune Protectus FM meter, 8 Digit Electronic Read, Pre-Potted to a Nicor Series III Connector (Male End) with 25 Feet of Wire, Neptune Part No. RPH2G31S2505 (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-1498-0	Register, For 3/4" Neptune T10 Meter, Direct Read, Neptune Part No. R82G22	EA
6680-1498-1	Gasket, Bottom, For 1/4" Neptune T10 Meter, Neptune Part No. 8340-034	EA
6680-1498-2	Chamber, Complete, For 3/4" Neptune T10 Meter, Neptune Part No. 9826-200	EA
668014983	Bottom Cap Liner For 3/4" Neptune T10 Meter (Rebuilt Models Used As FH Meters, Neptune Part No. 9832-001	EA
668014984	Bottom Cap For 3/4" Neptune T10 Meter (Rebuilt Models Used As FH Meters) Neptune Part No. 9833-010	EA
6680-1519-1	Seal, 5/8 – 430, HERSEY, # 51089P030	EA
6680-1521-7	Seal, 3/4", HERSEY # 42710P034	EA
6680-1522-5	Reg. 4" MFM 2, # 51604G171	EA
6680-1523-3	Seal, 1", HERSEY # 42710P052	EA
6680-1526-6	Register, 2" HER #51604G001 (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	
6680-1740-3	Gasket, Maincase, for 1-1/2" Sensus Model SR Meter, Sensus Part ILL. 8	EA
6680-1741-1	Chamber, Complete, for 1 1/2" Sensus Model SR Meter, Sensus Part ILL#9A	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-1742-9	Strainer Screen, for 1 1/2" Sensus Model SR Meter, Sensus Part ILL.16A	EA
6680-1743-7	Register for 1-1/2" Sensus Model SR TRPL Meter, Pre-Potted to a Pit Pad with 25 Feet of Wire (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-1744-5	Bolts for Top Case of 1-1/2" Sensus Model SR Meter, Sensus Part ILL.6C	EA
6680-1745-2	Gasket, Maincase, for 2" Sensus Model SR Meter, Sensus Part ILL.#8	EA
6680-1746-0	Chamber, Complete, for 2" Sensus Model SR Meter, Sensus Part ILL#9A	EA
6680-1747-8	Strainer Screen, for 2" Sensus Model SR Meter, Sensus Part ILL#16A	EA
6680-1748-6	Register for 2" Sensus Model SR TRPL Meter, Pre-Potted to a Pit Pad with 25 Feet of Wire (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-1749-4	Bolts for Top Case of 2" Sensus Model SR Meter, Sensus Part ILL#6C	EA
6680-1754-4	Chamber, Rock, Ill., #75A, 2", SRH	EA
6680-1758-5	Register, Rock, Ill., 3A SRH 2-3" (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-1760-1	Valve, Rock, Ill.#46, SRH	EA
6680-1762-7	Cover, Rock, Ill. #46, SRH 2" (D)	EA
6680-1764-3	Oil, COORD., 1-pt, Ill. # 25, SRH	EA
6680-1766-8	Screw, Rock Ill., #34, SRH 2"	EA
6680-1770-0	Screw, Rock, ILL # 41, SRM 2" (D)	EA
6680-1772-6	Screw, Rock Ill., # 9, SRH 2"	EA
6680-1790-8	Hinge Pin, Rock Ill., # 2, SRH 2"	EA
6680-1794-0	Shaft, Rock Ill., # 56 SRH	EA
6680-1798-1	Bushing, Rock Ill., #2, SRH 2"	EA
6680-1806-2	Screw, Rock ILL #38m SRH 2" (D)	EA
6680-1808-8	Guide, Ill., # 80, SRM 2" (D)	EA
6680-1814-6	Cover, Rock Ill., #1, SRH 2"-6"	EA
6680-1824-5	Screw, Rock Ill., # 4, SRH 2"-6"	EA
6680-1828-6	Half Cup, Reg., Rock Ill., #8, SRH	EA
6680-1832-8	Gasket, Rock Ill., # 6 SRH 2"	EA
6680-1834-4	Test Plug, Rock Ill., # 42 SRH 2"	EA
6680-1836-9	Nut, Main Rock, Ill., #97 SRM 2 (D)	EA
6680-1838-5	Stud, Rock Ill., # 96, SRM 2" (D)	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-1842-7	Shaft, Rock Ill., # 24, SRH, 2"	EA
6680-1844-3	"O" Ring, Rock Ill., # 20 SRH 2"	EA
6680-1887-2	Cover, Rock ILL # 10 SRH 4" (D)	EA
6680-1888-0	Lens Cover, Rock Ill., # 5 SRH 4"	EA
6680-1889-8	P.D. Gasket Rock ILL # 6 SRH 4" (D)	EA
66801890-6	Plug, Rocl ILL # 10 A SRH 2" (D)	
6680-1891-4	Magnet, Rock III, # 13, SRH 2"	EA
6680-1893-0	Screw, Rock III, # 18 SRH 2"	EA
6680-1895-5	Screw, Rock Ill., #21 SRH 2"	EA
6680-1896-3	Screw, Rock Ill., # 26 SRH 2"	EA
6680-1906-0	Screw, Rock Ill., # 69 SRH 4"	EA
6680-1907-8	Nut, Rock Ill., #33 SRH 2"	EA
6680-1909-4	Housing, Rock Ill., #35B, 4' SRH	EA
6680-1911-0	Bearing, Rock Ill., 336 SRH 2"	EA
6680-1912-8	Bearing, Rock Ill., #36 SRH 3"	EA
6680-1913-6	Screw, Rock Ill., #38, SRH 3"	EA
6680-1914-4	Screw, Rock Ill., #38 SRH 4"	EA
6680-1915-1	Magnet Pin, Rock Ill., # 39 SRH	EA
6680-1916-9	Bushing, Rock Ill., # 40 SRH 2"	EA
6680-1917-7	Bushing, Rock Ill., #40 SRH 4-6"	EA
6680-1919-3	Plate, Rock, Ill., # 41B, 3" SRH	EA
6680-1920-1	Plate, Rock Ill., # 41B SRH 4"	EA
6680-1924-3	Screw, Rock Ill., #49 SRH 4"-6" (D)	EA
6680-1925-0	Support, Rock Ill., #51A, SRH 2"	EA
6680-1729-2	Spacer, Rock Ill., # 53 SRH 4"	EA
6680-1930-0	Magnet, Rock Ill., # 55 SRH 4"	EA
6680-1934-2	Washer, Rock Ill., # 58 SRH 4"	EA
6680-1935-9	Ring, Rock Ill., # 59 SRH 4"	EA
6680-1946-6	Nut, Rock Ill., # 63 SRH 2"	EA
6680-1949-0	Ball Seat Rock Ill., #64 SRH 2 "	EA
6680-1950-8	Screw, Rock Ill., # 74 SRH 2"	EA
6680-1999-5	Gasket, Rock Ill., # 89 SRM 2" (D)	EA
6680-2002-7	Shell, Rock Ill., #21 SRM 2' (D)	EA
6680-2004-3	Gasket, Rock Ill., #72 SRH 2"	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-2006-8	Gasket, Rock Ill., # 72, 3' SRH	EA
6680-2010-0	Chamber, Rock, Ill., #23B, SRH 2	EA
6680-2016-7	Chamber, Rock, Ill., # 23B SRH 3"	EA
6680-2017-5	Seat, Rock, Ill., # 73 23B SRH 3'	EA
6680-2018-3	Chamber, Rock Ill., #75B, 3" SRH	EA
6680-2019-1	Valve Rock Ill., # 46, SRH 3'	EA
6680-2030-8	Shaft Rock Ill., # 90 SRH 2"-3"	EA
6680-2032-4	Lens, Rock Ill., # 11, SRH 2"-6"	EA
6680-2034-0	Ring, Rock, Ill., #12, SRH 2"-6"	EA
6680-2036-5	Cover, Rock, Ill., #5, SRH 2' - 3"	EA
6680-2040-7	Spacer, Rock Ill., #53, SRH 3'	EA
6680-2042-3	Shaft Rock Ill., #56, SRH 3' COMP	EA
6680-2044-9	Washer, Rock , Ill., #58 SRH 2"-	EA
6680-2046-4	Ring, Rock Ill., #59, SRH 2"	EA
6680-2052-2	Shaft, Rock, Ill., #47 SRH 3"	EA
6680-2054-8	Shaft, Rock Ill., #43, SRH 2"	EA
6680-2056-3	Shaft, Rock Ill., # 43 SRH 3"	EA
6680-2058-9	Bushing, Rock Ill., # 45 SRH 2"	EA
6680-2060-5	Roller, Rock Ill., #66 SRH 2'-3'	EA
6680-2062-1	Screw, Rock Ill., #76 SRH 2"	EA
6680-2068-8	Bushing, Rock Ill., #48 SRH 2"	EA
6680-2069-6	Plug, Rock ILL # 42 SRH 3" (D)	EA
6680-2072-0	Coordinator, Rock Ill., # 19A SRH 2'	EA
6680-2076-1	Seat, Rock Ill., #73 SRH 2"	EA
6680-2404-5	Register, Rock Ill., #3A SRH 4" (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-2406-0	Gasket, Rock Ill., #72 SRH 4"	EA
6680-2410-2	Valve Rock Ill., #46 , SRH 4"	EA
6680-2412-8	Chamber, Rock Ill., #75B	EA
6680-2414-4	Shaft, Rock Ill., #24 , SRH 4"	EA
6680-2416-9	Shaft, Rock Ill., #47, SRH 4"	EA
6680-2420-1	Cage, Rock Ill., #54 , SRH 4"	EA
6680-2422-7	Bushing, Rock Ill., #27, SRH 4"	EA
6680-2425-0	Roller, 4' SRM, Rock Ill., #38	EA



**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-2426-8	Valve Guide, Rock Ill., #65 SRH, 4'	EA
6680-2429-2	Gear, U.S. Gals, Rock # W59	EA
6680-2430-0	Gear, U.S. Gals, Rock # A32	EA
6680-2431-8	Gear, U.S. Gals Rock #A33	EA
6680-2432-6	Gear, U.S. Gals Rock #A34	EA
6680-2433-4	Gear, U.S. Gals Rock # A35	EA
6680-2434-2	Gear, U.S. Gals Rock # A36	EA
6680-2435-9	Gear, U.S. Gals Rock #A37	EA
6680-2436-7	Gear, U.S. Gals Rock # A38	EA
6680-2445-8	Gear, U.S. Gals Rock # M21	EA
6680-2446-6	Gear, U.S. Gals Rock # M22	EA
6680-2447-4	Gear, U.S. Gals Rock # M23	EA
6680-2448-2	Gear, U.S. Gals Rock # M24	EA
6680-2449-0	Gear, U.S. Gals Rock # M25	EA
6680-2460-7	Gear, U.S. Gals Rock # T72	EA
6680-2461-5	Gear, U.S. Gals Rock # T 74	EA
6680-2462-3	Gear, U.S. Gals Rock # T 75	EA
6680-2463-1	Gear, U.S. Gals Rock # T76	EA
6680-2464-9	Gear, U.S. Gals Rock # T 77	EA
6680-2465-6	Gear, U.S. Gals Rock # T 78	EA
6680-2474-8	Gear., U.S. Gals Rock # W51	EA
6680-2475-5	Gear, U.S. Gals Rock # W 52'	EA
6680-2476-3	Gear, U.S. Gals Rock # W54	EA
6680-2477-1	Gear, U.S. Gals Rock # W 55	EA
6680-2478-9	Gear, U.S. Gals Rock # W 56	EA
6680-2479-7	Gear, U.S. Gals Rock # X54	EA
6680-2480-5	Gear, U.S. Gals Rock # X55	EA
6680-2481-3	Gear, U.S. Gals Rock # X56	EA
6680-2482-1	Gear, Gals Rock # X 57	EA
6680-2483-9	Gear, Gals Rock # X 58	EA
6680-2484-7	Gear, U.S. Gals Rock # X59	EA
6680-2485-4	Gear, U.S. Gals Rock # C-35	EA
6680-2486-2	Gear, U.S. Gals Rock # C-36	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-2487-0	Gear, U.S. Gals Rock # C-37	EA
6680-2488-8	Gear, U.S. Gals Rock # C38	EA
6680-2489-6	Gear, U.S. Gals Rock # C39	EA
6680-2490-4	Gear, U.S. Gals Rock # C40	EA
6680-2491-2	Gear, U.S. Gals Rock # C41 (D)	EA
6680-2492-0	Gear, U.S. Gals Rock # K-19	EA
6680-2493-8	Gear, U.S. Gals Rock # K-20	EA
6680-2494-6	Gear, U.S. Gals Rock #K-22	EA
6680-2495-3	Gear, U.S. Gals Rock # K23	EA
6680-2496-1	Gear, U.S. Gals Rock # S25	EA
6680-2497-9	Gear, U.S Gals Rock # S26	EA
6680-2498-7	Gear, U.S Gals Rock # S 27	EA
6680-2499-5	Gear, U.S. Gals Rock # S-28	EA
6680-2500-0	CHAM, Rock Ill., #23B SRH , 4”	EA
6680-2501-8	Gear, U.S. Gals Rock #S-29	EA
6680-2503-4	Gear, U.S. Gals Rock # S-30	EA
6680-2504-2	Coordinator, Ill., # 19A 4” SRH	EA
6680-2505-9	Coordinator, Ill., #19A 3’ SRH	EA
6680-2506-7	Seat, Rock Ill., #73 SRH 4’	EA
6680-2507-5	Gear, U.S. Gallons, Rock # L-44	EA
6680-2509-1	Gear, U.S. Gals Rock 3L-45	EA
6680-2510-9	Gear, U.S. Gals Rock #L-46	EA
6680-2511-7	Gear, U.S. Gals Rock # H-42	EA
6680-2519-0	Gear, Rock, #H-43	EA
6680-2523-2	Gear, U.S. Gals, Rock, 3H-44	EA
6680-2524-0	Gear, U.S. Gallons, Rock # H-44	EA
6680-2525-7	Gear, U.S. Gallons Rock #W- 31	EA
6680-2526-5	Gear, U.S. Gallons, Rock #W-32	EA
6680-2527-3	Gear, U.S. Gals Rock # W-34	EA
6680-2528-1	Gear, U.S. Gals Rock # W-35	EA
6680-2529-9	Gear, U.S. Gals Rock # W-29	EA
6680-2532-3	“Q” Ring Rock Ill., #20 SRH 4	EA
6680-2534-9	Drive Dog, Rock Ill., #91 SRH 4	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-2538-0	Magnet Pin, Rock Ill., #39 SRH 4	EA
6680-2544-8	Gear, Rock Ill., # 37 SRH 4	EA
6680-2546-3	Gear, Rock Ill., #29 SRH 4'	EA
6680-2548-9	Bushing, Rock Ill., #45 SRH 4"	EA
6680-2550-5	Bushing Rock Ill., # 48	EA
6680-2552-1	Shaft Rock, Ill., #93 SRM 4"	EA
6680-2554-7	Bushing Rock Ill., #27 SRM 4"	EA
6680-2556-2	Driving Dog Rock Ill., #28 SRM	EA
6680-2558-8	Rivet Rock Ill., #29 SRM 4"	EA
6680-2559-6	ECR Cover, Rock Ill., #3	EA
6680-2560-4	Screw, Rock Ill., #30 SRM 4"	EA
6680-2561-2	Screws, Rock Ill., #5 E.C.R.	EA
6680-2564-6	Screw Rock Ill., #40 SRM 4"	EA
6680-2566-1	Strainer Rock Ill., #42 SRM 4"	EA
6680-2568-7	Plate Rock Ill., #36 SRM 4"	EA
6680-2570-3	Bushing, Rock Ill., #88 SRH 4"	EA
6680-2572-9	Screws, Reg., Rock Ill., #4 TTR	EA
6680-2574-5	Label 5/8 Rock #37 GTR	EA
6680-2576-0	Label 3/4" Rock Ill., #7 GTR	EA
6680-2590-1	Inlet Hub ASSY., HERSEY # 51387	EA
6680-2700-6	Reg., Rock Ill., #4 125-W 3- 3/8"	EA
6680-2701-4	Chamber (similar to UME) for 3" Rockwell/Sensus Model no. 125-W Fire Hydrant Meter	EA
6680-2703-0	Check (Techno) valve replacement kit for 3" sensus/Rockwell model 125-W fire hydrant meter	EA
6680-2706-3	Housing Rock Ill., #29 125-W (D)	EA
6680-2708-9	Housing Rock Ill., #31 125-W (D)	EA
6680-2712-1	Gasket Rock Ill., #37 125-W	EA
6680-2716-2	Cover 3 3/8 Dia. Rock Ill., #2	EA
6680-2718-8	Pin, Rock Ill., # 3 125-W Turbo	EA
6680-2720-4	Gasket, Rock ILL, 35, 125-W (D)	EA
6680-2722-0	"O" Ring, Rock Ill., #6 125-W	EA
6680-2726-1	Vane, Rock Ill/. #9 125-W Turbo (D)	EA
6680-2728-7	Cap Rock Ill., # 10 125-W Turbo (D)	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-2730-3	Cock Nut, Rock, ILL #11 125W (D)	EA
6680-2732-9	Lock Washer, Rock ILL # 12 125 (D)	EA
6680-2734-5	Locking Nut, Rock ILL # 13 125 W (D)	EA
6680-2740-2	Screw, Rock ILL # 20 125 W (D)	EA
6680-2742-8	Shaft Rock Ill., #21 125-W	EA
6680-2744-4	“O” Ring Rock Ill., #22 125-W	EA
6680-2746-9	Plate Rock Ill., #23 125- W	EA
6680-2748-5	“O” Ring, Rock Ill., #24, 125-W	EA
6680-2750-1	Nut Rock Ill., #25, 125-W	EA
6680-2752-1	Nut, Rock, ILL #28, 125 W (D)	EA
6680-2754-3	“O” Ring, Rock ILL #28 125 W (D)	EA
6680-2756-8	Screw, Rock Ill., #32 125-W	EA
6680-2758-4	66LVE, Rock, ILL #46, 125 W (D)	EA
6680-2760-0	Screw, Rock, ILL #48, 125 W (D)	EA
6680-2762-6	Lock Nut, Rock, ILL # 49, 125 W (D)	EA
6680-2782-4	Gasket, Rock Ill., #58, 125-W	EA
6680-2809-5	Top Case O Ring, HERSEY #98408	EA
6680-2810-3	Reg. 2 7/8” Dia Rock Ill., # 1A	EA
6680-2812-9	Pin, Reg., Rock Ill., #2, 1 ½ SR	EA
6680-2814-5	Gasket, Reg. Rock ILL # 4 SR (D)	EA
6680-2818-6	Screw, Cap Main Case Rock # 6	EA
6680-2820-2	Div. Plate Rock Ill., #11 1 ½	EA
6680-2826-9	Nut. Rock Ill., #20 1 ½ SR	EA
6680-2829-3	Reg., 2 7/8” Dia. ¾ SR Ill., # 3 (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-2832-7	COORD., Rock , Ill., # 19A SRM 4” (D)	EA
6680-2859-0	Ring, Strainer, HERSEY, # 51383	EA
6680-2904-4	Turbine Head, 6” USG., KENT	EA
6680-2990-3	Bolt, Rock Ill., # 68 SRH 2”	EA
6680-2991-1	Nut, Rock Ill., #67 SRH 2”	EA
6680-2992-9	Bolt, Rock Ill., #68 SRH 3”	EA
6680-2993-7	Nut, Rock Ill., #67 SRH 3”	EA
6680-2994-7	Bolt, Rock Ill., # 68, SRH 3”	EA
6680-2995-2	Bolt, 5/8 1 1/2” HERSEY, # 90134	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-2996-0	Bolt, 5/8 11 x 3 3/4", HERSEY, #90135	EA
6680-2997-8	Bolt, 3/4 10 x 3, HERSEY, # 90139	EA
6680-2998-6	Bolt, 3/4 10 x 3 1/2" HERSEY, # 90342	EA
6680-2999-4	Nut, 5/8"-11, HERSEY # 90251	EA
6680-3000-0	Nut, 3/4"-10", HERSEY # 90301	EA
6680-3001-8	Bolt, 2" CT, HERSEY # 90025	EA
6680-3002-6	Nut, 2" CT, HERSEY # 90027	EA
6680-3003-4	Case Bolt, 3' CT, HERSEY # 90043	EA
6680-3004-2	Case Nut 3'CT, HERSEY # 90044	EA
6680-3008-3	Bolt & Nut, 6' FM, HERSEY # 90152	EA
6680-3009-1	Case Bolt, 6'CT, HERSEY # 90153	EA
6680-3010-9	Case Bolt, 4" FM, HERSEY # 90157	EA
6680-3012-5	Case Nut, 3-6" CT, HERSEY # 90159	EA
6680-3013-3	Bolt & Nut, 6" HERSEY # 90163	EA
6680-3014-1	Bolt, 3", HERSEY # 90166	EA
6680-3015-8	Case Bolt, 3" CT, HERSEY # 90185	EA
6680-3017-4	Case Bolt, 4" CT HERSEY, # 90217	EA
6680-3018-2	Case Nut, 4"CT, HERSEY, # 90219	EA
6680-3019-0	Bolt & Nut 4", HERSEY # 90263	EA
6680-3020-8	Bolt & Nut 6", HERSEY # 90267	EA
6680-3021-6	Bolt & Nut 8", HERSEY # 90313	EA
6680-3022-4	Bolt & Nut 6" , HERSEY, #90317	EA
6680-3023-2	Case Nut, 6" CT, HERSEY, # 90336	EA
6680-3024-0	Bolt & Nut 4", HERSEY # 90202	EA
6680-3110-7	Reg., 2" BAD. # 57577-00300	EA
6680-3111-5	Head ASSY., 2" BAD # 5892-00100	EA
6680-3113-1	Gasket 2" , BAD # 34899-00300	EA
6680-3114-9	Cone, 2" BAD # 57341-00100	EA
6680-3118-0	Ring, 2" BAD., # 22886-01300	EA
6680-3119-8	"O" Ring 2" BAD, # 55300-11000	EA
6680-3120-6	Nut, 2" BAD., # 55006-03500	EA
6680-3121-4	LOCKWASHER, 2", BAD., #55283-008	EA
6680-3122-2	TETRASEAL, 2" BAD., # 22886-01300	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-3123-0	Bolt, 2" BAD., #55030-16600	EA
6680-3124-8	Plate 2", BAD., #34877-00100	EA
6680-3125-5	Nut, B.P., 2" BAD. # 34870-00100	EA
6680-3126-3	"O" Ring, 2" BAD #55300-02200	EA
6680-3127-1	Ring, 2" BAD. #34869-00100	EA
6680-3128-9	Valve, 2" BAD., # 34869-00100	EA
6680-3129-7	Vane, 2" BAD., # 56083-00100	EA
6680-3130-5	Vane, 2" BADGER # 56084-00100	EA
6680-3131-3	Ring, 2" BAD., #34900-00200	EA
6680-3205-5	Plate, 5/8" Rock Ill., # 21B SR (D)	EA
6680-3206-3	Plate, 3/4", Rock Ill., # 21B SR	EA
6680-3218-8	Washer, 6", KENT #2290M3162	EA
6680-3221-2	Support, 6", KENT # MHF 4001	EA
6680-3222-0	Pin, 6", KENT , #2287M3257	EA
6680-3223-0	Wheel, 6", KENT #MKP 36	EA
6680-3224-6	Shaft, 6" , KENT #MHR 4	EA
6680-3225-3	Pinion, 6', KENT #MKP 3	EA
6680-3226-1	Clip, 6', KENT #MHA 12	EA
6680-3227-9	Screw, 6" KENT, # 2220M3206	EA
6680-3228-7	Screw, 6" KENT, # 2220M3201	EA
6680-3230-3	Liner, 3/4" Rock ILL # 20 SR (D)	EA
6680-3251-9	Chamber, Rockwell, Ill., 12A, 3 SR	EA
6680-3258-4	Register, Badger # 58550-00500	EA
6680-3500-9	Nut Seal, 5/8" Brooks # 836005	SE
6680-3501-7	Nut Seal, 3/4" Brook # 8360010	SE
6680-3502-5	Nut Seal, 1", Brooks # 8360020	SE
6680-3604-0	Valve, Detector Check, 4"	EA
6680-3608-0	Valve, Detector Check, 6"	EA
6680-3608-0	Valve, Detector Check, 8"	EA
6680-7010-5	Expansion Connection, 5/8"	EA
6680-7015-4	Expansion Connection, 3/4"	EA
6680-7020-4	Expansion Connection, 1"	EA
6680-7062-6	Replaced by 6680-7063-4	PR

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-7063-4	Adapter, 3/4" Meter Yoke x 5/8" Meter (2 required)	EA
6680-7064-2	Adapter, 3/4" Meter Yoke x spud (5/8" x 3/4") Meter	EA
6680-7110-3	Breaker, Vacuum, No. * 3/4" HT	EA
6680-8633-3	Top Case, HERSEY #51381	EA
6680-8903-8	Flanged Steel Pipe Spools, Epoxy Coated And Lined, Provided With A 2" FNPT Boss, 3" Diameter, Length=11.75", Use With Octave Meter Replacing 3"Compound	EA
6680-8904-6	Flanged Steel Pipe Spools, Epoxy Coated And Lined, Provided With A 2"FNPT Boss, 4"Diameter, Length=14.75", Use With Octave Meter Replacing 4"Compound	EA
6680-8905-0	Flanged Steel Pipe Spools, Epoxy Coated And Lined, Provided With A 2" FNPT Boss, 6" Diameter, Length=18.25", Use With Octave Meter Replacing 6"Compound	EA
6680-8906-0	Flanged Steel Pipe Spools, Epoxy Coated And Lined, Provided With A 2" FNPT Boss, 4" Diameter, Length=18.75", Use With Octave Meter Replacing 4"FM	EA
6680-8906-1	Flanged Steel Pipe Spools, Epoxy Coated And Lined, Provided With A 2" FNPT Boss, 6" Diameter, Length=26.75", Use With Octave Meter Replacing 6"FM	EA
6680-8907-8	Flanged Steel Pipe Spools, Epoxy Coated And Lined, Provided With A 2" FNPT Boss, 8" Diameter, Length=32.75", Use With Octave Meter Replacing 8"FM	EA
6680-8910-3	Flanged Steel Pipe Spools, Epoxy Coated And Lined, Provided With A 2" FNPT Boss, 10" Diameter, Length=50", Use With Octave Meter Replacing 10"FM	EA
6680-9001-2	Ell, Angle, 5/8" Dia.	EA
6680-9002-0	Ell, Angle, 3/4" Dia.	EA
6680-9003-8	Ell, Angle, 1" Dia.,	EA
6680-9007-9	Ell, Angle, Galvanized, 5/8"	EA
6680-9008-7	Ell, Angle, Galvanized, 3/4"	EA
6680-9009-5	Ell, Yoke, w/ Female I.P.T.	EA
6680-9010-3	Ell, Angle, Flanged, 1-1/2"	EA
6680-9011-1	Ell, Angle, Flanged, 1-1/2" X 2"	EA
6680-9013-0	Valve, Angle, 3/4" ball size, 3/4" CTS Flare Connection on Bottom, For 5/8" Dia. meter	EA
6680-9013-1	Valve, Angle, 3/4" ball size, 1" CTS Flare Connection on Bottom, for 3/4" & 5/8" x3/4" Dia.	EA
6680-9013-1	Valve, Angle, 1"ball size, CTS Flare Connection on Bottom, for 1" Dia. Meters	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-9015-2	Valve, Angle, 3/4" ball size, 3/4" CTS Compression Connection on Bottom, For 5/8" Dia. meter	EA
6680-9016-0	Valve, Angle, 3/4" ball size, 1" CTS Compression Connection on Bottom, for 3/4" & 5/8" x3/4" Dia.	EA
6680-9017-8	Valve, Angle, 1"ball size, CTS Compression Connection on Bottom, for 1" Dia. Meters	EA
6680-9018-6	Valve, Angle, 1-1/2" ball size, 1-1/2" CTS Compression Fitting on Bottom, for 1-1/2" Dia. Meters	EA
6680-9019-4	Valve, Angle, 2" ball size, 2" CTS Compression Fitting on Bottom, for 1-1/2" & 2" Dia. Flanged Meters	EA
6680-9021-0	Valve, Angle, 3/4"ball size, 3/4" Female Pipe Thread (FPT) on Bottom, for 3/4" Meters	EA
6680-9022-8	Valve, Angle, 3/4"ball size, 3/4" Female Pipe Thread (FPT) on Bottom, for 5/8" Meters	EA
6680-9023-6	Valve, Angle, 3/4" ball size, 1" Female Pipe Thread (FPT) on Bottom, for 3/4" & 5/8"x3/4" Meters	EA
6680-9024-4	Valve, Angle, 1" ball size, 1" Female Pipe Thread (FPT) on Bottom, for 1" Meters	EA
6680-9027-7	Valve, Angle, Ball, 1-1/2" Female Pipe Thread (FPT) on Bottom	EA
6680-9028-5	Valve, Angle, Ball, 2" Female Pipe Thread (FPT) on Bottom	EA
6680-9029-3	Cover, Meter, 20" Dia, One of three-Piece monitor Frame and Cover Assem. (Available as stock No. 6680-9053-3) Not Traffic Rated, REF WSSC STD DTL w/5.8 and w/ 5.9	EA
6680-9032-7	Plug, Meter Cover Hole, W/Pin	EA
6680-9033-5	Cover, Meter, Small (9-3/16" Dia), Contains one Hole for One Remote Sensor, Traffic Rated, Fits Type A & C Frames	EA
6680-9034-3	Cover, Meter, Small (9-7/64" Dia), Contains One Hole for One Remote Sensor, <u>Not</u> Traffic Rated, Fits Type C Frame only	EA
6680-9035-0	Cover, Meter, Small (9-3/16" Dia), Contains Two Holes for Two Remote Sensors, Traffic Rated, Fits Type A & C Frames	EA
6680-9036-8	Cover, Meter, Large (12-39/64" Dia.), Contains One Hole for One Remote Sensor, Traffic Rated, Fits Type A & C Frames	EA
6680-9037-6	Cover, Meter, Large (12" Dia. Series), Contains One Hole for One Remote Sensor, <u>Not</u> Traffic Rated, Fits Type C Frame only	EA
6680-9038-4	Cover, Meter, Large (12" Dia. Series), Contains Two Holes for Two Remote Sensors, Traffic Rated, Fits Type A & C Frames	EA
6680-9039-2	Cover, Meter, Large (12" Dia. Series), Contains Two Holes for Two Remote Sensors, <u>Not</u> Traffic Rated, Fits Type C Frame only	EA
6680-9040-0	Frame, Meter, for Large Cover (12" Dia. Series), 15" Dia.	EA
6680-9041-8	Frame, Meter, for Large Cover (12" Dia. Series), 18" Dia.	EA



**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-9042-6	Frame, Meter, for Large Cover (12" Dia. Series.), 21" Dia.	EA
6680-9043-4	Frame, Meter for Large Cover (12" Dia. Series), 20" Dia, for use with 20"x24" Polyethylene Meter Housing (Stock No. 6680-9054-1)	EA
6680-9045-9	Extension Ring, (Adapter) For Use of 18" Meter Frame with 24" Meter Housing	EA
6680-9046-7	Adjusting Ring, Meter, For Large Cover (12" Dia. Series), 1-1/2" Height	EA
6680-9047-5	Frame, Meter (Monitor Ring), One of Three-Piece Monitor Frame and Cover Assm. (Available as Stock No. 6680-9053-3) Not Traffic Rated, REF WSSC STD DTL w/5.8 and w/5.9.	EA
6680-9048-3	Adjusting Ring, Meter, For Large Cover (12" Dia. Series), 3" Height	EA
6680-9049-1	Extension Ring, One of Three-Piece Monitor Frame and Cover Assembly (Available as Stock No. 6680-9053-3) Not Traffic Rated, REF WSSC STD DTL w/5.8 and w/5.9, for use with 30" Dia. Polyethylene Meter Housing (Stock No. 6680-9056-6)	EA
6680-9050-9	Horn, Meter, 5/8" Dia.	EA
6680-9051-7	Horn, Meter, 3/4" Dia.	EA
6680-9052-5	Horn, Meter, 1" Dia.	EA
6680-9053-3	Frame and Cover Assembly. Consisting of the following: 6680-9029-3, 6680-9047-5 and 6680-9049-1, Three-piece monitor frame and cover assembly, not traffic rated, ref WSSC Std Dtl w/5.8 and w/5.9 for use with 30" diameter Polyethylene meter housing (stock no.#6680-9056-6)	SE
6680-9054-1	Housing, Meter, Polyethylene, 24" Dia x 20" Top x 30" Height, fits 20" frame, Stock No. 6680-9043-4	EA
6680-9056-6	Housing, Meter, Polyethylene, 30" Dia X 30" Height, fits 30" frame & cover assembly Stock No. 6680-9053-3	EA
6680-9057-4	Housing, Meter, Polyethylene, 36" Dia X 36" Height, For use in Blow-off installations on 4" and 6" water mains in non-traffic areas per WSSC Standard Detail W/3.07	EA
6680-9058-2	Housing, Meter, Polyethylene, 22" Dia., 30" Height (for Replacements in Refurbishment of Existing Settings, Can Also be Used for Meter Transmitters, Fits 18" Frame, Stock No. 6680-9041-8)	EA
6680-9062-4	Housing, Meter, Concrete or Clay, 21" Dia. (D)	EA
6680-9064-1	Housing, Meter, Polyethylene, 24" Dia., fits 18" x 24" extension ring, s/n 6680-9045-9 & 18" frame, s/n 6680-9041-8 (D)	EA
6680-9065-7	Yoke, Meter, for 5/8" Meter	EA
6680-9065-9	Setter, for 3/4" Meter, for 1" Copper Tube Service	EA
6680-9066-5	Yoke, Meter, for 3/4" Meter	EA
6680-9066-9	Setter, for 1" Meter, for 1-1/2" Copper Tube Service	EA
6680-9067-0	Setter, for 1-1/2" Meter, for 2" Copper Tube Service	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-9067-3	Yoke, Meter, for 1" Meter	EA
6680-9067-5	Setter, for 2" Meter	EA
6680-9068-1	Meter Housing, Clay, 24" Dia. (D)	EA
6680-9068-6	Setter, for Double 3/4" Meters	EA
6680-9069-9	U-Branch, 1.5" Inlet x 3/4" Outlets, 7-1/2" Spacing	EA
6680-9070-7	U-Branch, 1" Inlet x 3/4" Outlets, 7-1/2" Spacing	EA
6680-9071-2	Setter, for Double 1" Meters	EA
6680-9072-3	Locknut, for 5/8" X 5/8" Meter	EA
6680-9101-0	Pad (Wall Mounted Receptacle), for Badger Inside Encoder Meters	EA
6680-9105-1	Pad (Pit Receptacle), Button Pit, for Neptune Outside Encoder Meters	EA
6680-9107-7	Pad (Wall Mounted Receptacle), for Neptune Inside Encoder Meters	EA
6680-9108-5	UME (Unified Measuring Element), for Neptune TRU-FLOW Compound Meter, 3"	AY
6680-9109-3	UME (Unified Measuring Element), for Neptune TRU-FLOW Compound Meter, 4"	AY
6680-9110-1	UME (Unified Measuring Element), for Neptune TRU-FLOW Compound Meter, 6"	AY
6680-9111-9	UME (Unified Measuring Element), for Neptune PROTECTUS FM (Fire Meter), 4"	AY
6680-9112-7	UME (Unified Measuring Element), for Neptune PROTECTUS FM (Fire Meter), 6"	AY
6680-9113-5	UME (Unified Measuring Element), for Neptune PROTECTUS FM (Fire Meter), 8"	AY
6680-9114-3	UME (Unified Measuring Element), for Neptune PROTECTUS FM (Fire Meter), 10"	AY
6680-9122-6	UME (Unified Measuring Element, Includes Register, Gasket, Cover, and Turbine Rotor Assembly), for Neptune HP (Horizontal) Turbine Meter, 8", Neptune Part # 9700-428	AY
6680-9200-0	Pad (Wall Mounted Receptacle), for Sensus Inside Encoder Meters	EA
6680-9481-6	Register, 1", Badger ADE, for Model 70 Disc (Positive Displacement) Meter, Programmed to transmit 6 wheels, potted to a Badger Orion Universal One (AMR) transmitter with 25 feet of wire. (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-9482-4	Register, 2-3", Badger ADE, for CP (Compound) Meter, Low Flow Side, Programmed to transmit 6 wheels, potted to a Badger Orion Universal One (AMR) transmitter with 25 feet of wire. (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-9483-2	Register, 3", Badger ADE, for CP (Compound) Meter, High Flow Side, Programmed to transmit 6 wheels, potted to a Badger Orion Universal One (AMR) transmitter with 25 feet of wire. (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-9484-0	Register, 4-6", Badger ADE, for CP (Compound) Meter, Low Flow Side, Programmed to transmit 6 wheels, potted to a Badger Orion Universal One (AMR) transmitter with 25 feet of wire. (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	
6680-9485-7	Register, 4", Badger ADE, for CP (Compound) Meter, High Flow Side, Programmed to transmit 6 wheels, potted to a Badger Orion Universal One (AMR) transmitter with 25 feet of wire. (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	
6680-9486-5	Register, 4", Badger ADE, for FSAA (Fire Service Assembly) Meter, High Flow Side, Programmed to transmit 6 wheels, potted to a Badger Orion Universal One (AMR) transmitter with 25 feet of wire. (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	
6680-9487-3	Register, 6", Badger ADE, for CP (Compound) Meter, High Flow Side, Programmed to transmit 6 wheels, potted to a Badger Orion Universal One (AMR) transmitter with 25 feet of wire. (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	
6680-9488-1	Register, 6", Badger ADE, for FSAA (Fire Service Assembly) Meter, High Flow Side, Programmed to transmit 6 wheels, potted to a Badger Orion Universal One (AMR) transmitter with 25 feet of wire. (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	
6680-9489-9	Register, 8", Badger ADE, for FSAA (Fire Service Assembly) Meter, High Flow Side, Programmed to transmit 6 wheels, potted to a Badger Orion Universal One (AMR) transmitter with 25 feet of wire. (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	
6680-9490-7	Register, 10", Badger ADE, for FSAA (Fire Service Assembly) Meter, High Flow Side, Programmed to transmit 6 wheels, potted to a Badger Orion Universal One (AMR) transmitter with 25 feet of wire. (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	
6680-9500-3	Register, Badger 1 ½" Model 120, for Badger 1-1/2" positive displacement meters for AMR installations, i.e., may be used to replace model 120 registers on Badgers meters of the following stock numbers: 6681-2110-6, 6681-2120-5, 6681-3004-6, and 6681-3007-3. (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-9500-7	Register, 2", Hersey MVR for AMR (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6680-9502-5	Register, Badger 2" Model 170, for Badger 2" positive displacement meters for AMR installations, i.e., may be used to replace model 170 registers on Badgers meters of the following stock numbers: 6681-2130-4 and 66813005-3. (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-9503-7	Register, 3", Hersey MVR for AMR (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-9504-5	Register, 4", Hersey MVR for AMR (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-9505-2	Register, 6", Hersey MVR for AMR (Note: Refer to face of dial of meter for determination of proper replacement register to be used.) (D)	EA
6680-9508-6	Register, 4-6", SENSUS CM, AMR (Note: Refer to face of dial of meter for determination of proper replacement register to be used.)	EA
6680-9510-2	Register (Badger Model No. 120 for Badger 1-1/2" positive displacement meters) with AMR Transmitter (B) S/N 6680-9500-3 and S/N 6680-0000-4	AY
6680-9512-8	Register (Badger Model No. 120 for Badger 2" positive displacement meters, only those which were manufactured with model 120 registers) with AMR Transmitter (B) S/N 6880-9501-1 and S/N 6680-0000-4	AY
6680-9514-4	Register (Badger Model No. 170 for Badger 2" positive displacement meters, may be used for replacement of model 170 registers only, not for replacement of model 120 registers) with AMR Transmitter (B) S/N 6680-9502-5 and S/N 6680-0000-4	AY
6680-9515-1	Register w/Trans AMR 2" MVR (H) S/N 6680-9500-7 and S/N 6680-0000-4	AY
6680-9516-9	Register w/Trans AMR 3" MVR (H) S/N 6680-9503-7 and S/N 6680-0000-4	AY
6680-9518-5	Register w/Trans AMR 4" MVR (H) S/N 6680-9504-5 and S/N 6680-0000-4	AY
6680-9520-1	Register w/Trans AMR 6" MVR (H) S/N 6680-9505-2 and S/N 6680-0000-4	AY
6680-9522-7	Register w/Trans AMR 2-3" CM (S) S/N 6680-0000-4	AY
6680-9526-8	Register w/Trans AMR 4-6" CM (S) S/N 6680-9508-6 and 6680-0000-4	AY
6681-1075-2	Meter 3/4", Outside (D)	EA
6681-1121-4	Meter, 1" BAD. MOD 70	EA
6681-1155-2	Meter, 1 - 1/2", FLANGED, W/ Plug	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6681-1160-2	Meter 1- ½", Nipple w/o Plug	EA
6681-1165-1	Meter 1 – ½", FLANGED, w/o Plug	EA
6681-1253-5	Meter, 2", Badger, Non-Standard Length (15.25"), Flanged, Programmed for AMR, provided with Orion Universal 1 transmitter, positive displacement encoder, includes test plug	EA
6681-1270-9	Meter 2" STD, 17"L w/Plug	EA
6681-1275-8	Meter 2", 17"L w/o Plug	EA
6681-2058-7	Meter 5/8", w/ Remote	EA
6681-2060-3	Meter 5/8" x ¾" w/ Remote	EA
6681-2075-1	Meter ¾" w/ Remote	EA
6681-2100-7	Meter 1", w/ Remote	EA
6681-2110-6	Meter, 1 ½", Standard Encoder (positive displacement), Flanged, for corrosion resistant flange bolting use s/n 5305-9262-5 (silicon bronze cap screw) in combination with s/n 5310-9162-7 (type A194 stainless steel nut), 2 foot length of wire (pigtail) potted to register	EA
6681-2120-5	Meter, 1 ½", female pipe thread (FPT), positive displacement encoder, 2 foot length of wire (pigtail) potted to register	EA
6681-2130-4	Meter, 2", Standard Encoder (positive displacement), Flanged, for corrosion resistant flange bolting use s/n 5305-9273-2 (silicon bronze cap screw) in combination with s/n 5310-9173-4 (type A194 stainless steel nut), 2 foot length of wire (pigtail) potted to register	EA
6681-2154-9	Meter, 5/8", positive displacement encoder, with 2 foot wire lead, wall pad included	EA
6681-2156-9	Meter, 5/8", positive displacement encoder, with 2 foot wire lead, potted to pit pad with 6 feet of wire.	EA
6681-2158-5	Meter, 5/8, positive displacement encoder, with 2 foot wire lead, new meter provided by the manufacturer or vendor as a replacement for a meter which failed under warranty	EA
6681-2160-1	Meter, 5/8" X ¾" (spud), positive displacement encoder, with 2 foot wire lead, wall pad included.	EA
6681-2175-9	Meter, ¾", positive displacement encoder, with 2 foot wire lead, new meter provided by the manufacturer or vendor as a replacement for a meter which failed under warranty.	EA
6681-2177-5	Meter, ¾", positive displacement encoder, with 2 foot wire lead, wall pad included.	EA
6681-2178-3	Meter, ¾", positive displacement encoder, potted to pit pad with 6 foot of wire.	EA
6681-2180-9	Meter, 1", positive displacement encoder, with 2 foot wire lead, new meter provided by the manufacturer or vendor as a replacement for a meter which failed under warranty.	EA
6681-2182-5	Meter, 1", positive displacement encoder, with 2 foot wire lead, wall pad included.	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6681-2184-1	Meter, 1", positive displacement encoder, potted to pit pad with 6 feet of wire	EA
6681-3007-3	Meter, 1 ½", Female Pipe Thread (FPT), positive displacement encoder, programmed for AMR but AMR transmitter is NOT included, with 2 foot wire lead	
6681-8203-3	Meter, 3", Hersey MVR (vertical turbine), programmed for AMR, MVR 350 (Hersey), with 2 foot wire lead	EA
6681-8204-1	Meter, 4", Hersey MVR (vertical turbine), programmed for AMR, MVR 650 (Hersey), with 2 foot wire lead	EA
6681-8206-6	Meter, 6, Hersey MVR (vertical turbine), programmed for AMR, MVR 1300 (Hersey), with 2 foot wire lead (D)	EA
6681-8330-4	Meter, 3", Turbine, Horizontal, length w/strainer = 24", potted to pit pad with 25 feet of wire	EA
6681-8340-3	Meter, 4", Turbine, Horizontal, length w/strainer = 29", potted to pit pad with 25 feet of wire	EA
6681-8360-1	Meter, 6", Turbine, Horizontal, length w/strainer = 36.5", potted to pit pad with 25 feet of wire	EA
6681-8563-0	Meter, 6" x 36-½ ", compound, (old Hersey model).	EA
6681-8571-3	Meter, 3", Compound, total length = 24", provided with a 25 foot length of wire potted to the register, includes corrosion resistant bolting and matching companion flanges, test plug included.	EA
6681-8575-4	Meter 4", Compound, total length = 29", provided with a 25 foot length of wire potted to the register, includes corrosion resistant bolting and matching companion flanges, test plug included.	EA
6681-8577-0	Meter 6", Compound, total length = 36.5", provided with a 25 foot length of wire potted to the register, includes corrosion resistant bolting and matching companion flanges, test plug included.	EA
6681-8603-2	Meter, Fire Hydrant, 3" (Note: Use WSSC Stock No. 6680-1161-2 for replacement Measuring Element Assembly) (Note: for replacement of check valves on Badger fire hydrant meter assemblies, use WSSC Stock No. 6680-1174-5)	EA
6681-8720-6	Meter, DC 2"	EA
6681-8730-5	Meter, DC 3"	EA
6681-8760-2	Meter, DC 6"	EA
6681-8795-8	Meter, DC, 10" x 12"	EA
6681-8840-2	Meter, 4", Fire (FM), total length = 33", provided with a 25 foot length of wire potted to the register, test port equipped with adapters and ball valve included, includes corrosion resistant bolting and matching companion flanges, (2wall pads also included)	EA
6681-8860-0	Meter, 6" Fire (FM), total length = 45", provided with a 25 foot length of wire potted to the register, test port equipped with adapters and ball valve included, includes corrosion resistant bolting and matching companion flanges, (2wall pads also included)	EA

## **Washington Suburban Sanitary Commission MATERIALS CATALOG**

6681-8880-8	Meter, 8" Fire (FM), total length = 53", provided with a 25 foot length of wire potted to the register, test port equipped with adapters and ball valve included, includes corrosion resistant bolting and matching companion flanges, (2wall pads also included)	EA
6681-8890-7	Meter, 10" Fire (FM), total length = 68", potted to pit pad with 25 feet of wire, test port equipped with adapters and ball valve included, includes corrosion resistant bolting and matching companion flanges, (2wall pads also included)	EA
6681-8901-2	Meter, 1", Ultrasonic, Length=10.75"	EA
6681-8903-8	Meter, 3", Compound, Ultrasonic, Length=24"	EA
6681-8904-6	Meter, 4", Compound, Ultrasonic, Length=29"	EA
6681-8905-0	Meter, 6", Compound, Ultrasonic, Length=36.5"	EA
6681-8906-0	Meter, 4", Fire Service, Ultrasonic, Length=33"	EA
6681-8906-1	Meter, 6", Fire Service, Ultrasonic, Length=45"	EA
6681-8908-7	Meter, 8", Fire Service, Ultrasonic, Length=53"	EA
6681-8910-3	Meter, 10", Fire Service, Ultrasonic, Length=68"	EA

### PRESSURE GAUGE FOR FIRE HYDRANT

6685-0005-1	Gauge, Pessure, for Fire Hydrants, with bleeder valve, Provided with 2-1/2" female NST connection, handle for placement and removal, liquid filled gauge with 1% accuracy, rated for 200 psi maximum	EA
-------------	--	----

### PRESSURE GAUGE, 0-100 PSI

6685-0005-2	Gauge, Pessure, Range: 0-100 PSI, 1/4" Male NPT Connection, Liquid Filled, Wetted Parts: 316 Stainless Steel, Rated for Minimum 98%	EA
-------------	---	----

### LEAK DETECTORS, PIPE AND TUBING LOCATORS, AND FERROMAGNETIC LOCATORS

6695-0005-0	Sonoscope Leak Detector (listening device for leak detection and pinpointing)	EA
6695-0010-0	Geophone Leak Detector, Composed of sounding discs (microphones) connected to stethoscope type listening device by hoses, provides for identification of location of leaks via diferentiated sound between discs, Wooden storage box included, Note that this item will be only ordered on request (it will not be kept in stock), (FF)	EA
6695-0020-9	Locator, Pipe And Tubing, Vivax-Metrotech Model No. VM-810, (D)	EA
6695-0022-5	Locator, Pipe and Tubing, Radiodetection (RD) Model No. 10/5100160-KIT-H-US, (D)	EA
6695-0025-8	Detector, Ferromagnetic, Schonstedt Part No. Maggie (Schonstedt Maggie Extendable Ferromagnetic Metered Locator), (D)	EA
6695-0027-4	Detector, Ferromagnetic, Vivax Metrotech Model No. VM-880, (D)	EA

### CHEMICALS

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6810-5100-9	Chlorine Pillows 5 ML. Sample (H)	BX
6810-1201-9	Stabilizer, Gasoline, 4 OZ (H)	CO
6812-9010-2	Dechlorination Tablets (Sodium Sulfite, Na <sub>2</sub> SO <sub>3</sub> ), Containing a Minimum of 92% Sodium Sulfite, Provided in 44-52 Lb. Containers	CO
6812-9020-1	Calcium Hypochloride, 5 lb. (HTH) (H)	CO
6812-9050-8	Limestone, Pelletized, 40 Lb. Bag (H)	BG
6812-9060-7	Hydrated Lime, 50 Lb Bag (H)	BG

DE-ICERS

6814-9010-8	Calcium Chloride(for use as ice melt-deicer), 50 lb. (H)	BG
6814-9020-7	Rock Salt, for De-icing, 50 lb. (H)	BG

RODENTICIDE

6838-8000-9	Rodenticide (H)	BX.
-------------	-----------------	-----

DYE TABLETS

6820-0001-3	Dye Tablet, Yellow/ Green, Fluorescent, NSF, 200 Tablets per Package	PK
6820-0003-0	Dye Tablet, Red, Fluorescent, NSF, 200 Tablets per Package	PK
6820-0005-4	Dye Tablet, Blue, for Toilet Leak Detection, NSF, Contents of Box: 100 packets of 2 tablets (for 2 tests) and 100 Instruction Cards	BX

PEST CONTROL AGENTS

6840-9001-2	Spray, Insect, Aerosol (H)	CN
6840-9002-0	Spray, Wasp, Aerosol (H)	CN
6840-9003-8	Repellent, insect, deep woods off, for clothing (H)	CN

SILICON SPRAY FOR ELECTRICAL PARTS

6850-0013-5	Silicone spray for electrical parts (H)	CN
-------------	---	----

DEGREASER

6855-0200-7	Sewer Grease Solvent, 5-gallon, Biodegradeable, Non-Petroleum Based, for use in any Sewer Jet Trucks, (H)	EA
-------------	---	----

DRAIN CLEANING TOOLS AND ACCESSORIES (NOTE:  
ACCESSORIES CAN ALSO BE USED WITH THE RIDGID  
HAND CRANK WHICH IS NOT A WSSC STOCK ITEM) FOR  
THE RIDGID K-1000 RODDER MACHINE AND THE RIDGID K-  
1500 SECTIONAL DRAIN CLEANING MACHINE

6855-0201-2	Augar, Funnel Retrieving, for use when machine is run in reverse, Tool for the Ridgid K-1500 Sectional Drain Cleaning Machine, Ridgid Model No. T-6 (Catalog No. 63195)	EA
-------------	---	----



**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

6855-0210-6	Coupling, Pin Key, Accessory for both the Ridgid K-1000 Rodder Machine and the Ridgid K-1500 Sectional Drain Cleaning Machine, Ridgid Model No. A-12 (Catalog No. 59225)	EA
6855-0211-4	Extra-Flexible Wind (Snake), (15 feet x 1-1/4") for the Ridgid K-1500 Sectional Drain Cleaning Machine, Ridgid Model No. C-14 (Catalog No. 62295)	EA
6855-0213-0	Leader (Stack Jumper), (1 1/4" x 25") for the Ridgid K-1500 Sectional Drain Cleaning Machine, Ridgid Model No. T-27 (Catalog No. 63090)	EA
6855-0214-8	Hose, Rear Guide, 12 Feet Long, Accessory for the Ridgid K-1500 Sectional Drain Cleaning Machine, Ridgid Model No. A-34-12 (Catalog No. 59395)	EA
6855-0215-5	Augar, Straight, Tool for the Ridgid K-1500 Sectional Drain Cleaning Machine, Ridgid Model No. T-1 (Catalog No. 62840)	EA
6855-0220-5	Rod, Solid Sectional, 10 Feet Long, with male x female couplings, for the Ridgid K-1000 Rodder Machine, Ridgid Model No. A-2476 (Part No. 60365)	EA

HOUSEHOLD & COMMERCIAL UTILITY CONTAINERS

7240-9010-5	Bucket, 10 Qt.	EA
7240-9012-1	Bucket, 14 Qt.	EA
7240-9014-8	Bucket, Plastic, w/ Handle, 22-Qt.	EA
7240-9016-5	Lid, FOR USE w/ S/N 7240-9014-8	EA
7240-9023-8	Can, Oil, 1 Pint	EA
7240-9310-9	Can, Garbage, 10 Gal., Side Handle	EA
7240-9320-8	Can, Gargage, 20 Gal	EA
7240-9402-4	Can, Safety, 2-1/2 Gal.	EA
7240-9405-7	Can, Safety, 5 Gal.	EA
7240-9502-1	Can, Kerosene, 2-1/4 Gal.	EA

DISPOSABLE DRINKING CUPS

7350-9001-1	Cups, Paper, 4 Ounce, Cone Shaped with Rolled Edge, Quantity of 200 Cups per Pack	PK
-------------	---	----

TONER CARTRIDGE

7510-1554-9	Toner Cartridge, REMFG, HP 4 & 5	EA
7510-1558-7	Toner Cartridge, REMFG, HP 4000	EA
7510-1583-5	Toner Cartm Yellowm HP 4500N	EA

TAGS

7520-9001-9	Tag-Red, for Backflow Device, with Wire, (50/pack)	EA
7520-9002-7	Tag-Green, for Hose Bibb Maintenance, with Wire, (50/pack)	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

7520-9003-2	Tag, Backflow Prevention Inspection	EA
7520-9010-8	Tag, for Venting Installation	EA
7520-9024-1	Tag, Lockout – Tag out by WSSC, contact:____, Vinyl 5 ¾” x 3” tag with metal grommet, pack of 25 tags	PK
7520-9026-6	Tag, Do Not Operate, maintenance work in progress. Vinyl 5 ¾” x 3” tag with metal grommet.	EA

PAPER

7530-0221-6	Paper, 8-1/2 x 11, White, Virgin	PD
7530-0223-8	Paper, 8-1/2 x 14, White, Virgin	PD
7530-0227-4	Paper, 11 x 17	PD
7530-0240-9	Paper, Stationery, 2 <sup>nd</sup> Sheet	PD

ENVELOPES

7540-1008-4	Envelope, Blue, Payment Packing: 500/box, 5 boxes/case	BX
7540-1010-6	Envelope, 6x9, W/RET ADD	EA
7540-1011-2	Envelope, 5x11-1/2, W/RET ADD	EA
7540-1012-5	Envelope, 7-1/2 x 10-1/2, W/RET ADD	EA
75401013-8	Envelope 9-1/2 x 12-1/2, W/RET ADD	EA
7540-1014-9	This item has been replaced by stock number 0100-1014-9	EA
7540-1015-7	Envelope, #10 WSSC, Issued In Packs of 100 Envelopes, Note That The Packs Are Shipped In Boxes With 5 Packs (or 500 Envelopes) Per Box and The Boxes Are Shipped In Cases With 5 Boxes (or 2,500 Envelopes) Per Case. Order With The Understanding That The Unit Of Issue Is 1 Pack of 100 Envelopes.	PK
7540-1016-3	Envelope, #10 Window , WSSC	PK
7540-1017-4	This item has been replaced by stock number 0100-1017-4	EA
7540-1019-2	Envelope, TYVEK , 10 x 13 x 1½	EA
7540-1020-5	This item has been replaced by stock number 0100-1020-5	EA
7540-1021-3	Envelope, TYVEK, 10x15x2, W/RET ADD	EA
7540-1023-1	This item has been replaced by stock number 0100-1023-1	EA
7540-1024-8	Envelope, TYVEK, 10x15, 1 <sup>st</sup> , Class	EA
7540-1031-6	Envelope, TYVEK, 10x13, W/RET ADD	EA

STANDARD FORMS

7540-1026-8	Pad, "WHILE YOU WERE OUT"	PD
7540-1028-3	Pad, LEAVE REQUEST	PD
7540-1029-2	Pad, ROUTING MEMO	PK

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

7540-1032-0	Paper, Stationary , WSSC White	PK
7540-1034-6	Paper, Memorandum, Title, White	PK
7540-8027-2	Form, Material Issue & Return (Formally Referred to as the "FIELD TICKET, WATER&SEWER MAINTENANCE")	PD
7540-8028-9	Ticket, Field, Water MAINT.	PD
7540-8029-3	Report, Daily Time	PD
7540-8053-7	Form, CDL, Driver, Inspection, RPT	EA
7540-8065-4	Form, Employee Absence/Lateness	EA
7540-8082-7	Form, Material Issue & Return	PD
7640-0101-9	Map, Prince George's CTY Street	EA
7640-02018	Map. Montgomery County Street	EA
7690-0010-0	Label, Blue, for Marker Post	EA
7690-0010-0	Label, Blue, for Marker Post	EA
7690-0020-9	Label, Green for Marker Post	EA

BRUSHES AND BROOMS

7916-9010-0	Brush, Counter (Foxtail)	EA
7918-9060-1	Brush, Wire, Wooden Handle, Minimum 12" Length	EA
7920-9010-2	Floor Sweep Broom, Push, Medium Stiff Bristles	EA
7920-9020-1	Broom, House	EA
7920-9030-0	Broom, Street, with Handle (for replacement handle, use S/N 7920-9041-7)	EA
7920-9040-9	Handle, for Floor Sweep Broom (Replacement for S/N 7920-9010-2)	EA
7920-9041-7	Handle, for Street Broom (Replacement for s/n 7920-9030-0)	EA
7921-9020-9	Brush, Daubing	EA
7921-9040-7	Brush, Scrubbing	EA

MOPHEADS

7922-9010-8	Mophead, 16 Oz.	EA
7922-9020-7	Mophead, 24 Oz.	EA
7922-9030-6	Mophead, 32 Oz.	EA
7922-9050-4	Handle, Mop	EA

WIPING RAGS

7924-9012-0	Rag, Wiping, New, 95% Cotton	LB
-------------	------------------------------	----

DISINFECTANT WIPES

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

7930-9000-1	Wipes, Disinfectant, Included On The Environmental Protection Agency's "List N: Disinfectants For Use Against Sars-Cov-2", Approved Mfr/Product: Itw Pro Brands / Scrubs Metaphene Plus Disinfecting Wipes, 73 Wipes Per Container	CO
CLEANING AND POLISHING COMPOUNDS & PREPARATIONS		
7930-9020-0	Cleanser, All-Purpose, (Spic N' Span Type) (H) Packaging: 12 boxes/case	EA
7930-9025-9	Degreaser / Cleaner, Heavy Duty, Concentrated, Environmentally Safe, One Gallon	GL
7930-9030-9	Cleanser, Scouring Powder (H) Packaging: 24 or 30 cans/case	CN
7930-9031-7	Cleaner, All Purpose, 32 oz Spray Bottle, Environmentally Safe	BT
7930-9040-8	Cleanser, Hand (D.L. Type) (4.5 Lbs.) (H) (antimicrobial) Packaging: 4.5 lb. containers, 6/case	CN
7930-9042-5	Hand Cleaner, Personal (non-antimicrobial) Packaging: 7.5 fl. oz. plastic squeeze	EA
7930-9043-2	Dispenser, Hand Sanitizer	EA
7930-9044-0	Sanitizer, Hand	BG
7930-9045-7	Soap, Hand, Liquid (non-antimicrobial) Packaging: In gallon containers, 6/case	GL
7930-9048-1	Hand Sanitizer, Waterless Sanitizing Gel, 4 ounce bottle	BT
7930-9050-7	Absorbent, Oil & Grease (Oil Sponge Type) (40 LB/Bag) (H) Packaging: 50 lb./bag	BG
7930-9052-3	Sanitizer, Hand, Refill, Antibacterial, One Liter Bag, this is a refill for the Purell NXT Hand Sanitizer Dispenser (WSSC Stock No. 7930-9053-1)	EA
7930-9053-1	Dispenser, Hand Sanitizer, for use with Purell One Liter NXT Refill (WSSC Stock No. 7930-9052-3)	EA
7930-9055-6	Soap, Truck Wash	PA
7930-9057-2	Wash, Car and Truck, Green	PA
7930-9060-6	Disinfectant, Lysol (H) Packaging: 4 gallons/case	GL
7930-9061-0	Disinfectant, Heavy Duty Cleaner, And Degreaser, Provided In A 32 Ounce Spray Bottle, Included in EPA's List N of Disinfectants Shown to Have Been Effective Against Viruses Similar to Carona COVID-19 (H)	EA
7930-9065-5	Cleaner, Window, Windex Type (H) Packaging: 4 gallons/case	GL
7930-9067-1	Windshield Washer Solvent	GL

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

7930-9070-5	Disinfectant, Fantastic Multi-Surface Disinfectant / Degreaser, Manufactured by SC Johnson, professional, Provided In A 32 Ounce Spray Bottle, Included in EPA's List N of Disinfectants Shown to Have Been Effective Against Viruses Similar to Carona COVID-19 (H) Packaging: 8 per case	QT
7930-9072-1	Cleaner, Glass and Window, 32 oz Spray Bottle, Environmentally Safe	BT
7930-9073-8	Cleaner, All Purpose, Environmentally Safe, 32 OZ Spray Bottle	BT
7930-9080-4	Spray Bottle, Plastic, With Adjustable Sprayer, Trigger Type, 22 -32 oz.	EA
7930-9085-3	Degreaser, "Franklin 707", One Gallon (H) Packaging: one gallon container, 6/case	GL
7930-9090-2	Rust Remover, for Fabrics (72 boxes/case)	BX
<p>REPAIR KIT FOR PROTECTO 401 PIPE LINER MANUFACTURED BY INDURO PROTECTIVE COATINGS, TO BE USED ON DUCTILE IRON PIPE LINED WITH PROTECTO 401 WHICH IS APPLICABLE FOR WASTEWATER LINES</p>		
8010-9000-2	Repair kit for Protecto 401 pipe lining, manufactured by Induro Protective Coatings, for use on field cut or other damaged Protecto 401 linings. Consists of two cans (Parts A & B) of a brushable novalic epoxy, MSDS copies and application procedures shall be included with kit.	EA
<p>TAPE COATING SYSTEM COMPONENTS (FOR CORROSION PROTECTION OF MECHANICAL JOINT FITTINGS AND JOINT CONNECTIONS, WHERE REQUIRED BY WSSC SPECIFICATIONS)</p>		
8010-9005-1	Polyken Liquid Adhesive System (Primer) for Tape Coating System for MJ Fittings and Joint Connections, Where Required by WSSC Specifications, Polyken Product No. 1027, One Quart, Note that this material has a shelf life (H)	QT
8010-9010-1	Polyken Liquid Adhesive System (Primer) for Tape Coating System for MJ Fittings and Joint Connections, Where Required by WSSC Specifications, Polyken Product No. 1027, One Gallon, Note that this material has a shelf life (H)	GL
8010-9015-0	Polyken Mastic, 2" X 20 Foot Roll, for Tape Coating System for MJ Fittings and Joint Connections, Where Required by WSSC Specifications, Polyken Product No. 939-125, One Roll (H)	RO
8010-9018-4	ROPE WRAP MASTIC, 0.89"X14.5', MSDS REQUIRED, APPROVED PRODUCTS: 1) POLYKEN # 939-1000 ROPE (0.89" DIA.X14.5 FEET), 2) EZ-STICK 1" (.89" X .89" X 14.5 FEET)	RO
8010-9020-0	Polyken Tape for Corrosion Protection, 2" X 50 Foot Roll, for Tape Coating System for MJ Fittings and Joint Connections, Where Required by WSSC Specifications, Polyken Product No. 930-35 (2"), One Roll (H)	RO

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

8010-9025-9	Polyken Tape for Corrosion Protection, 4" X 50 Foot Roll, for Tape Coating System for MJ Fittings and Joint Connections, Where Required by WSSC Specifications, Polyken Product No. 930-35 (4"), One Roll (H)	RO
8010-9030-9	Polyken Tape for Corrosion Protection, 6" X 50 Foot Roll, for Tape Coating System for MJ Fittings and Joint Connections, Where Required by WSSC Specifications, Polyken Product No. 930-35 (6"), One Roll (H)	RO
8010-9035-8	Polyken Tape for Mechanical Protection, 2" X 100 Foot Roll, for Tape Coating System for MJ Fittings and Joint Connections, Where Required by WSSC Specifications, Polyken Product No. 954-15 (2"), One Roll (H)	RO
8010-9040-8	Polyken Tape for Mechanical Protection, 4" X 100 Foot Roll, for Tape Coating System for MJ Fittings and Joint Connections, Where Required by WSSC Specifications, Polyken Product No. 954-15 (4"), One Roll (H)	RO
8010-9045-7	Polyken Tape for Mechanical Protection, 6" X 100 Foot Roll, for Tape Coating System for MJ Fittings and Joint Connections, Where Required by WSSC Specifications, Polyken Product No. 954-15 (6"), One Roll (H)	RO

PAINT

8010-9100-0	Paint, Enamel, Black Gloss, for General Industrial Maintenance Use, Meets Maryland Regulation VOC limit of 340 grams/liter, (H)	GL
8010-9101-8	Paint, Enamel, Black, Flat (H) Packaging: 4 gallons/case	GL
8010-9105-9	Paint, Enamel, WSSC Blue (H) Packaging: 4 gallons/case	GL
8010-9110-9	Paint, Enamel, Deck Gray (H)	GL
8010-9116-6	Paint, Enamel, Gray, for Fire Hydrant Touch-Up (H)	GL
8010-9117-4	Paint, Enamel, Gray, for Fire Hydrant Touch-up (H)	QT
8010-9119-0	Paint, Enamel, Dark Green, for Fire Hydrant Touch-Up (H) Packaging: 12 quarts/case	QT
8010-9120-8	Paint, Enamel, Dark Green (H) Packaging: 4 gallons/case	GL
8010-9122-4	Paint, Enamel, Sea Green (H) Packaging: 4 gallons/case	GL
8010-9130-7	Paint, Enamel, White (H) Packaging: 4 gallons/case	GL
8010-9132-3	Paint, Traffic White, Flat (H) Packaging: 4 gallons/case	GL
8010-9140-6	Paint, Traffic Yellow, Flat (H) Packaging: 4 gallons/case	GL

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

SPRAY PAINT

8011-0101-5	Paint, Spray Enamel, Black, Gloss (H) Packaging: 12 cans/case	CN
8011-0103-1	Paint, Spray Enamel, Medium Blue, Gloss (H) Packaging: 12 cans/case	CN
8011-0105-6	Paint, Spray Enamel, Light Blue, Gloss (H) Packaging: 12 cans/case	CN
8011-0120-5	Paint, Spray Enamel, Safety Red, Gloss (H) Packaging: 12 cans/case	CN
8011-0125-4	Paint, Spray Enamel, White, Gloss (H) Packaging: 12 cans/case	CN
8011-0130-4	Paint, Spray Enamel, Safety Yellow, Gloss (H) Packaging: 12 cans/case	CN
8011-0140-3	Paint, Spray Enamel, OSHA Light Green Packaging: 12 cans/case	CN
8011-0141-9	Paint, Spray Enamel, Hunter Green, For Use in Repainting Fire Hydrant Bonnets, Packaging: 12 cans/case	
8011-0150-2	Paint, Spray Acrylic, Clear plastic Packaging: 12 cans/case	CN
8011-0160-1	Paint, Spray Enamel, Silver/Aluminum (H) Packaging: 12 cans/case	CN
8011-0170-0	Paint, Spray, LT. Gray, Gloss, For Use in Repainting Fire Hydrant Barrels (Below the Bonnets), Packaging: 12 cans/case	CN
8011-0202-1	Paint, Spray Primer, Light Gray (H) Packaging: 12 cans/case	CN
8011-0204-7	Paint, Spray Primer, Red (H) Packaging: 12 cans/case	CN
8011-0206-2	Paint, Spray Primer, Black (H) Packaging: 12 cans/case	CN
8012-9001-6	Paint, Spray for Marking Location of Buried Water Pipe, Solvent Based (Not Intended for Use on Grass, Markings Will Last Up to 6 Months), APWA Blue Packaging: 12 cans/case	CN
8012-9002-4	Paint, Spray for Marking Location of Buried Sewer Pipe, Solvent Based (Not Intended for Use on Grass, Markings Will Last Up to 6 Months), APWA Green Packaging: 12 cans/case	CN
8012-9003-2	Paint, Spray for Temporary Markings on Roadways, Solvent Based (Not Intended for Use on Grass, Markings Will Last Up to 6 Months), APWA Red-Orange, Orange, or Burnt Orange Packaging: 12 cans/case	CN

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

8012-9004-0	Paint, Spray, for Temporary Markings on Roadways, Solvent Based (Not Intended for Use on Grass, Markings Will Last Up to 6 Months), APWA White Packaging: 12 cans/case	CN
8012-9010-7	Paint, Spray Chalk, Blue. Intended for use on grass, markings will last 10-20 days	CN
8012-9015-6	Paint, Spray Chalk, Green. Intended for use on grass, markings will last 10-20 days	CN
8012-9030-5	Paint, Spray, for Marking Location of Buried Water Pipe, Water Based (Markings Will Last Up to 2 Months), APWA Blue Packaging: 12 cans/case	CN
8012-9035-4	Paint, Spray, for Marking Location of Buried Sewer Pipe, Water Based (Markings Will Last Up to 2 Months), APWA Green Packaging: 12 cans/case	CN
8012-9040-4	Paint, Spray, for Temporary Markings on Roadways and Grass, Water Based (Markings Will Last Up to 2 Months), APWA Orange, Red/Orange, or Burnt Orange Packaging: 12 cans/case	CN
8012-9045-3	Paint, Spray, for Temporary Markings on Roadways and Grass, For Use With Rustoleum Marking Wand, Water Based (Markings Will Last Up to 2 Months), APWA White Packaging: 12 cans/case	CN
8012-9050-3	Paint, Spray, for Temporary Striping on Roadways or Grass, Water Based (Markings Will Last Up to 6 Months per Manufacturer), Inverted Nozzle, Capable of Application with Rustoleum Athletic Field Marking Machine or Striping Wand, Drying Time: Approximately 30 Minutes Packaging: 12 cans/case	CN
	SPRAY PAINT, ZINC RICH, FOR REPAIR OF ZINC COATED DUCTILE IRON PIPE	
8012-9050-5	Paint, Spray, Zinc Rich Coating, Provides Corrosion Resistance, For Use in Touch-up and Repair of Damaged Areas of Zinc Coated Ductile Iron Pipe	CN
	PRIMER PAINT	
8020-9100-9	Primer, Red, rust preventative, Packaging: 4 gallons/case(H)	GL
	SPECIAL PURPOSE PAINT	
8025-9100-8	Paint, Coal Tar, Lower solids content than s/n 8025-9101-6. It is recommended that s/n 8025-9101-6 be applied as a top coat to this coating for more durable, long lasting protection from corrosion and chemical attack. Not for potable water contact. (H) Packaging: 4 gallons/case	GL



**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

8025-9101-6	Paint, Coal Tar, High solids, provides durable, tough coating and protection from corrosion for iron and steel in damp and buried environments. (Note: s/n 8025-9100-8 is a less dense and similar coating which serves as a good undercoat to this item). Not for potable water contact. (H) Packaging: 4 gallons/case	GL
-------------	---	----

BONDING MORTAR

8030-9001-8	Admixture/Mortar Bonding, for concrete grade Rings Packaging: 12/case	GL
-------------	--	----

SOLVENT THINNER

8045-9102-2	Alcohol, Denatured (H)	QT
-------------	------------------------	----

PAINT & ARTIST'S BRUSHES

8060-9101-3	Brush, Paint, Common, 1" Width Packaging: 12/case	EA
-------------	--	----

8060-9102-1	Brush, Paint, Common, 2" Width Packaging: 12/case	EA
-------------	--	----

8060-9103-9	Brush, Paint, Common, 3" Width Packaging: 12/case	EA
-------------	--	----

8060-9104-7	Brush, Paint, Common, 4" Width Packaging: 12/case	EA
-------------	--	----

PRESERVATIVE AND SEALING COMPOUNDS

8065-9007-1	Cement, Vault Coating, 5-Gal. (H)	CO
-------------	-----------------------------------	----

8065-9010-5	Undercoat (Asphalt), Spray Can (H)	CN
-------------	------------------------------------	----

8065-9035-2	Permatex No. 1, 11 Oz. (H)	TU
-------------	----------------------------	----

8065-9037-8	Permatex No. 3, 1 Pt. (H)	CN
-------------	---------------------------	----

8065-9042-8	Compound, Caulking, General Purpose (H)	EA
-------------	---	----

8065-9044-4	Treekote, 1 PT. (H)	CN
-------------	---------------------	----

8065-9050-1	Compound, Duct Sealing, "Duxseal" Type, 1-Lb. Package Packaging: 60/case	PK
-------------	---	----

8065-9051-9	Compound, Duct Sealing, "Duxseal" Type, 5-Lb. Package	PK
-------------	---	----

PVC SOLVENT WELD CEMENT & PRIMER

8066-9500-3	Cement, Solvent Weld, for 1-1/2" to 4" Dia. PVC Pipe (H)	EA
-------------	--	----

8066-9501-2	Primer, PVC Solvent Weld, for 1-1/2" to 4" Dia. PVC Pipe (H)	EA
-------------	--	----

BAGS AND SACKS

8105-0010-8	Bag, Plastic Liner, 23" Wide X 23" Deep, 500/Box - (small trash bags)	BX
-------------	---	----

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

8105-0015-7	Bag, Trash, Construction, 48 Gallon, 40"W X 48"H, Dark, 50/Box	BX
8105-0020-7	Bag, Plastic, with Drawstring, 16" X 32" Packaging: Varies	EA
8105-0053-8	Bag, Clear, Polyethylene, 23" X 17" X 48"	BX

**TARPAULINS**

8340-0010-1	Tarpaulin, Cotton, 9-1/2' X 11'	EA
8340-0015-0	Tarpaulin, Cotton, 10' X 13'	EA
8340-0020-0	Tarpaulin, Cotton, 10-1/2' X 17'	EA

**OUTERWEAR**

8405-9101-0	Coat, Rain, Small (34-36)	EA
8405-9207-5	Pants, Rain, 4XLarge (58-60)	PR
8405-9298-4	Toe Warmers, 8 Hour Heating Time, Air Activated, Provided with Peel Off Adhesive for Sticking onto Socks, Package of 6 Pairs	PK
8405-9299-2	Hand Warmers, 8 Hour Heating Time, Air Activated	PR

**GLOVES**

8405-9300-8	Gloves, work, with leather palms, Small	PR
8405-9305-7	Gloves, work, with leather palms, Large	PR
8405-9310-7	Gloves, work, with leather palms, X-Large	PR
8405-9320-6	Gloves, Gauntlet, Leather, Medium	PR
8405-9325-5	Gloves, Gauntlet, Leather, Large	PR
8405-9330-5	Gloves, Gauntlet, Leather, Small	PR
8405-9340-4	Gloves, Cotton, Work, Small	PR
8405-9346-1	Gloves, Driver's, Goatskin, Medium	PR
8405-9348-7	Gloves, Driver's, Goatskin, Large	PR
8405-9350-3	Gloves, Driver's, Goatskin, Extra Large	PR
8405-9352-9	Gloves, Driver's, Goatskin, 2XL	PR
8405-9377-6	Gloves, Cotton, Work, Medium	PR
8405-9391-7	Gloves, Cotton, Work, Large	PR
8405-9400-6	Gloves, work, Rubber Coated	PR
8405-9500-3	Gloves, Long, Rubber	PR
8405-9620-0	Gloves, Mechanics, Pair, Medium	PR
8405-9620-2	Gloves, Mechanics, Pair, Large	PR
8405-9620-4	Gloves, Mechanics, Pair, Extra Large	PR

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

8405-9620-6	Gloves, Mechanics, Pair, XX Large	PR
8405-9630-0	Gloves, Mechanics, Water Repellant Palm, Pair, Medium	PR
8405-9630-2	Gloves, Mechanics, Water Repellant Palm, Pair, Large	PR
8405-9630-4	Gloves, Mechanics, Water Repellant Palm, Pair, Extra Large	PR
8405-9630-6	Gloves, Mechanics, Water Repellant Palm, Pair, XX Large	PR
8405-9640-0	Gloves, Cut Resistant, Foam Nitrile Coated Kevlar, Pair, Medium	PR
8405-9640-2	Gloves, Cut Resistant, Foam Nitrile Coated Kevlar, Pair, Large	PR
8405-9640-4	Gloves, Cut Resistant, Foam Nitrile Coated Kevlar, Pair, Extra Large	PR
8405-9640-6	Gloves, Cut Resistant, Foam Nitrile Coated Kevlar, Pair, XX Large	PR
8405-9650-2	Gloves, Small, Provides Thermal, Water, Abrasion, Cut, And Tear Resistance, Portwest Model AP01 or Approved Equal	PR
8405-9650-4	Gloves, Medium, Provides Thermal, Water, Abrasion, Cut, And Tear Resistance, Portwest Model AP01 or Approved Equal	PR
8405-9650-6	Gloves, Large, Provides Thermal, Water, Abrasion, Cut, And Tear Resistance, Portwest Model AP01 or Approved Equal	PR
8405-9650-8	Gloves, X-Large, Provides Thermal, Water, Abrasion, Cut, And Tear Resistance, Portwest Model AP01 or Approved Equal	PR
8405-9650-9	Gloves, XX-Large, Provides Thermal, Water, Abrasion, Cut, And Tear Resistance, Portwest Model AP01 or Approved Equal	PR
8405-9700-9	Sweat Band	EA
8405-9901-3	Coveralls, Disposable, XL	EA
8405-9902-1	Coveralls, Disposable, 2XL	EA
8405-9903-9	Coveralls, Disposable, 3XL	EA
8405-9904-7	Coveralls, Disposable, 4XL	EA

FOOTWEAR

8430-9101-8	Shoe, Over, Spiked, Small (D)	PR
8430-9102-6	Shoe, Over, Spiked, Medium	PR
8430-9103-4	Shoe, Over, Spiked, Large	PR
8430-9104-2	Shoe, Over, Spiked "Heel Traction Aid", One size fits most	PR
8430-9105-9	Shoe Covers, Water Resistant, To Prevent the Tracking of Dirt and Mud, 150 pairs per box	BX
8430-9106-7	Boot, Hip, with Steel Toe, (Size 6)	PR
8430-9107-5	Boot, Hip, with Steel Toe, (Size 7)	PR
8430-9108-3	Boot, Hip, with Steel Toe, (Size 8)	PR
8430-9109-1	Boot, Hip, with Steel Toe, (Size 9)	PR
8430-9110-9	Boot, Hip, with Steel Toe, (Size 10)	PR

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

8430-9111-7	Boot, Hip, with Steel Toe, (Size 11)	PR
8430-9112-5	Boot, Hip, with Steel Toe, (Size 12)	PR
8430-9113-3	Boot, Hip, with Steel Toe, (Size 13)	PR
8430-9114-1	Boot, Hip, with Steel Toe, (Size 14)	PR
8430-9115-8	Boot, Hip, with Steel Toe, (Size 15)	PR
8430-9116-6	Boot, Hip, with Steel Toe, (Size 16)	PR
8430-9207-3	Galoshes, Size 7	PR
8430-9208-1	Galoshes, Size 8	PR
8430-9209-9	Galoshes, Size 9	PR
8430-9210-7	Galoshes, Size 10	PR
8430-9211-5	Galoshes, Size 11	PR
8430-9212-3	Galoshes, Size 12	PR
8430-9213-1	Galoshes, Size 13	PR
8430-9214-9	Galoshes, Size 14	PR
8430-9216-4	Galoshes, Size 15	PR
8430-9218-0	Galoshes, Size 16	PR
8430-9220-6	Galoshes, Size 17	PR
8430-9222-2	Galoshes, Size 18	PR
8430-9313-9	Shoe, Ankle Height, Waterproof, with Laces and Steel Toe, Size 13	PR

DEODORIZER CANNISTER FOR TMS Model 1811  
LAVORATORY DISPENSERS

8510-1000-9	Deodorizer Cannister for TMS Model 1811 LAVORATORY Dispensers, Lemon Scent	CN
8510-01020-7	Deodorizer Cannister for TMS Model 1811 LAVORATORY Dispensers, Rain Scent	CN
8510-1030-6	Deodorizer Cannister for TMS Model 1811 LAVORATORY Dispensers, Mountain Aire	CN
8510-1040-5	Deodorizer Cannister for TMS Model 1811 LAVORATORY Dispensers, Ocean Wave	CN
8510-1050-4	Deodorizer Cannister for TMS Model 1811 LAVORATORY Dispensers, Vanilla Mist	CN

TOILET SOAP AND POWDERS

8520-9000-0	Soap, Hand, Ivory	EA
8520-9002-6	Soap, Hand, Abrasive (H)	BR

**Washington Suburban Sanitary Commission  
MATERIALS CATALOG**

TOILETRY PAPER PRODUCTS

8540-9001-6	Tissue, Toilet	RO
8540-9002-4	Towel, Paper	PK
8540-9010-7	Cover, Toilet Seat	PK
8540-9003-2	Tissue, Toilet Jumbo	PK

GRASS SEED & PATCH MIX

8730-9002-1	Seed, Grass, General Use (Maryland State Highway Administration approved "SHA Turegrass seed mix").	LB
8730-9003-9	Grass Patch Mix, consisting of grass seed, mulch to retain moisture, and fertilizer to provide nutrients, for use in sun and shade, (Not approved by MSHA for use adjacent to Maryland State Highways), 15 lb. bag	BAG

BOTTLE WATER

8960-5000-2	Water, Drinking Bottled (Gallon)	GL
8960-5010-1	Water, WSSC, 12 oz., Promotional	CS
8960-5020-0	Water, Distilled (Gallon), (Note that per the International Bottled Water Association's Code of Practice, Distilled Water is not to be used for certain applications requiring sterile water and is not fully tested for sterility).	GL
8960-5020-3	Gatorade/Sqwinchers, Powdered, 20 Ounce Packet, Fruit Punch Flavor	PK
8960-5020-4	Gatorade/Sqwinchers, Powdered, 20 Ounce Packet, Orange Flavor	PK
8960-5020-5	Gatorade/Sqwinchers, Powdered, 20 Ounce Packet, Mixed Berry Flavor	PK
8960-5020-6	Gatorade/Sqwinchers, Powdered, 20 Ounce Packet, Strawberry/Lemon Flavor	PK

WIRE PULLING COMPOUND

9135-0050-0	Wire Pulling Compound, for Electrical Wire Packaging: One-quart squeeze bottle	BT
-------------	---	----

MOTOR OIL

9137-1000-1	Two-Cycle Engine Oil, For 2-Cycle Motors, (For Gasoline-Oil Fuel Mix) Case Of 48 6.4-Ounce Plastic Bottles	CS
9137-1002-5	Oil, 2-Cycle Engine (for Gasoline - Oil Fuel Mix) Includes fuel stabilizer mix with 2 ½ gallons of gasoline (H) 6.4 oz. Packaging: 6.4 oz. plastic bottle, 24/case (D)	EA

SPRAY DEGREASER

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

9139-2500-4	Degreaser, Spray, "Gunk" Type (H) Packaging: 12 cans/case	CN
-------------	--	----

LUBRICANTS

9141-9110-1	Lubricant, Pipe, 1-LB. Can	CN
9141-9120-0	Lubricant, Pipe, Can also be used for PCCP Repair Kits, 2 Lbs NOTE: SEE THE BEGINNING OF THE PCCP SECTION (at the beginning of the Materials Catalog) FOR A COMPLETE LIST OF THE CONTENTS OF THE PCCP REPAIR KIT ASSMBLIES	CN
9141-9150-7	Lubricant, Joint, Can be used for PCCP Repair Kits, 8 Lbs NOTE: SEE THE BEGINNING OF THE PCCP SECTION (at the beginning of the Materials Catalog) FOR A COMPLETE LIST OF THE CONTENTS OF THE PCCP REPAIR KIT ASSMBLIES	CN
9143-9110-7	Grease Gun Cartridge, Heavy Duty Lubricant, 14 Oz., NLGI (EP)#2, Lithium Based, Recommended for Bearings, Contains no Molybdenum (Not Optimal for Hitch, Lynch, or Clevis Pins) (H) Packaging: 10/case	CA
9145-9400-7	Lubricant, for Precast Manhole	CN
9150-1905-3	Fire Hydrant Lubrication Oil for Mueller fire hydrants, 10.5 oz. container, Mueller Part #280354	CO
9150-1910-3	Fire Hydrant Lubricating Oil for Mueller fire hydrants, one gallon container, Mueller Part #184048	CO
9150-9115-1	Lubricant, General Purpose, Penetrates, Lubricates, Protects, Displaces Moisture, Aerosol, 11 oz wt., (H)	CN
9150-9120-1	Lubricant, White Lithium Grease, penetrates like oil when initially sprayed on and then sets up as a heat and water resistant grease, aerosol, 10 oz. wt, (H)	CN
9150-9125-0	Lubricant penetrating, Aerosol (H)	CN
9150-9150-8	Lubricant, Chain and Sprocket, Aerosol (H) Packaging: 12 cans/case	CN
9150-9175-3	Oil, Light Machine, Non-Aerosol, 3 oz. (H)	CN
9150-9250-6	Lubricant, Heavy Duty Gear and Cable, Aerosol (H) Packaging: 12 cans/case	CN
9150-9255-0	Anti-seize & Lubricating Compound, Aerosol (H)	CN
9150-9268-8	Compound, Anti-Seize and Thread Sealing Compund, NSF Rated (Food Grade), 9 ounce Tube	TU
9150-9270-4	Compound, Anti-Seize and Thread Sealing Compund, , NSF Rated (Food Grade), 18 Ounces with Brush in Cap	CN
9150-9270-6	Anti-seize and Thread Sealing Aerosol, NSF, 16 Oz Can, For Use On Aluminum, Brass, Copper, Fiber Glass, Iron, PVC, Stainless Steel, and Steel	CN

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

9150-9290-2 Lubricant, for Pneumatic (Air) Tools, (Air tool oil), 10 Weight, seals motors, lowers friction, and inhibits corrosion in tools, Note: Manufacturer's recommendation regarding proper weight of oil for a given tool should always be followed, this is not for use in air compressors), one pint, (H) CN

9150-9300-9 Lubricant, for Pneumatic (Air) Tools, (Air tool oil), 10 Weight, seals motors, lowers friction, and inhibits corrosion in tools, Note: Manufacturer's recommendation regarding proper weight of oil for a given tool should always be followed, this is not for use in air compressors), one quart, (H) CN

TAPE

9320-9002-0 Tape, Splicing, Self-Bonding, Linerless Rubber RO  
Packaging: 10 rolls/carton

9320-9003-8 Tape, Electrical, 3/4" Width X 66" Length RO  
Packaging: 10 rolls/carton

9320-9004-6 Tape, "Out of Service", Red RO

9320-9005-3 Tape, Electrical, Color Coding, Blue, 3/4" Wide X 66" Long RO  
Packaging: 10 rolls/carton

9320-9006-1 Tape, Electrical, Color Coding, Brown, 3/4" Wide X 66" Long RO  
Packaging: 10 rolls/carton

9320-9007-9 Tape, Electrical, Color Coding, Gray, 3/4" Wide X 66" Long RO  
Packaging: 10 rolls/carton

9320-9008-7 Tape, Electrical, Color Coding, Green, 3/4" Wide X 66" Long RO  
Packaging: 10 rolls/carton

9320-9009-5 Tape, Electrical, Color Coding, Orange, 3/4" Wide X 66" Long RO  
Packaging: 10 rolls/carton

9320-9010-3 Tape, Electrical, Color Coding, Red, 3/4" Wide X 66" Long RO  
Packaging: 10 rolls/carton

9320-9011-1 Tape, Electrical, Color Coding, White, 3/4" Wide X 66" Long RO  
Packaging: 10 rolls/carton

9320-9012-9 Tape, Electrical, Color Coding, Yellow, 3/4" Wide X 66" Long RO  
Packaging: 10 rolls/carton

9320-9015-2 Tape, Splicing, Self-Fusing, Rubber Lined RO  
Packaging: 10 rolls/carton

9320-9021-4 Tape, Teflon, 1/2" wide RO

9320-9022-8 Tape, Teflon, 3/4" wide RO

PLASTIC SHEETS

9330-0010-1 Sheet, Plastic, 6 Mils. Thick, 10' X 12' EA  
Packaging: The number of sheets/box is optional but all boxes shall contain the same number of sheets.

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

9330-0015-0	Sheet, Plastic, 6 Mils. Thick, 12' X 100' Packaging: one roll/box	RO
COPPER SHEETS		
9535-9001-5	Copper Sheet, 12" Wide X .0216" Thick (1 Ft. = 1 Lb.)	LB
SIGNS AND SIGN STAND		
9905-9002-8	Stand, for Portable Safety Signs (use w/Roll-up Warning Signs, stock nos. 9905-9026-7 through 9905-9035-8)	EA
9905-9020-0	Sign, Metal, "WSSC" (301) 206-8000" (D)	EA
9905-9026-7	Sign, "DETOUR AHEAD", Roll-up, 48"x 48", Reflective, Orange, Meets MD State Highway Requirements for Temporary Traffic Control, Can Also Be Used At The Point Of The Detour With A Velcro Directional Arrow Overlay Provided Which Covers The Word "AHEAD", Installs In Portable Stand, Stock No. 9905-9002-8	EA
9905-9027-5	Sign, WORKER SYMBOL, Roll-up , 48"x48", Reflective, Orange, Meets MD State Highway Requirements for Temporary Traffic Control, Installs In Portable Stand, Stock No. 9905-9002-8	EA
9905-9028-3	Sign, "ROAD CLOSED AHEAD", Roll-up , 48"x 48", Reflective, Orange, Meets MD State Highway Requirements for Temporary Traffic Control, Provided With Three Velcro Overlays Which Can Be Used To Cover The Word "AHEAD" (500 FT, 1,000 FT, and 1,500 FT), Installs In Portable Stand, Stock No. 9905-9002-8	EA
9905-9028-5	Sign, LEFT LANE ENDS (SYMBOL), Roll-up, 48"x48", Reflective, Orange, Meets MD State Highway Requirements for Temporary Traffic Control, Installs In Portable Stand, Stock No. 9905-9002-8	EA
9905-9028-6	Sign, RIGHT LANE ENDS (SYMBOL), Roll-up, 48"x48", Reflective, Orange, Meets MD State Highway Requirements for Temporary Traffic Control, Installs In Portable Stand, Stock No. 9905-9002-8	EA
9905-9028-7	Sign, "LEFT LANE CLOSED AHEAD" (TEXT), Roll-up , 48"x 48", Reflective, Orange, Meets MD State Highway Requirements for Temporary Traffic Control, Provided With Three Velcro Overlays Which Can Be Used To Cover The Word "AHEAD" (500 FT, 1,000 FT, and 1,500 FT), Installs In Portable Stand, Stock No. 9905-9002-8	EA
9905-9028-8	Sign, "RIGHT LANE CLOSED AHEAD" (TEXT), Roll-up , 48"x 48", Reflective, Orange, Meets MD State Highway Requirements for Temporary Traffic Control, Provided With Three Velcro Overlays Which Can Be Used To Cover The Word "AHEAD" (500 FT, 1,000 FT, and 1,500 FT), Installs In Portable Stand, Stock No. 9905-9002-8	EA
9905-9029-1	Sign, "STEEL PLATE AHEAD", Roll-up , 48"X48", Reflective, Orange, Meets MD State Highway Requirements for Temporary Traffic Control, Installs In Portable Stand, Stock No. 9905-9002-8	EA
9905-9035-8	Sign, FLAGGER SYMBOL, Roll-up, 48"x 48", Reflective, Orange, Meets MD State Highway Requirements for Temporary Traffic Control, Installs In Portable Stand, Stock No. 9905-9002-8	EA



**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

9907-9101-4 Post, Sign, Metal EA

DETECTABLE TAPES

9909-9200-0 Tape, Detectable, for Water Lines, Blue, 300 Ft./Roll RO

9909-9201-4 Tape, Detectable, for Water Lines, Blue, 100 Ft./Roll RO

9909-9201-8 Tape, Detectable, for Sewer Lines, Green, 300 Ft./Roll RO

9909-9202-6 Tape, Detectable, for Sewer Lines, Green, 100 Ft./Roll RO

9909-9205-9 Tape, Detectable, for Cathodic Protection, Yellow, 300 Ft./Roll RO

9909-9401-3 Tape, Restrained Joint Pipe, Red with Black Lettering, 1000 Ft./Roll RO

9909-9402-7 Tape, Restrained Joint Pipe, Red with Black Lettering, 100 Ft./Roll RO

9909-9605-0 Tape, "Do Not Enter", Yellow RO

9909-9607-6 Tape, "Danger", Red RO

MARKER POSTS		
9910-9300-6	Marker Post, for Locating Water Valve Vaults, Blue	EA
9910-9301-4	Marker Post, for Locating Sewer Manholes, Green	EA
9910-9303-8	Marker Post, "No Trespassing"	EA
9910-9510-0	Marker, Fire Hydrant "Out of Service"	EA
9910-9537-3	Marker, Fire Hydrant Flushing, "Do Not Disturb"	EA
PAVING MARKER		
9917-9100-5	Marker, Paving, Plastic	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

	<b>FF ITEMS</b>	
	These items will be ordered only on request and will not be stocked otherwise.	
	<b>MECHANICAL JOINT CAP</b>	
	Requires 1 Joint Kit	
1057-4202-7	Cap, (SPECIAL), Mechanical Joint, 42" Dia. With 2" National Pipe Thread (NPT) Tap, Note that this item will be only ordered on request (it will not be kept in stock), (FF)	EA
	<b>SERVICE SADDLE, FOR TAPPING IRON PIPE (FOR 16"-20" MAINS)</b>	
1155-1614-8	Saddle, Service, for Tapping Iron Pipe, 16" Dia., 1-1/2" Tap, FF Item, Ordered Only on Request	EA
1155-1620-5	Saddle, Service, for Tapping Iron Pipe, 16" Dia., 2" Tap, FF Item, Ordered Only on Request	EA
1155-2014-1	Saddle, Service, for Tapping Iron Pipe, 20" Dia., 1-1/2" Tap, FF Item, Ordered Only on Request	EA
1155-2020-7	Saddle, Service, for Tapping Iron Pipe, 20" Dia., 2" Tap, FF Item, Ordered Only on Request	EA
1155-2414-2	Saddle, Service, for Tapping Iron Pipe, 24 Dia., 1-1/2" Tap, FF Item, Ordered Only on Request	EA
1155-2420-9	Saddle, Service, for Tapping Iron Pipe, 24" Dia., 2" Tap, FF Item, Ordered Only on Request	EA
	<b>IRON (CAST OR DUCTILE) TEE WITH INSTALLED 30" BLIND FLANGE</b> <b>Mechanical Joint X Flange</b>	
1188-3630-3	Tee, Ductile/Cast Iron, 36" MJ X 30" Flanged, With Included and Installed 30" Blind Flange. (FF)	EA
1188-4230-1	Tee, Ductile/Cast Iron, 42" MJ X 30" Flanged, With Included and Installed 30" Blind Flange. (FF)	EA
1188-4830-8	Tee, Ductile/Cast Iron, 48" MJ X 30" Flanged, With Included and Installed 30" Blind Flange. (FF)	EA
1188-5430-6	Tee, Ductile/Cast Iron, 54" MJ X 30" Flanged, With Included and Installed 30" Blind Flange. (FF)	EA
	<b>FLANGE ADAPTER</b>	

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

	<b>FF ITEMS</b>	
	These items will be ordered only on request and will not be stocked otherwise.	
1220-0000-3	Flange Adapter, Restrained, sizes for ductile iron pipe of diameters of 3"-48" are available. For pipe diameters of 3" through 16" (except 10") the mfr's rated design pressure is 350 psi. For pipe diameters of 10" and 18" the mfr's rated design pressure is 300 psi. For pipe diameters of 20" the mfr's rated design pressure is 250 psi. For pipe diameters of 24" the mfr's rated design pressure is 200 psi. For pipe diameters of 30" through 48" the mfr's rated design pressure is 150 psi. (FF)	EA
1220-0006-6	Adapter, Mechanical Joint X Flanged End, Size: 6" Dia., Awwa C153, Pressure Rating: 350 Psi, Accessories Not Provided, Internal & External Coating: Fusion Bonded Epoxy, Note: This item will only be ordered on request and will not be stocked otherwise, (FF)	EA
1220-0006-8	Adapter, Mechanical Joint X Flanged End, Size: 8" Dia., Awwa C153, Pressure Rating: 350 Psi, Accessories Not Provided, Internal & External Coating: Fusion Bonded Epoxy, Note: This item will only be ordered on request and will not be stocked otherwise, (FF)	EA
1220-0007-0	Adapter, Mechanical Joint X Flanged End, Size: 10" Dia., Awwa C153, Pressure Rating: 350 Psi, Accessories Not Provided, Internal & External Coating: Fusion Bonded Epoxy, Note: This item will only be ordered on request and will not be stocked otherwise, (FF)	EA
	<b>NSF HOSE</b>	
4210-0140-5	Potable Water Delivery Hose (bypass), with Fire Hose type connections, NSF Certified, Blue, 4" Dia. X 100' Length (NST Coupling), Note that this item will be only ordered on request (it will not be kept in stock), (FF)	LG
	<b>TUBING POLYETHYLENE (ENCASEMENT FOR PROTECTING DUCTILE IRON PIPE FROM CORROSION)</b>	
4745-0924-7	Tubing (Encasement), Polyethylene, for 16" through 24" Diameter Ductile Iron Pipe, Note: This item will only be ordered on request and will not be stocked otherwise, (FF)	EA
	<b>HORIZONTAL, FLANGED, DOUBLE DISC OR ROLLING DISC VALVE, PRESSURE RATING: 250 PSI</b>	
4833-0016-6	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 16" Dia., 250 PSI (FF)	
4833-0020-8	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 20" Dia., 250 PSI (FF)	
4833-0024-0	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 24" Dia., 250 PSI (FF)	

**Washington Suburban Sanitary Commission  
MATERIALS CATALOG**

<b>FF ITEMS</b>		
	These items will be ordered only on request and will not be stocked otherwise.	
4833-0030-7	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 30" Dia., 250 PSI (FF)	
4833-0036-4	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 36" Dia., 250 PSI (FF)	
4833-0042-2	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 42" Dia., 250 PSI (FF)	
4833-0048-9	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 48" Dia., 250 PSI (FF)	
4833-0054-7	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 54" Dia., 250 PSI (FF)	
	<b>HORIZONTAL, FLANGED, DOUBLE DISC OR ROLLING DISC VALVE, PRESSURE RATING: 150 PSI</b>	
4833-1600-6	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 16" Dia., 150	EA
4833-2000-8	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 20" Dia., 150	EA
4833-2400-0	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 24" Dia., 150	EA
4833-3000-7	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 30" Dia., 150	EA
4833-3600-4	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 36" Dia., 150	EA
4833-4200-2	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 42" Dia., 150	EA
4833-4800-9	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 48" Dia., 150	EA
4833-5400-7	Valve, Horizontal, Flanged, Double Disc or Rolling Disc, 54" Dia. 150	EA

<b>DISKS, STONES, AND BLADES</b>		
5345-9012-0	Blade, Diamond, Cut Off, 12" (includes 1" x 20 mm Knockout to fit either size cut-off saw arbor), Intended Application: For use in cutting asphalt, green Concrete, block, concrete, hard concrete, pavers, brick, clay Pavers, hard brick, refractory brick, filed stone, marble, granite, etc. (do not use this blade for cutting iron, use s/n 5345-9120-1). Note that this item will be only ordered on request (it will not be kept in stock), (For Hand-Held Cut-Off Saws) (FF)	EA
5345-9014-6	Blade, Diamond, Cut Off, 14" (includes 1" x 20 mm Knockout to fit either size cut-off saw arbor), Intended Application: For use in cutting asphalt, green Concrete, block, concrete, hard concrete, pavers, brick, clay Pavers, hard brick, refractory brick, filed stone, marble, granite, etc. (do not use this blade for cutting iron, sue s/n 5345-9140-9). Note that this item will be only ordered on request (it will not be kept in stock), (For Hand-Held Cut-Off Saws) (FF)	EA

**Washington Suburban Sanitary Commission  
MATERIALS CATALOG**

<b>LUMBER</b>		
5511-0000-1	Lumber, Shoring, 2" X 6" X 8' (FF)	PC
5511-0001-9	Lumber, Shoring, 2" X 6" X 10' (FF)	PC
<b>LEAK DETECTORS, PIPE AND TUBING LOCATORS, AND FERROMAGNETIC LOCATORS</b>		
6695-0010-0	Geophone Leak Detector, Composed of sounding discs (microphones) connected to stethoscope type listening device by hoses, provides for identification of location of leaks via differentiated sound between discs, Wooden storage box included, Note that this item will be only ordered on request (it will not be kept in stock), (FF)	EA
6695-0020-9	Pipe and Tubing Locator, Provides distance sensitive left/right guidance, Capable of locating and pinpointing the position of buried pipes and cables, Vivax-Metrotech model VM-810, Note that this item will be only ordered on request (it will not be kept in stock), (FF)	EA
6695-0022-5	Pipe and Tubing Locator, Provides distance sensitive left/right guidance, shall be capable of locating and pinpointing the position of buried pipes and cables, Provided with Hard Case, Radiodetection Model No. RD5000WL, Note that this item will be only ordered on request (it will not be kept in stock), (FF)	EA
6695-0025-8	Magnetic Locator, Capable of locating and pinpointing objects with ferrous or iron content, Includes audible and visual LED Signals, Schonstedt Model No. "Maggie", Note that this item will be only ordered on request (it will not be kept in stock), (FF)	EA
6695-0027-4	Magnetic Locator, Capable of locating and pinpointing objects with ferrous or iron content, Includes audible and visual LED Signals, Vivax Metrotech Model No. VM-880, Note that this item will be only ordered on request (it will not be kept in stock), (FF)	EA

**REPAIR KITS FOR PRESTRESSED CONCRETE CYLINDER PIPE (PCCP) UTILIZING 2 PCCP X DUCTILE IRON PIPE (DIP) ADAPTERS,**

**INCLUDES ALL PARTS NEEDED FOR REPAIR EXCEPT DIP, MJ SLEEVE(S), ACCESSORIES FOR SLEEVE(S) AND POSSIBLY ALTERNATE PCCP LAY GASKETS, ALSO INCLUDES ONE MJ JOINT KIT FOR EACH ADAPTER**

*(NOTE THAT FOR PCCP DIAMETERS BETWEEN AND INCLUDING 42" THROUGH 72", THE KITS INCLUDE LAY GASKETS WITH CROSS SECTION DIAMETERS OF EITHER 21/32" OR 25/32" BUT THAT THE GASKET NOT PROVIDED MAY BE THE CORRECT GASKET, IF THE WIDTH OF THE GROOVE FOR THE GASKET IN THE SPIGOT END OF THE PIPE OR ADAPTER MEASURES 3/4", THEN THE LAY GASKET OF 21/32" CROSS SECTION DIAMETER IS TO BE USED AND IF THE GROOVE WIDTH MEASURES 7/8", THEN THE LAY GASKET OF 25/32" CROSS SECTION DIAMETER IS TO BE USED)*

REPAIR KIT FOR 16" LINED CYLINDER (LCP) PCCP CONSISTS OF THE FOLLOWING:

1022-1600-9	ADPTR,16"B-S,PCCP(LCP)-DIP(MJ), QUANTITY = 1	EA
1022-2500-0	ADPTR,16"S-S,PCCP(LCP)-DIP(MJ), QUANTITY = 1	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5382-1600-3 JOINT KIT,MJ,16"DIA (BOLTS NUTS, MJ GASKETS, & MJ GLANDS), QUANTITY = 2 EA

5380-1600-7 GASKET,FOR LCP PCCP&ADAPT,16"DIA, QUANTITY = 2 EA

1022-7000-6 DIAPER,PCCP,16" FOR LCP, QUANTITY = 2 EA

REPAIR KIT FOR 20" LINED CYLINDER (LCP) PCCP CONSISTS OF THE FOLLOWING:

1022-2000-1 ADPTR,20"B-S,PCCP(LCP)-DIP(MJ), QUANTITY = 1 EA

1022-2505-9 ADPTR,20"S-S,PCCP(LCP)-DIP(MJ) , QUANTITY = 1 EA

5382-8020-7 JOINT KIT,PCCP-20"LCP,WH ITEMS , QUANTITY = 1 SE

Note: The set for S/N 5382-8020-7 on the preceding line consists of the following items:

4740-2000-5 GLAND, M.J., 20" DIA. , QUANTITY = 2 EA

5381-2000-7 GASKET, PLAIN, M.J., 20" DIA. , QUANTITY = 2 EA

5306-9804-2 BOLT,TEE HEAD,3/4"DX4-1/2"L, QUANTITY = 28 EA

5380-2000-9 GASKET,FOR LIN PCCP&ADAPT,20"D, QUANTITY = 2 EA

1022-7010-5 DIAPER,PCCP,20" FOR LCP, QUANTITY = 2 EA

REPAIR KIT FOR 24" LINED CYLINDER (LCP) PCCP CONSISTS OF THE FOLLOWING:

1022-2400-3 ADPTR,24"B-S,PCCP(LCP)-DIP(MJ) , QUANTITY = 1 EA

1022-2510-9 ADPTR,24"S-S,PCCP(LCP)-DIP(MJ), QUANTITY = 1 EA

5382-8024-9 JOINT KT,24"PCCP(ADPT)WH ACCES, QUANTITY = 1 SE

Note: The set for S/N 5382-8024-9 on the preceding line consists of the following items:

4740-2400-7 GLAND, M.J., 24" DIA. , QUANTITY = 2 EA

5381-2400-9 GASKET, PLAIN, M.J., 24" DIA. , QUANTITY = 2 EA

5306-9805-9 BOLT,TEE HEAD,3/4"DX5"L, QUANTITY = 32 EA

5380-2400-1 GASKET,FOR LIN PCCP&ADAPT,24"D, QUANTITY = 2 EA

1022-7020-4 DIAPER,PCCP,24" FOR LCP, QUANTITY = 2 EA

REPAIR KIT FOR 24" EMBEDDED CYLINDER PIPE (ECP) PCCP CONSISTS OF THE FOLLOWING:

1022-6024-7 ADPTR,24"B-S,PCCP(ECP)-DIP(MJ) , QUANTITY = 1 EA

1022-6124-5 ADPTR,24"S-S,PCCP(ECP)-DIP(MJ) , QUANTITY = 1 EA

5382-8026-4 JOINT KT,24"PCCP(ADPT)WH ACCES, QUANTITY = 1 SE

## **Washington Suburban Sanitary Commission MATERIALS CATALOG**

Note: The set for S/N 5382-8026-4 on the preceding line consists of the following items:

4740-2400-7	GLAND, M.J., 24" DIA. , QUANTITY = 2	EA
5381-2400-9	GASKET, PLAIN, M.J., 24" DIA. , QUANTITY = 2	EA
5306-9805-9	BOLT,TEE HEAD,3/4"DX5"L, QUANTITY = 32	EA
5380-2450-6	GASKET,LAY,24"ECP,PCCP&ADAPTER, QUANTITY = 2	EA
1022-7025-3	DIAPER PCCP,ECP, 24", QUANTITY = 2	EA

REPAIR KIT FOR 30" LINED CYLINDER (LCP) PCCP CONSISTS OF THE FOLLOWING:

1022-2405-2	ADPTR,30"B-S,PCCP(LCP)-DIP(MJ) , QUANTITY = 1	EA
1022-2515-8	ADPTR,30"S-S,PCCP(LCP)-DIP(MJ) , QUANTITY = 1	EA
5382-8030-6	JOINT KT,30"PCCP(ADPT)WH ACCES, QUANTITY = 1	SE

Note: The set for S/N 5382-8030-6 on the preceding line consists of the following items:

4740-3000-4	GLAND, M.J., 30" DIA. , QUANTITY = 2	EA
5381-3000-6	GASKET, PLAIN, M.J., 30" DIA. , QUANTITY = 2	EA
5306-9806-7	BOLT,TEE HEAD,1"DX6"L, QUANTITY = 40	EA
5380-3000-8	GASKET,FOR LIN PCCP&ADAPT,30"D, QUANTITY = 2	EA
1022-7030-3	DIAPER,PCCP,30" FOR LCP, QUANTITY = 2	EA

REPAIR KIT FOR 30" EMBEDDED CYLINDER PIPE (ECP) PCCP CONSISTS OF THE FOLLOWING

1022-6030-4	ADPTR,30"B-S,PCCP(ECP)-DIP(MJ) , QUANTITY = 1	EA
1022-6130-2	ADPTR,30"S-S,PCCP(ECP)-DIP(MJ) , QUANTITY = 1	EA
5382-8033-0	JOINT KT,30"PCCP(ADPT)WH ACCES, QUANTITY = 1	SE

Note: The set for S/N 5382-8033-0 on the preceding line consists of the following items:

4740-3000-4	GLAND, M.J., 30" DIA. , QUANTITY = 2	EA
5381-3000-6	GASKET, PLAIN, M.J., 30" DIA. , QUANTITY = 2	EA
5306-9806-7	BOLT,TEE HEAD,1"DX6"L, QUANTITY = 40	EA
5380-5030-4	GASKET,LAY,30"ECP,PCCP&ADAPTER, QUANTITY = 2	EA
1022-7035-2	DIAPER PCCP,ECP, 30", QUANTITY = 2	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

REPAIR KIT FOR 36" LINED CYLINDER (LCP) PCCP CONSISTS OF  
THE FOLLOWING:

1022-2410-2	ADPTR,36"B-S,PCCP(LCP)-DIP(MJ) , QUANTITY = 1	EA
1022-2520-8	ADPTR,36"S-S,PCCP(LCP)-DIP(MJ) , QUANTITY = 1	EA
5382-8036-3	JOINT KT,36"PCCP(ADPT)WH ACCES, QUANTITY = 1	SE
4740-3600-1	GLAND, M.J., 36" DIA. , QUANTITY = 2	EA

Note: The set for S/N 5382-9036-3 on the preceding line consists of the  
following items:

5381-3600-3	GASKET, PLAIN, M.J., 36" DIA. , QUANTITY = 2	EA
5306-9806-7	BOLT,TEE HEAD,1"DX6"L, QUANTITY = 48	EA
5380-3600-5	GASKET,FOR LIN PCCP&ADAPT,36"D, QUANTITY = 2	EA
1022-7040-2	DIAPER,PCCP,36" FOR LCP/ECP, QUANTITY = 2	EA

REPAIR KIT FOR 36" EMBEDDED CYLINDER PIPE (ECP) PCCP  
CONSISTS OF THE FOLLOWING

1022-6036-1	ADPTR,36"B-S,PCCP(ECP)-DIP(MJ) , QUANTITY = 1	EA
1022-6136-9	ADPTR,36"S-S,PCCP(ECP)-DIP(MJ) , QUANTITY = 1	EA
5382-8038-9	JOINT KT,36"PCCP(ADPT)WH ACCES , QUANTITY = 1	SE
4740-3600-1	GLAND, M.J., 36" DIA. , QUANTITY = 2	EA

Note: The set for S/N 5382-8038-9 on the preceding line consists of the  
following items:

5381-3600-3	GASKET, PLAIN, M.J., 36" DIA. , QUANTITY = 2	EA
5306-9806-7	BOLT,TEE HEAD,1"DX6"L, QUANTITY = 48	EA
5380-5036-7	GASKET,LAY,36"ECP,PCCP&ADAPTER, QUANTITY = 2	EA
1022-7045-1	DIAPER(GROUT BAND)PCCP,ECP,36", QUANTITY = 2	EA

REPAIR KIT FOR 36" LINED CYLINDER (LCP) PCCP, 16', 3PC,  
CONSISTS OF THE FOLLOWING

1022-3601-5	PCCP,DOUB.SPIG.ADPTR,36"/R.KIT, QUANTITY = 1	EA
1022-3605-6	PCCP, CLOS. ASSY,36",FOR R.KIT, QUANTITY = 1	EA
1022-3602-3	PCCP(LCP),36"DIA,9',FOR R.KIT, QUANTITY = 1	EA
5382-8037-1	JOINT KT,36"PCCP(ADPT)WH ACCES, QUANTITY = 1	SE

Note: The set for S/N 5382-8037-1 on the preceding line consists of the  
following items:

5307-1000-3	BOLT&NUT,FOR 54-96"PCCP REP.KIT, QUANTITY = 24	EA
5380-3600-5	GASKET,LAY,36"LCP,PCCP&ADAPTER, QUANTITY = 4	EA



**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1022-7040-2	DIAPER(GROUT BAND)PCCP,LCP,36", QUANTITY = 4	EA
5380-3645-0	GASKET,CLOSURE36"LCP PCCP RKIT, QUANTITY = 4	EA
9141-9120-0	LUBRICANT,JOINT,FOR PCCP R.KIT, QUANTITY : APPROXIMATELY 4 (or fewer depending on diameter)	EA

REPAIR KIT FOR 42" LINED CYLINDER (LCP) PCCP CONSISTS OF  
THE FOLLOWING:

1022-2415-1	ADPTR,42"B-S,PCCP(LCP)-DIP(MJ) , QUANTITY =1	EA
1022-2525-7	ADPTR,42"S-S,PCCP(LCP)-DIP(MJ) , QUANTITY = 1	EA
5382-8042-1	JOINT KT,42"PCCP(ADPT)WH ACCES, QUANTITY = 1	SE
4740-4200-9	GLAND, M.J., 42" DIA. , QUANTITY = 2	EA

Note: The set for S/N 5382-8042-1 on the preceding line consists of the  
following items:

5381-4200-1	GASKET, M.J., 42" DIA. , QUANTITY = 2	EA
5306-9807-5	BOLT,TEE HEAD,1-1/4"D x 6-1/2"L, QUANTITY = 56	EA
5380-4200-3	GASKET,42"LIN PCCP/ADPT,21/32", QUANTITY = 2	EA
1022-7050-1	DIAPER,PCCP,42" FOR LCP/ECP, QUANTITY = 2	EA

Note: The following gasket may be needed instead of the PCCP &  
ADAPTER gasket listed above. See note under the header at the  
beginning of the PCCP Repair Kit listing.

5380-4205-6	GASKET,42"LIN PCCP/ADPT,25/32", QUANTITY = 2	EA
-------------	--	----

REPAIR KIT FOR 42" EMBEDDED CYLINDER PIPE (ECP) PCCP  
CONSISTS OF THE FOLLOWING

1022-6042-3	ADPTR,42"B-S,PCCP(ECP)-DIP(MJ) , QUANTITY =1	EA
1022-6142-8	ADPTR,42"S-S,PCCP(ECP)-DIP(MJ) , QUANTITY =1	EA
5382-8044-7	JOINT KT,42"PCCP(ADPT)WH ACCES, QUANTITY = 1	SE
4740-4200-9	GLAND, M.J., 42" DIA. , QUANTITY = 2	EA

Note: The set for S/N 5382-8044-7 on the preceding line consists of the  
following items:

5381-4200-1	GASKET, M.J., 42" DIA. , QUANTITY = 2	EA
5306-9807-5	BOLT,TEE HEAD,1-1/4"DX6-1/2"L, QUANTITY = 56	EA
5380-4210-2	GASKET,LAY42"ECP,PCCP&ADPT.66", QUANTITY = 2	EA
1022-7060-0	DIAPER(GROUT BAND)PCCP,LCP,48", QUANTITY = 2	EA

Note: The following gasket may be needed instead of the PCCP &  
ADAPTER gasket listed above. See note under the header at the  
beginning of the PCCP Repair Kit listing.

**Washington Suburban Sanitary Commission  
MATERIALS CATALOG**

5380-4220-1	GASKET,LAY42"ECP,PCCP&ADPT.78", QUANTITY = 2	EA
	REPAIR KIT FOR 42" LINED CYLINDER (LCP) PCCP CONSISTS OF THE FOLLOWING:	
1022-2420-1	ADPTR,48"B-S,PCCP(LCP)-DIP(MJ) , QUANTITY = 1	EA
1022-2530-7	ADPTR,48"S-S,PCCP(LCP)-DIP(MJ) , QUANTITY = 1	EA
5382-8048-8	JOINT KT,48"PCCP(ADPT)WH ACCES, QUANTITY = 1	SE
4740-4800-6	GLAND, M.J., 48" DIA. , QUANTITY = 2	EA
	Note: The set for S/N 5382-8048-8 on the preceding line consists of the following items:	
5381-4800-8	GASKET, M.J., 48" DIA. , QUANTITY = 2	EA
5306-9807-5	BOLT,TEE HEAD,1-1/4"DX6-1/2"L, QUANTITY = 64	EA
5380-4800-0	GASKET,48"LIN PCCP/ADPT,21/32", QUANTITY = 2	EA
1022-7060-0	DIAPER,PCCP,48" FOR LCP/ECP, QUANTITY = 2	EA
	Note: The following gasket may be needed instead of the PCCP & ADAPTER gasket listed above. See note under the header at the beginning of the PCCP Repair Kit listing.	
5380-4805-2	GASKET,48"LIN PCCP/ADPT,25/32"	EA
	REPAIR KIT FOR 48" EMBEDDED CYLINDER PIPE (ECP) PCCP CONSISTS OF THE FOLLOWING	
1022-6048-5	ADPTR,48"B-S,PCCP(ECP)-DIP(MJ) , QUANTITY = 1	EA
1022-6148-4	ADPTR,48"S-S,PCCP(ECP)-DIP(MJ) , QUANTITY = 1	EA
5382-8049-6	JOINT KT,48"PCCP(ADPT)WH ACCES, QUANTITY = 1	SE
4740-4800-6	GLAND, M.J., 48" DIA. , QUANTITY = 2	EA
	Note: The set for S/N 5382-8049-6 on the preceding line consists of the following items:	
5381-4800-8	GASKET, M.J., 48" DIA. , QUANTITY = 2	EA
5306-9807-5	BOLT,TEE HEAD,1-1/4"DX6-1/2"L, QUANTITY = 64	EA
5380-4810-9	GASKET,LAY48"ECP,PCCP&ADPT.66", QUANTITY = 2	EA
1022-7065-9	DIAPER(GROUT BAND)PCCP,ECP,48", QUANTITY = 2	EA
	Note: The following gasket may be needed instead of the PCCP & ADAPTER gasket listed above. See note under the header at the beginning of the PCCP Repair Kit listing.	
5380-4820-8	GASKET,LAY48"ECP,PCCP&ADPT.78", QUANTITY = 2	EA

**Washington Suburban Sanitary Commission  
MATERIALS CATALOG**

~~1022-3254-4 REPAIR KIT FOR 54" EMBEDDED CYLINDER PIPE (ECP) PCCP AY  
USE 1022-3400-2 (ADAPTERS WITH DIP MJ BELL)~~

~~Note: The above repair kit (which is issued as an assembly in Maps)  
consists of the following:~~

~~1022-2425-0 ADPTR,54"B-B,PCCP(ECP) DIP(MJ), QUANTITY = 1 EA~~

~~1022-2535-6 ADPTR,54"S-B,PCCP(ECP) DIP(MJ), QUANTITY = 1 EA~~

~~5382-8055-3 JOINT KT,54"PCCP(ADPT)WH ACCES, QUANTITY = 1 SE~~

~~Note: The set for S/N 5382-8055-3 on the preceding line consists of the  
following items:~~

~~4740-5400-4 GLAND, M.J., 54" DIA., QUANTITY = 2 EA~~

~~5306-9807-5 BOLT,TEE HEAD,1-1/4"DX6-1/2"L, QUANTITY = 72 EA~~

~~5380-6208-4 GASKET,PCCP,54"LAY,25/32REP.KT, QUANTITY = 2 EA~~

~~1022-7070-9 DIAPER, PCCP, 54" ECP, QUANTITY = 2 EA~~

~~5380-6210-0 GASKET,PCCP,54"CLOSURE/MJ BELL, QUANTITY = 2 EA~~

~~Note: The following gasket may be needed instead of the PCCP &  
ADAPTER gasket listed above. See note under the header at the  
beginning of the PCCP Repair Kit listing.~~

~~5380-6207-6 GASKET,PCCP,54"LAY,21/32REP.KT EA~~

REPAIR KIT FOR 54" EMBEDDED CYLINDER PIPE (ECP) PCCP  
CONSISTS OF THE FOLLOWING

1022-2475-5 ADPTR,54"B-S,PCCP(ECP)-DI SPIG, QUANTITY = 1 EA

1022-2550-5 ADPTR,54"S-S,PCCP(ECP)-DI SPIG, QUANTITY = 1 EA

5382-8052-0 JOINT KT,54"PCCP(ADPT)WH ACCES, QUANTITY = 1 SE

4740-5400-4 GLAND, M.J., 54" DIA., QUANTITY = 2 EA

Note: The set for S/N 5382-8052-0 on the preceding line consists of the  
following items:

5306-9807-5 BOLT,TEE HEAD,1-1/4"DX6-1/2"L, QUANTITY = 72 EA

5380-6208-4 GASKET,PCCP,54"LAY,25/32REP.KT, QUANTITY = 2 EA

1022-6212-8 DIAPER, PCCP, 54" ECP, QUANTITY = 2 EA

5381-5400-6 GASKET, MJ., SBR, 54" DIA., QUANTITY = 2 EA

Note: The following gasket may be needed instead of the PCCP &  
ADAPTER gasket listed above. See note under the header at the  
beginning of the PCCP Repair Kit listing.

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

5380-6207-6 GASKET,PCCP,54"LAY,21/32REP.KT

EA

REPAIR KITS FOR PRESTRESSED CONCRETE CYLINDER PIPE (PCCP)  
UTILIZING 2 OR 3 PIECE PCCP REPAIR KIT FOR REPLACEMENT OF ONE  
LENGTH OF PCCP

INCLUDES ALL PARTS NEEDED FOR REPAIR FOR ONE LENGTH (LENGTH AS DEFINED IN  
RPAIR KIT DESCRIPTION) OF PCCP

*(NOTE THAT FOR PCCP DIAMETERS BETWEEN AND INCLUDING 54" THROUGH 72"THE 2 OR 3 PIECE KITS INCLUDE  
LAY GASKETS WITH CROSS SECTION DIAMETERS OF BOTH 21/32" AND 25/32" , IF THE WIDTH OF THE GROOVE FOR  
THE GASKET IN THE SPIGOT END OF THE PIPE OR ADAPTER MEASURES 3/4"THEN THE LAY GASKET OF 21/32" CROSS  
SECTION DIAMTER IS TO BE USED AND IF THE GROOVE WIDTH MEASURES 7/8"THEN THE LAY GASKET OF 25/32"  
CROSS SECTION DIAMETER IS TO BE USED)*

REPAIR KIT FOR 54" EMBEDDED CYLINDER (ECP) PCCP, 20', 3  
PIECE, CONSISTS OF THE FOLLOWING:

1022-6202-8	PCCP,DOUB.SPIG.ADPTR,54"/R.KIT, QUANTITY = 1	EA
1022-6204-5	PCCP,CLOS.ASSY,54",FOR R.KIT, QUANTITY = 1	EA
1022-6205-2	PCCP(ECP),54"DIA,13',FOR R.KIT, QUANTITY = 1	EA
1022-6212-8	DIAPER(GRT BAND)PCCP,54"/R.KIT, QUANTITY = 2	EA
5307-1000-3	BOLT&NUT,FOR54-96"PCCP REP.KIT, QUANTITY = 36	EA
5380-6207-6	GASKET,PCCP,54"LAY,21/32REP.KT, QUANTITY = 4	EA
5380-6208-4	GASKET,PCCP,54"LAY,25/32REP.KT, QUANTITY = 4	EA
5380-6210-0	GASKET,PCCP,54"CLOSURE/MJ BELL, QUANTITY = 1	EA
9141-9120-0	LUBRICANT,JOINT,FOR PCCP R.KIT, QUANTITY : APPROXIMATELY 4 (or fewer depending on diameter)	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

REPAIR KIT FOR 60" EMBEDDED CYLINDER ECP)  
PCCP, 16', 2 PIECE, CONSISTS OF THE FOLLOWING  
(Note that there are 2 options for the double spigot fitting,  
one with and one without a 36" flanged outlet (diapers  
gaskets, and bolting are not shown):

1022-6302-9	PCCP,DOUBLE SPIGOT FITTING,60 IN(W/36"OUTLET & INSTALLED FLANGE), LOA 10 FOOT (9.92) LENGTH, MFD BY TPG P/N 60E-050 & 60E-070	EA
-------------	---	----

1022-6303-1	PCCP,DOUBLE SPIGOT FITTING,60 IN(W/O 36"OUTLET & FLANGE), 9.92 FOOT LENGTH, MFD BY TPG	EA
-------------	--	----

1022-6304-3	PCCP,CLOS.ASSY,ECP, 60" P/N 60E-070	EA
-------------	-------------------------------------	----

REPAIR KIT FOR 60" EMBEDDED CYLINDER (ECP) PCCP, 16', 3  
PIECE, CONSISTS OF THE FOLLOWING:

1022-6302-7	PCCP,DOUB.SPIG.ADPTR,60"/R.KIT, QUANTITY = 1	EA
-------------	--	----

1022-6304-3	PCCP,CLOS.ASSY,60",FOR R.KIT, QUANTITY = 1	EA
-------------	--	----

1022-6306-8	PCCP(ECP),60"DIA,9',FOR R.KIT, QUANTITY = 1	EA
-------------	---	----

1022-6312-6	DIAPER(GRT AND)PCCP,60"/R.KIT, QUANTITY = 2	EA
-------------	---	----

5307-1000-3	BOLT&NUT,FOR60-96"PCCP REP.KIT, QUANTITY = 40	EA
-------------	---	----

5380-6307-4	GASKET,PCCP,60"LAY,21/32REP.KT, QUANTITY = 4	EA
-------------	--	----

5380-6308-2	GASKET,PCCP,60"LAY,25/32REP.KT, QUANTITY = 4	EA
-------------	--	----

5380-6310-8	GASKET,PCCP,60"CLOSURE/R.KIT, QUANTITY = 2	EA
-------------	--	----

9141-9120-0	LUBRICANT,JOINT,FOR PCCP R.KIT, QUANTITY : APPROXIMATELY 4 (or fewer depending on diameter)	EA
-------------	---	----

REPAIR KIT FOR 66" EMBEDDED CYLINDER ECP) PCCP, 16', 2  
PIECE, CONSISTS OF THE FOLLOWING (Note that there are 2  
options for the double spigot fitting, one with and one without a 36"  
flanged outlet (diapers gaskets, and bolting are not shown):

1022-6402-7	PCCP,DOUBLE SPIGOT FITTING,66 IN(W/ 36"OUTLET & FLANGE), 9.92 FOOT LENGTH, MFD BY TPG	EA
-------------	---	----

1022-6402-9	PCCP,DOUBLE SPIGOT FITTING,66 IN(W/O 36"OUTLET & FLANGE), 9.92 FOOT LENGTH, MFD BY TPG	EA
-------------	--	----

1022-6404-1	PCCP,CLOS.ASSY,66",FOR R.KIT	EA
-------------	------------------------------	----

REPAIR KIT FOR 66" EMBEDDED CYLINDER (ECP) PCCP, 16', 3  
PIECE, CONSISTS OF THE FOLLOWING:

1022-6402-5	PCCP,DOUB.SPIG.ADPTR,66"/R.KIT, QUANTITY = 1	EA
-------------	--	----

1022-6404-1	PCCP,CLOS.ASSY,66",FOR R.KIT, QUANTITY = 1	EA
-------------	--	----

1022-6406-6	PCCP(ECP),66"DIA,9',FOR R.KIT, QUANTITY = 1	EA
-------------	---	----

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1022-6412-4	DIAPER(GRT BAND)PCCP,66"/R.KIT, QUANTITY = 2	EA
5307-1000-3	BOLT&NUT,FOR60-96"PCCP REP.KIT, QUANTITY = 44	EA
5307-6407-2	GASKET,PCCP,66"LAY21/32REP.KIT, QUANTITY = 4	EA
5380-6408-0	GASKET,PCCP,66"LAY,25/32REP.KT, QUANTITY = 4	EA
5380-6410-6	GASKET,PCCP,66"CLOSURE/R.KIT, QUANTITY = 2	EA
9141-9120-0	LUBRICANT,JOINT,FOR PCCP, QUANTITY: APPROXIMATELY 4 (or fewer depending on diameter)	EA
	REPAIR KIT FOR 72" EMBEDDED CYLINDER ECP) PCCP, 16', 2 PIECE, CONSISTS OF THE FOLLOWING (Note that there are 2 options for the double spigot fitting, one with and one without a 36" flanged outlet (diapers gaskets, and bolting are not shown):	
102265024	PCCP,DOUBLE SPIGOT FITTING,72 IN(W/ 36"OUTLET & INSTALLED FLANGE), 9.92 FT LENGTH, MFD P/N 72E-050	EA
102265026	PCCP,DOUBLE SPIGOT FITTING,72 IN(W/O 36"OUTLET & FLANGE), 9.92 FOOT LENGTH, MFD BY TPG	EA
102265048	PCCP,DOUBLE SPIGOT FITTING,72 IN(W/O 36"OUTLET & FLANGE), 9.92 FOOT LENGTH, MFD BY TPG	EA
	REPAIR KIT FOR 72" EMBEDDED CYLINDER (ECP) PCCP, 16', 3 PIECE, CONSISTS OF THE FOLLOWING:	
1022-6502-2	PCCP,DOUB.SPIG.ADPTR,72"/R.KIT, QUANTITY = 1	EA
1022-6504-8	PCCP,CLOS.ASSY,72",FOR R.KIT, QUANTITY = 1	EA
1022-6506-3	PCCP(ECP),72"DIA,6",FOR R.KIT, QUANTITY = 1	EA
1022-6512-1	DIAPER(GRT BAND)PCCP,72"/R.KIT, QUANTITY = 2	EA
5307-1000-3	BOLT&NUT,FOR60-96"PCCP REP.KIT, QUANTITY = 48	EA
5380-6508-7	GASKET,LAY72"ECP,PCCP&RKIT.78", QUANTITY = 4	EA
5380-6507-9	GASKET,LAY72"ECP,PCCP&RKIT.66", QUANTITY = 4	EA
5380-6510-3	GASKET,PCCP,72"CLOSURE/R.KIT, QUANTITY = 2	EA
9141-9120-0	LUBRICANT,JOINT,FOR PCCP, QUANTITY: APPROXIMATELY 4 (or fewer depending on diameter)	EA
	REPAIR KIT FOR 78" EMBEDDED CYLINDER ECP) PCCP, 16', 2 PIECE, CONSISTS OF THE FOLLOWING (Note that there are 2 options for the double spigot fitting, one with and one without a 36" flanged outlet (diapers gaskets, and bolting are not shown):	
1022-6522-2	PCCP,DOUBLE SPIGOT FITTING,78 IN(W/ 36"OUTLET & FLANGE), 10 FOOT LENGTH, MFD BY TPG	EA
1022-6522-4	PCCP,DOUBLE SPIGOT FITTING,78 IN(W/O 36"OUTLET & FLANGE), 10 FOOT LENGTH, MFD BY TPG	EA

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

1022-6524-6	PCCP,CLOS.ASSY,78",FOR R.KIT	EA
	REPAIR KIT FOR 78" EMBEDDED CYLINDER (ECP) PCCP, 16', 3 PIECE, CONSISTS OF THE FOLLOWING:	
1022-6522-0	PCCP,DOUB.SPIG.ADPTR,78"/R.KIT, QUANTITY = 1	EA
1022-6524-6	PCCP,CLOS.ASSY,78",FOR R.KIT, QUANTITY = 1	EA
1022-6526-1	PCCP(ECP),78"DIA,9',FOR R.KIT, QUANTITY = 1	EA
1022-6528-7	DIAPER(GRT BAND)PCCP,78"/R.KIT, QUANTITY = 2	EA
5380-6552-5	GASKET,PCCP,78"LAY21/32REP.KIT, QUANTITY = 4	EA
5380-6558-2	GASKET,PCCP,78"LAY25/32REP.KIT, QUANTITY = 4	EA
5380-6563-2	GASKET,PCCP,78"CLOSURE/R.KIT, QUANTITY = 32	EA
5307-1000-3	BOLT&NUT,FOR54-96"PCCP REP.KIT, QUANTITY = 52	EA
9141-9120-0	LUBRICANT,JOINT,FOR PCCP R.KIT, QUANTITY: APPROXIMATELY 4 (or fewer depending on diameter)	EA
	REPAIR KIT FOR 84" EMBEDDED CYLINDER ECP) PCCP, 16', 2 PIECE, CONSISTS OF THE FOLLOWING (Note that there are 2 options for the double spigot fitting, one with and one without a 36" flanged outlet (diapers gaskets, and bolting are not shown):	
1022-6602-2	PCCP,DOUBLE SPIGOT FITTING,84 IN(W/ 36"OUTLET & FLANGE), 10 FOOT LENGTH, MFD BY TPG	EA
1022--66024	PCCP,DOUBLE SPIGOT FITTING,84 IN(W/O 36"OUTLET & FLANGE), 10 FOOT LENGTH, MFD BY TPG	EA
1022-6604-6	PCCP,CLOS.ASSY,84",FOR R.KIT	EA
	REPAIR KIT FOR 84" EMBEDDED CYLINDER (ECP) PCCP, 16', 3 PIECE, CONSISTS OF THE FOLLOWING:	
1022-6602-0	PCCP,DOUB.SPIG.ADPTR,84"/R.KIT, QUANTITY = 1	EA
1022-6604-6	PCCP,CLOS.ASSY,84",FOR R.KIT, QUANTITY = 1	EA
1022-6606-1	PCCP(ECP),84"DIA,6',FOR R.KIT, QUANTITY = 1	EA
1022-6612-9	DIAPER(GRT BAND)PCCP,84"/R.KIT, QUANTITY = 2	EA
5307-1000-3	BOLT&NUT,FOR60-96"PCCP REP.KIT, QUANTITY = 56	EA
5380-6608-5	GASKET,PCCP,84"LAYING/R.KIT, QUANTITY = 4	EA
5380-6610-1	GASKET,PCCP,84"CLOSURE/R.KIT, QUANTITY = 2	EA
9141-9120-0	LUBRICANT,JOINT,FOR PCCP, QUANTITY: APPROXIMATELY 4 (or fewer depending on diameter)	EA
	REPAIR KIT FOR 96" EMBEDDED CYLINDER ECP) PCCP, 16', 2 PIECE, CONSISTS OF THE FOLLOWING (Note that there are 2 options for the double spigot fitting, one with and one without a 36" flanged outlet (diapers gaskets, and bolting are not shown):	

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

102269000	PCCP,DOUBLE SPIGOT FITTING,96 IN(W/ 36"OUTLET & FLANGE), 10 FOOT LENGTH, MFD BY TPG	EA
102269002	PCCP,DOUBLE SPIGOT FITTING,96 IN(W/O 36"OUTLET & FLANGE), 10 FOOT LENGTH, MFD BY TPG	EA
102269222	PCCP,CLOS.ASSY,96",FOR R.KIT  REPAIR KIT FOR 96" EMBEDDED CYLINDER (ECP) PCCP, 16', 3 PIECE, CONSISTS OF THE FOLLOWING:	EA
1022-6702-8	PCCP,DOUB.SPIG.ADPTR,96"/R.KIT, QUANTITY = 1	EA
1022-6704-4	PCCP,CLOS.ASSY,96",FOR R.KIT, QUANTITY = 1	EA
1022-6706-9	PCCP(ECP),96"DIA,9',FOR R.KIT, QUANTITY = 1	EA
1022-7012-1	DIAPER(GRT BAND)PCCP,96"/R.KIT, QUANTITY = 2	EA
5307-1000-3	BOLT&NUT,FOR60-96"PCCP REP.KIT, QUANTITY = 64	EA
5380-9605-8	GASKET,PCCP,96"LAYING/ R.KIT, QUANTITY = 4	EA
5380-9612-4	GASKET,PCCP,96"CLOSURE/ R.KIT, QUANTITY = 2	EA
9141-9120-0	LUBRICANT,JOINT,FOR PCCP, QUANTITY: APPROXIMATELY 4 (or fewer depending on diameter)	EA



# *Washington Suburban Sanitary Commission*

## **MATERIALS CATALOG**

ABRASIVE CLOTH .....	107	Ductile Iron, M.J. And Plain End.....	18
ABSORBENT, OIL AND GREASE .....	157	Mechanical Joint .....	17
ADAMS CLAMPS.....	32	BENTONITE .....	115
Adaptor		Beveled Gasket .....	114
Male, Pvc .....	17	Bilge Pump .....	77, 78
Mechanical Joint Bell To Prestressed Cyl.		BIT	
Pipe .....	13	ROCK .....	48
Precast Manhole .....	17	BIT (DRILL)	
ADHESIVE TAPE .....	76	HIGH SPEED .....	94
ADJUSTING RING		MASONRY .....	96
MANHOLE COVER .....	117	BLACK HYDRAULIC PAINT .....	161
ADJUSTING RING (MANHOLE).....	116	Black Plastic Sheet.....	167
ADJUSTING RING (VALVE BOX).....	89	Black Steel Pipe .....	82
AGGREGATE		BLADE	
GRADED.....	115	GRINDING.....	106
AIR HOSE		HACKSAW .....	92
FITTINGS.....	79	BOB	
Air Valve .....	84, 86	PLUMB.....	99
ALCOHOL .....	162	BOLT	
ALKALINE BATTERY .....	121	LOCKING (FOR BOLT-DOWN MANHOLE	
ALL THREADED ROD .....	119	COVER).....	118
ALUMINUM LEVEL .....	99	TEE HEAD .....	102
Anchor .....	104	TOGGLE .....	102
ANCHOR COUPLING .....	67	Bonding	
ANGLE ELL .....	145	Mortar .....	161
ANGLE VALVE .....	146	BOOT	
ANTI-SEIZE AND LUBRICATING		HIP.....	164
COMPOUND.....	166	BOTTLE	
ASPHALT CUTTER.....	47	SPRAY .....	158
AXE		BOTTOM SECTION (VALVE BOX).....	89
BUSH .....	92	BOX	
SINGLE BIT .....	92	WEATHERPROOF .....	120
BAG		BRICK	
PLASTIC .....	162	SEWER.....	115
Ballast (Fluorescent Lamp) .....	124	BRICKLAYER'S TROWEL (LARGE) .....	90
BAND		BROOM HANDLE .....	157
SWEAT .....	163	Brush	
BANDAGE.....	76	Paint .....	162
BANDING BAND.....	98	BRUSH	
BANDING BUCKLE .....	98	DAUBING .....	157
BANDING TOOL .....	98	SCRUBBING.....	157
Banding Tools & Accessories .....	98	BUCKET .....	155
BANK GRAVEL.....	115	BUCKET LID.....	155
BAR		BUCKLE	
DIGGING .....	91	BANDING .....	98
WRECKING.....	91	BULB	
BASE		FLASHLIGHT .....	124
MANHOLE (CONCRETE).....	116	LANTERN.....	124
BATTERY		Bushing	
ALKALINE .....	121	Brass .....	19
FLASHER.....	121	Galvanized Reducing.....	19
LANTERN.....	122	Cable	
Bend		Clamp.....	49
Cast Iron Soil For Sewer Use .....	18	CABLE TIE .....	121

Revised March 28, 2023

# *Washington Suburban Sanitary Commission*

## **MATERIALS CATALOG**

CALCIUM CHLORIDE .....	154	Coating (Vault Sealing).....	162
CALCIUM HYPOCHLORIDE (H.T.H.).....	153	COATS	
CAN		RAIN COAT.....	163
GARBAGE.....	155	Cock	
KEROSENE .....	155	Corporation .....	20
OIL .....	155	Curb .....	21
Cap		COMPLETE ASSEMBLY .....	89
Brass, Corporation Coupling Thread .....	19	COMPOUND	
Brass, Iron Pipe Thread .....	20	CAULKING.....	162
Mechanical Joint .....	20	DUCT SEALING.....	162
CAP		SEALING (DUXSEAL).....	162
3-WIRE GROUNDING .....	119	VAULT SEALING .....	162
CAP SCREW.....	100	WIRE PULLING .....	165
CARPENTER'S RULE.....	99	CONCRETE	
CAULKING IRON.....	91	PRE-MIXED.....	115
C-CLAMP .....	94	CONDUIT	
CEMENT		BUSHING.....	120
PORTLAND.....	115	LOCK NUT .....	120
QUICK SETTING .....	115	RIGID STEEL.....	121
SOLVENT WELD.....	162	UNION .....	120
VAULT COATING .....	162	WATERTIGHT, FLEXIBLE .....	121
Chain		CONDUIT UNION.....	120
Galvanized And Self-Colored.....	48	Condulet	
CHISEL .....	91	Gasket .....	120
Chock		CONE	
Wooden.....	115	MANHOLE (CONCRETE) .....	116
Clamp		Connector	
Cable.....	49	Electrical .....	119
CLAMP		CONNECTOR	
"C" .....	94	CONDUIT .....	121
AIR HOSE .....	79	GROUNDING .....	119
BACK.....	121	WIRE .....	119
Clamp (Pipe Repair) For:		CONNECTOR BODY .....	119
A/C Water .....	32	COPPER	
Cast Iron (Adams) .....	32	SHEET .....	167
Galvanized & Steel (Skinner).....	35	COPPER SHEET.....	167
CLAMP (PIPE REPAIR) FOR:		COPPER WIRE	
CONCRETE .....	33	THHN .....	122
PVC .....	33	Cord	
Clamp (Repair) Bell Joint:		Extension.....	123
Dresser Type 160 (Old).....	34	CORD	
Dresser Type 60 (New) .....	34	ELECTRICAL (PORTABLE) .....	122
CLAY METER HOUSING .....	148	PORTABLE (ELECTRIC).....	122
CLEANER		Corporation Cock.....	20
GLASS.....	158	Cotton Twine .....	49
WINDOW .....	158	Coupling	
CleanerS .....	157	Brass Reducing.....	24
Clean-Out Ferrule .....	46	Copper Tubing-Size Pipe.....	23
CLEANSER		Copper/Galvanized Female .....	22
ALL-PURPOSE.....	157	Copper/Galvanized Male .....	22
HAND.....	157	Dresser (Steel Pipe).....	23
SCOURING POWDER .....	157	Fernco Type .....	21
CLOTH		COUPLING	
ABRASIVE .....	107	ALL-THREADED ROD .....	119
CLOTH ABRASIVE .....	107	HOSE.....	79

Revised March 28, 2023

# *Washington Suburban Sanitary Commission*

## **MATERIALS CATALOG**

ROD..... 119	YOKE ..... 145
Coupling (Heavy Duty)	Ell, Brass
Steel Pipe ..... 23	Nipple, 90 Degree..... 26
Coupling, Flexible	ENGINEER'S RULE ..... 99
Sewer Saddle To Pvc..... 21	EXTENSION (VALVE BOX)..... 89
Sewer Saddle To Sewer Pipe..... 21	EXTENSION STEM, VALVE ..... 88
COVER	EXTINGUISHER, FIRE ..... 73
LAMPHOLE..... 118	MOUNTING BRACKET..... 73
COVER (MANHOLE) ..... 117	EYE DRESSING ..... 77
COVER (VALVE BOX) ..... 89	Eye Wear ..... 75
COVER HOOK (MANHOLE)..... 91	FANTASTIC ..... 158
Cross	Fastener..... 99
Mechanical Joint ..... 24	FEELING ROD ..... 91
CRUSHED STONE/CR-6 ..... 115	FENCE
CURB	FOR EROSION CONTROL ..... 116
COMPLETE ASSEMBLY ..... 89	SAFETY ..... 116
Curb Box And Parts ..... 88	FILE
CURB BOX KEY ..... 98	FLAT ..... 91
CURB COCK (SHUT OFF KEY) ..... 99	KNIFE EDGE ..... 91
CUTTER ..... 91	ROUND ..... 91
ASPHALT ..... 47	SLIM..... 91
GLASS..... 94	FINISHING TROWEL (CEMENT)..... 90
DAUBING BRUSH..... 157	FIRE EXTINGUISHER..... 73
Degreaser	Fire Fighting Supplies ..... 73
For Dirt, Grease, Tar ..... 154	Fire Hydrant
DEGREASER	Adaptor Type ..... 49
FRANKLIN 707 ..... 158	Extension..... 69
SPRAY ("GUNK" TYPE)..... 165	Parts & Accessories..... 50, 53, 54, 58, 60
Deicers..... 153	YarD ..... 70
DETECTABLE TAPE..... 168	FIRE Hydrant
DIGGING BAR..... 91	Complete..... 70
DISINFECTANT ..... 158	FIRE HYDRANT
Double Bell Coupling ..... 24	WRENCH ..... 67
DRILL BIT	First Aid Equipment & Supplies..... 76
HIGH SPEED ..... 94	FIRST AID EQUIPMENT & SUPPLIES
MASONRY ..... 96	BANDAGE ..... 76
Drill Bits, Counterbores & Countersinks ..... 94	COLD PACK ..... 77
DRILL ROD, STEEL ..... 48	EYE DRESSING ..... 77
DUC-LUG ..... 105	GAUZE PAD ..... 76
DUPLEX RECEPTACLE..... 119	GLOVES, DISPOSABLE ..... 77
DUXSEAL (SEALING COMPOUND)..... 162	MASK..... 77
EAR MUFF ..... 74	POVIDONE/IODINE SWAB ..... 76
Ear Protection ..... 74	SCISSORS ..... 77
EARPLUG..... 74	TAPE, ADHESIVE..... 76
EASY-OUT ..... 96	TWEEZERS..... 77
Electric Lamp..... 123	FIRST AID KIT ..... 76
ELECTRICAL CORD	Fitting
(PORTABLE) ..... 122	Hose ..... 79
Electrical Supplies And Hardware..... 120	FITTING
ELECTRONIC BALLAST..... 124	AIR HOSE ..... 79
Ell	GREASE..... 78
Brass, 90 Degree ..... 26	SIAMESE WALL ..... 67
Capped (Electrical)..... 120	Fittings And Specialties..... 78
ELL	FITTINGS AND SPECIALTIES
ANGLE..... 145	GREASE FITTING..... 78

Revised March 28, 2023

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

FLAG STAKE.....	115	GRADED AGGREGATE (CR6/CRUSHED	
Flag, Safety.....	72	STONE).....	115
Flange, Blind.....	45	GRASS RAKE.....	90
Flange, Slip.....	46	GRASS SICKLE.....	92
Flange, Threaded.....	46	GRAVEL	
Flare, Safety.....	72	WASHED.....	115
FLARING TOOL.....	94	GRAVEL BANK.....	115
FLASHER BATTERY.....	121	GREASE	
Flashlight.....	123	CARTRIDGE.....	166
FLASHLIGHT BULB.....	124	FITTING.....	78
FLASHLIGHT WAND.....	123	GUN.....	90
FLAT TOP		GUN HOSE.....	90
MANHOLE (CONCRETE).....	116	LUBRICANT.....	166
Footwear.....	163	GREASE FITTING.....	78
FRAME		GREASE GUN.....	90
LAMPHOLE.....	118	GREASE GUN HOSE.....	90
METER.....	146	GRINDING BLADE.....	106
FRAME (MANHOLE).....	117	GRINDING WHEEL.....	106
FRAME AND COVER (MANHOLE).....	118	GUARD (TOE).....	70
FRANKLIN 707 DEGREASER.....	158	GUNK TYPE DEGREASER.....	165
FUNNEL.....	94	H.T.H. (CALCIUM HYPOCHLORIDE).....	153
GALOSHES.....	164	HACKSAW BLADE.....	92
GARBAGE CAN.....	155	HACKSAW FRAME.....	92
GARDEN HOE.....	90	HAMMER	
GARDEN RAKE.....	90	BRICKLAYER'S.....	92
Gasket		CLAW.....	92
Beveled.....	114	MACHINIST.....	92
Cast Iron Soil.....	113	SLEDGE.....	92
Flat.....	114	HAND CLEANSER.....	157
Plain (Mechanical Joint).....	109	.....	165
Precast Manhole.....	114	HAND SOAP	
Prestressed Concrete Pipe.....	107	Hand Tools	
Super Bell Joint.....	111	Construction (Nonpowered).....	90
Transition.....	114	Nonedged (Nonpowered).....	91
Tyton.....	112	HANDLE	
GASKET		BROOM.....	157
SELF-RESTRAINING.....	105	MOP.....	157
GATE VALVE		PICK.....	92
OPERATING.....	88	HANDSAW.....	92
GAUZE PAD.....	76	HARD HAT	
Gland, Retainer		LINER (WINTER).....	72
Ductile Iron.....	80	HASP.....	105
Megalug.....	80	HATCHET.....	92
GLASS CLEANER.....	158	HEX NUT.....	103
GLASS CUTTER.....	94	HINGE	
GLOVES		"T".....	105
LEATHER.....	163	STRAP.....	105
LONG, RUBBER.....	163	HOE	
SAFETY.....	77	GARDEN.....	90
WORK.....	163	MORTAR.....	90
GLOVES, DISPOSABLE.....	77	POTATO.....	90
GOGGLES, SAFETY.....	75	HOOK	
Grab Hook (Chain Hook).....	49	MANHOLE COVER.....	91
GRADE RING.....	116	HORN	

# *Washington Suburban Sanitary Commission*

## **MATERIALS CATALOG**

METER.....	147	Lumber .....	114
Hose		LYSOL .....	158
Air.....	78	MACHINE SCREW .....	99
Suction .....	78	Maintenance And Fuel Dispensing Equipment..	89
HOSE		Manhole	
GREASE GUN .....	90	Frame And Cover .....	116
HYDRANT		MANHOLE	
WRENCH .....	67	ADJUSTING RING .....	116
HYDRAULIC PAINT .....	161	BASE .....	116
INSECT SPRAY .....	154	CONE .....	116
Insulating .....	120	COVER.....	117
Insulator (Electrical).....	120	COVER HOOK.....	91
IRON		FLAT TOP.....	116
CAULKING .....	91	FRAME.....	117
JACK (TRENCH).....	90	FRAME AND COVER .....	118
Joint Kit		LOCKING BOLT FOR BOLT-DOWN	
Mechanical Joint .....	109	COVER .....	118
JOINT SEALANT .....	104	RISER.....	116
KEROSENE CAN .....	155	STEP .....	118
Key		MANHOLE COVER HOOK.....	91
Gate Valve .....	99	MARKER	
Water Meter, Valve, Shut Off.....	98	PAVING .....	168
KEY		MASONRY SCREW .....	99
CURB BOX .....	98	MASTIC .....	162
ROD.....	99	MATTOCK .....	90
SHUT OFF.....	99	Measuring Tools .....	99
WATER METER.....	98	MEGALUG RETAINER GLAND .....	80
KIT, FIRST AID.....	76	METER FRAME .....	146
Lamp		METER HORN.....	147
Electric .....	123	METER HOUSING	
LAMPHOLE COVER .....	118	CLAY .....	148
LAMPHOLE FRAME .....	118	METER WIRE.....	122
LANTERN .....	123	MOIL POINT .....	47
BULB .....	124	MOP HANDLE .....	157
LANTERN BATTERY .....	122	MOPHEAD .....	157
LEAD WOOL.....	104	MORTAR HOE .....	90
LEVEL		Nipple	
ALUMINUM .....	99	Brass .....	26
LINE .....	99	NOZZLE, HOSE.....	79
LID		NUT	
FOR BUCKET.....	155	GATE VALVE OPERATING .....	88
LIFT PINS .....	116	HEX .....	103
LINE LEVEL		Nylon Rope.....	49
Level .....	99	OCTOCRETE (QUICKSETTING CEMENT).....	115
LINER, WINTER (HARD HAT) .....	72	Offset, Mechanical Joint	
LOCK WASHER.....	104	Bell & Spigot.....	28
LOCKING BOLT (MANHOLE).....	118	Bell And Bell.....	27
LOCKNUT .....	148	OIL	
Lubricant .....	165	LIGHT MACHINE .....	166
LUBRICANT		OIL CAN .....	155
CHAIN AND SPROCKET .....	166	OPERATING NUT (GATE VALVE).....	88
HEAVY DUTY GEAR AND CABLE.....	166	PACKING	
PENETRATING .....	166	DURABLE.....	104
PNEUMATIC TOOLS.....	166	RAINBOW .....	104
PRECAST MANHOLE .....	166	PAD, GAUZE.....	76

Revised March 28, 2023

# Washington Suburban Sanitary Commission

## MATERIALS CATALOG

PADLOCK.....	105	PRECAST ADAPTOR	
Paint		BASE.....	116
Primer.....	161	FLAT TOP.....	116
Spray.....	160	RISER.....	116
PAINT		TOP SECTION.....	116
ALUMINUM.....	161	Preservative And Sealing Compound.....	162
ENAMEL.....	159	PRIMER	
HYDRAULIC (BLACK).....	161	PVC SOLVENT WELD.....	162
TRAFFIC.....	160	PROBE.....	91
Paint Brush.....	162	Protective Equipment.....	72
PAPER		PROTECTIVE EQUIPMENT	
TOILET.....	165	HELMET (HARD HAT).....	72
TOWEL.....	165	Pump (Bilge).....	77, 78
PAPER TOWEL.....	165	PUSHER	
PAVING MARKER.....	168	SNOW.....	90
PERIMETER MARKING.....	71	Pvc Double Bell Coupling.....	24
PERMATEX.....	162	Pvc Sewer Pipe Bend.....	19
PICK		RAG	
RAILROAD.....	90	WIPING.....	157
Pipe		RAILROAD PICK.....	90
Black Steel.....	82	RAKE	
Copper.....	81	GARDEN.....	90
Mechanical Joint (Ductile Iron).....	82	GRASS.....	90
Push-On Joint (Ductile Iron).....	83	RAM-NECK (PACKING).....	104
Pvc (Sewer).....	83	Reducer	
PIPE CUTTING WHEEL.....	92	Fernco.....	32
PIPE STRAP.....	121	Reducer, Mechanical Joint	
PITCHFORK.....	90	Bell And Bell.....	30
PLASTIC BAG.....	162	Large-End-Bell To Spigot End.....	31
PLASTIC SHEET.....	167	Small-End Bell.....	32
PLIERS		Small-End Bell To Spigot End.....	32
COMBINATION.....	93	Reducer, Pvc	
DIAGONAL.....	93	Eccentric, Small End-Bell To Spigot End.....	32
NEEDLE-NOSE.....	93	REDUCING BUSHING.....	120
RIB JOINT.....	93	REINFORCEMENT STEEL.....	119
SIDE-CUTTING.....	93	RELAY.....	120
Plug		REPELLENT.....	154
Brass, Iron Pipe Thread.....	29	Respirator.....	73
Brass, Tapered.....	30	Restrainer (Joint).....	105
Clean-Out.....	29	Retainer Gland (Ductile Iron).....	80
Concrete, Rubber Joint.....	29	Retainer Gland (Megalug).....	80
Mechanical Joint.....	29	Ring	
Test.....	30	Mechanical Joint.....	79
Test Tee.....	30	Split Repair.....	80
PLUMB BOB.....	99	Split Ring.....	80
PLUNGER.....	94	RING	
POINTING TROWEL (SMALL).....	90	GRADE RING (SOLID).....	116
POLYETHYLENE CLEAR.....	162	GRADE RING (SPLIT).....	116
POLYETHYLENE GUSSETED.....	162	MANHOLE ADJUSTING.....	116
Post		RISER	
Marker (Water And Sewer).....	168	MANHOLE (CONCRETE).....	116
POST		ROCK BIT.....	48
SIGN.....	168	ROD	
POTATO HOE.....	90	ALL-THREAD.....	119
Precast Adaptor.....	17	COUPLING.....	119

Revised March 28, 2023

# *Washington Suburban Sanitary Commission*

## **MATERIALS CATALOG**

FEELING.....91	FLEXIBLE (PAVEMENT).....104
THREADED.....119	SEALING COMPOUND (DUXSEAL).....162
ROD KEY .....99	SELF-RESTRAINING GASKET .....105
Rope	SERVICE BOX KEY .....99
Nylon .....49	SEWER BRICK.....115
Sisal .....48	SEWER GREASE SOLVENT.....154
ROPE	SHEET
SAFETY .....70	COPPER .....167
RULE	PLASTIC .....167
CARPENTER'S .....99	SHOVEL
ENGINEER'S.....99	ROUND POINT.....90
RUST REMOVER.....158	SCOOP .....90
Saddle (Sewer Tee) For:	SQUARE POINT.....90
Pvc Pipe .....36	SHUT OFF KEY.....99
Saddle (Sewer Wye) For:	SIAMESE WALL FITTING.....67
Pvc Pipe .....36	SICKLE (GRASS).....92
Saddle (Water Service) For:	Sign.....167
Cast Iron Pipe.....35	SIGN POST .....168
Prestressed Concrete Pipe.....41	Sleeve
Safety	Dual Purpose .....39
Cone.....72	Mechanical Joint, Oversized.....40
Face Protection.....75	Solid Mechanical Joint .....38
Flag.....72	Split Repair .....40
Flare.....72	Sleeve, Repair (Snell).....38
Sign.....167	Sleeve, Split Repair
String .....71	Bell Pack .....40
Vest.....71	Cd Pipe.....40
SAFETY	Clow Type.....41
CAN.....155	Stainless Steel.....41
GLOVES, LATEX.....77	SNIPS (TIN) .....92
GOGGLES.....75	SNOW PUSHER .....90
HARD HAT.....72	SOAP
TOE GUARD .....70	.....165
TREATMENT PACK (COLD).....77	HAND
Safety Equipment.....70	TRUCK WASH .....158
SAKRETE .....115	SOAP
SALT (CALCIUM CHLORIDE).....154	HAND.....157
SAND	SOCKET
CONCRETE .....115	MANHOLE .....98
MORTAR.....115	REPAIR CLAMP.....98
SANDPAPER.....107	SOCKET (½" DRIVE).....98
SAW .....92	Sockets
SCISSORS.....77	Manhole Wrench And Repair Clamps .....98
Screw .....99	Soldering Supplies .....47
SCREW	SPIKE
CAP .....100	DOME HEAD DRIVE.....104
MACHINE.....99	Split Repair Ring.....80
MASONRY .....99	SPRAY
TAPPING .....99	INSECT .....154
SCREWDRIVER.....93	WASP .....154
PHILLIPS .....93	SPRAY BOTTLE .....158
SCRUBBING BRUSH .....157	Spreader .....47
SEALANT	SQUARE TAMPER .....90
JOINT .....104	STAKE
SEALER	

Revised March 28, 2023

**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

FLAG.....	115	TISSUE	
WOOD.....	114	TOILET .....	165
STEEL		TOE GUARD (SAFETY) .....	70
REINFORCEMENT .....	119	TOGGLE BOLT .....	102
STEP (MANHOLE) .....	118	TOILET TISSUE .....	165
STONE, CRUSHED (CR6) .....	115	TOOL	
Stop		BANDING .....	98
Curb .....	21	TOP SECTION (VALVE BOX) .....	89
Strap		TOP SOIL .....	115
Tie-Down.....	48	TOWEL	
Suction Hose Gasket .....	114	PAPER.....	165
SWEAT BAND .....	163	TREEKOTE.....	162
SWITCH		TRENCH JACK	
SINGLE POLE .....	119	SCREW END.....	90
TAMPER (SQUARE).....	90	TROWEL	
TAP		BRICKLAYER'S .....	90
BOTTOMING .....	97	FINISHING.....	90
PIPE.....	97	POINTING.....	90
PLUG.....	97	TRUCK WASH .....	158
TAPER.....	96	Tubing (CopPER) .....	81
TAPE		TUBING CUTTING WHEEL .....	92
DANGER.....	168	TUNNELING BAR .....	91
DETECTABLE.....	168	TWEEZERS .....	77
DO NOT ENTER.....	168	Twine	
ELECTRICAL .....	167	Cotton .....	49
OUT OF SERVICE.....	167	Union	
SPLICING .....	166	Brass .....	46
TEFLON.....	167	Pvc .....	47
TAPE MEASURE .....	99	UNION	
Tapered Bushing		CONDUIT (ELECTRICAL) .....	120
Bushings .....	19	Valve	
Tapping Assembly .....	42	Air .....	84, 86
Tapping Bit		Backwater .....	84
Mueller D-5 Machine .....	96	Ball (Pvc) .....	85
Other Tapping Machines .....	96	Bronze, Ball .....	88
TAPPING SCREW.....	99	Flanged Check.....	85
Tapping Sleeve		Foot.....	88
For Mains 12" And Under, Class Ab & Cd..	37,	Horizontal Check.....	85
38		Key.....	98
Tarpaulins .....	162	Mechanical Joint .....	84
Tee		Parts .....	88
Brass, Threaded.....	44	Tapping (Mechanical Joint) .....	88
Copper .....	44	Threaded Gate .....	86
Hydrant .....	45	Threaded Globe.....	86
Mechanical Joint .....	42	Vertical Check.....	86
Pvc/Sewer.....	45	VALVE	
Reducing, Copper.....	45	ANGLE.....	146
TEE HEAD BOLT.....	102	EXTENSION STEM.....	88
Tee Saddle, For Tapping Sewer Pipe .....	36	VALVE BOX	
Test Plug .....	30	ADJUSTING RING .....	89
Thinner		BOTTOM SECTION .....	89
Solvent .....	162	COVER.....	89
TIE, CABLE (ELECTRICAL).....	121	EXTENSION .....	89
Tie-Down Strap .....	48	TOP SECTION .....	89
TIN SNIP.....	92	Valve Box And Parts.....	89

Revised March 28, 2023



**Washington Suburban Sanitary Commission**  
**MATERIALS CATALOG**

Vest, Safety.....	71	WIPING RAG.....	157
VISOR.....	76	WIRE	
WALL PLATE .....	121	ELECTRICAL .....	122
WAND		METER (20-3 AWG.).....	122
FLASHLIGHT .....	123	THHN, COPPER.....	122
WASHED GRAVEL .....	115	WIRE CONNECTOR (WIRE NUT) .....	119
WASHER		WIRE PULLING COMPOUND.....	165
AIR HOSE .....	79	Wood	
FLAT .....	103	Stake .....	114
LOCK .....	104	WOOL	
WASP SPRAY .....	154	LEAD.....	104
WATER METER KEY.....	98	WORK GLOVES .....	163
Water Meter Parts .....	124	WRECKING BAR.....	91
WEATHERPROOF BOX.....	120	WRENCH	
Welding Supplies .....	47	CRESCENT .....	93
WHEEL		DRESSER.....	94
GRINDING.....	106	MANHOLE .....	94
PIPE CUTTING.....	92	METER.....	94
TUBING CUTTING .....	92	PIPE .....	93
WHEELBARROW.....	48	TAPPING.....	94
WHEELS		T-HANDLE .....	94
WHETSTONE .....	106	WRENCH (FIRE HYDRANT).....	67
WHETSTONE.....	106	Wye	
WINDOW CLEANER.....	158	Brass .....	47
WINDSHIELD WASHER SOLVENT .....	158	Mechanical Joint .....	47
WINTER LINER (HARD HAT) .....	72	Pvc/Sewer .....	47

***Washington Suburban Sanitary Commission***  
***MATERIALS CATALOG***